



# HARDWARE UNLIMITED

Industrial & Safety Supplies

## **KLETON WARRANTY**

The warranty and return policy stated and described below pertain to all products carrying a KLETON logo located directly on the product or packaging. Such warranty supersedes any and all manufacturers' warranties, written or implied. KLETON's sole liability is limited to repair or replacement of any products proven to be defective in material and/or workmanship for one (1) year from the date of purchase, and for which a warranty claim is made, during the applicable warranty period, and no claims for damages of any type will be allowed. All products are sold on this specific interpretation. Defective warranted products will be repaired or replaced, at the discretion of KLETON, at no cost with a new or reconditioned product. Warranties only apply when the product is used for the purpose for which it was originally designed, in normal operating and other conditions. This warranty does not apply to products which have been abused, misused, modified or if the product is worn out from normal use or has been repaired by someone other than KLETON or an approved repair center. Discontinued warranted products will be replaced with products that are similar and available, or we will issue an appropriate credit. The specific warranty coverage for each product is as set out below. KLETON sells only on a wholesale basis and accordingly, warranties only apply to purchasers for resale or for use in their business.

## **HYDRAULIC PALLET TRUCK REPAIR WARRANTY**

The complete hydraulic pump, handle assembly, frame and associated components are covered for one (1) year for the Standard-Duty models and two (2) years for the Heavy-Duty and specialized models. Wearable components such as wheels, rollers, and bushings are covered for six (6) months. Bent, twisted or misaligned forks are clear signs of abuse and as stated above, are not covered under warranty.

Parts used to perform authorized warranty repairs from a KLETON Dealer or Distributor's stock will be replaced at no charge pending return, receipt and examination of the defective parts. If the KLETON Dealer or Distributor does not have the necessary parts in stock, KLETON will ship the parts F.O.B. Montreal, QC and invoiced per normal. A credit will be issued for this invoice pending return, receipt and examination of the defective parts. KLETON will not accept claims for freight or transportation charges. Use of non-KLETON parts is not acceptable and any unauthorized parts usage will void all warranties.

## **RETURN POLICY**

We will repair any defect due to faulty material or workmanship without charge. Please return the complete product or part as agreed upon, freight prepaid, to the KLETON Distributor where you purchased the product. These warranties do not cover failures due to abuse, misuse, normal wear, accidental damage or when repairs have been made or attempted by other than KLETON and its Authorized Service Centers. These warranties give you specific legal rights, and you may have other rights which vary from province to province. If you have any questions, please contact your assigned KLETON Distributor (proof of purchase is required).

# INDEX

## A

Aluminum Hand Trucks .....63-65

Appliance Trucks.....63

## B

Bag Sealers .....124

Bin Racks .....15-19

Bollards & Protectors .....37

Box Trucks .....93

Bulk Stacking Containers .....26

Bung Nut Wrenches.....110

## C

Cabinet Workbenches.....54

Cable Ties.....128

Can Tippers.....106

Carton Sizers.....124

Casters .....89-91

Chromate Wire Shelving

& Carts .....20-21, 23-24

Corkboards and White Boards .....58

## D

Diaphragm Hand Pumps .....111

Drum Dollies.....108

Drum Grabbers .....106

Drum Lifting Hooks .....106

Drum Rockers.....106

Drum Stacking Racks.....105

Drum Trucks .....107

Dump Trucks.....92

## E - G

Ergonomic Trucks .....74

Faucets & Valves .....110

Folding Tables and Chairs .....57

Furniture Pads .....39

Gas Cylinder Cabinets.....29

Gas Cylinder Carts.....61

Glue Guns .....128

Green Epoxy Finish Wire Shelving.....25

## H

Hand Trucks .....60-62

Hand Trucks for Plastic

& Fibre Drums .....107

Heavy-Duty Workbenches.....55

Hoists & Adjustable Trolleys .... 102-103

Hydraulic Scissor Lift Tables .....94

## L

Lever Type Pumps .....113

Locker Room Benches.....56

Lockers .....4-5

Low Profile Drum Trucks.....108

## M

Machine Stands.....55

Maintenance Platforms.....121

Mechanics Ladders.....120

Metal Box & Stock Trucks .....66-68

Mobile Workbenches.....52-53

## P

Pail Type Pumps.....113

Pallet Handling Equipment.....99

Pallet Trucks .....95-98

Parts Cabinets .....8-13

Plastic Shelf Trucks .....75

Platform Trucks .....75-83

Portable Folding Ladders.....120

Pull Type Drum Pumps .....111-112

## R

Racking Protectors/Guard Rails.....35

Reel Dispensers .....27

Rolling Ladders .....119-120

Rolling Step Ladders .....118

Rotary Lobe Type Pumps .....113

Rotary Type Pumps .....114-115

Rubber Tie Downs .....39

## S

Safety Guards.....34,37

Shelf Trucks.....69-73

Shop Desks .....56

Siphon Type Pumps .....113

Specialized Carts.....86-88

Specialized Dollies .....84-85

Specialized Hand Trucks.....63

Stacking Racks .....27

Step Stands & Platforms.....117

Storage Bins .....14-16

Storage Cabinets.....6-7

Storage Racks.....28

Strapping & Steel Seals.....125

Strapping Cutters .....126

Strapping Sealers .....126-127

Strapping Tensioners.....127

Stretch Wrap Dispensers .....125

Strip Curtain Doors.....33

## T - Z

Tape Dispensers .....124

Tarpaulins .....38

Tilt-N-Roll Ladders .....120

Utility Knives.....123

Vehicle Service Equipment .....100-101

Vents .....110

Wide Span Shelving.....22

Wire Mesh Partitions

& Enclosures.....30-32

Workbenches and Pedestals.....41-51

# WAREHOUSING & STORAGE

Lockers .....	4 - 5
Locker Room Benches .....	5
Storage Cabinets .....	6 - 7
Parts Cabinets .....	8 - 13
Storage Bins .....	14 - 16
Bin Racks .....	15 - 19
Wide Span Shelving .....	22
Chromate Wire Shelving & Carts .....	20 - 21, 23 - 24
Green Epoxy Finish Wire Shelving .....	25
Bulk Stacking Containers .....	26
Stacking Racks .....	27
Reel Dispensers .....	27
Storage Racks .....	28
Gas Cylinder Cabinets .....	29
Wire Mesh Partitions & Enclosures .....	30 - 32
Strip Curtain Doors .....	33
Safety Guards .....	34, 37
Racking Protectors/Guard Rails .....	35
Bollards & Protectors .....	37
Tarpaulins .....	38
Furniture Pads .....	39
Rubber Tie Downs .....	39






## Ready to Assemble Steel Lockers

- Ships knocked down, ready to assemble with nuts and bolts included
- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately
- Single tier dimensions: 12"W x 18"D x 72"H
- Double tier height: 33 1/4"
- Lockerettes height: 11"

Three zinc-plated coat hooks included in single and double tier lockers



16-gauge frames, 24-gauge body and shelves

Stainless steel recessed padlock handles



Double pan construction doors, 20-gauge outer and 24-gauge inner pans



### SINGLE TIER

**Dimensions:**  
12"W x 18"D x 72"H



### DOUBLE TIER

**Dimensions:**  
12"W x 18"D x 72"H  
33 1/4" height per locker



### LOCKERETTES

**Dimensions:**  
12"W x 18"D x 72"H  
11" height per lockerette





## SINGLE TIER

Model No.	Bank of	Wt. lbs.
FL362	1	52
FL363	2	96
FL364	3	139

### W/SLOPE TOP

FL380	1	56
FL381	2	104
FL382	3	151

### W/RECESSED BASE

FL392	1	56
FL393	2	104
FL394	3	151

### W/SLOPE TOP & RECESSED BASE

FL404	1	60
FL405	2	112
FL406	3	163



## DOUBLE TIER

Model No.	Bank of	Wt. lbs.
FL366	1	54
FL367	2	98
FL368	3	141

### W/SLOPE TOP

FL384	1	57
FL385	2	106
FL386	3	153

### W/RECESSED BASE

FL396	1	57
FL397	2	106
FL398	3	153

### W/SLOPE TOP & RECESSED BASE

FL408	1	61
FL409	2	114
FL410	3	165



## LOCKERETTES

Model No.	Bank of	Wt. lbs.
FL370	1	56
FL371	2	112
FL372	3	168

### W/SLOPE TOP

FL388	1	60
FL389	2	120
FL390	3	180

### W/RECESSED BASE

FL400	1	60
FL401	2	120
FL402	3	180

### W/SLOPE TOP & RECESSED BASE

FL412	1	64
FL413	2	128
FL414	3	192

Model No.	Description
FL375	10" Slope top
FL374	4" Recessed base
FL376	Nuts & bolts, 1 bank, For Kleton lockers
FL377	Nuts & bolts, 2 bank, For Kleton lockers
FL378	Nuts & bolts, 3 bank, For Kleton lockers
FL518	Number plates (Set of 1 to 25)
FL519	Number plates (Set of 26 to 50)
FL520	Number plates (Set of 51 to 75)
FL521	Number plates (Set of 76 to 100)



### SLOPE TOP

- Helps eliminate dust build up
- Raises top by 10"



### RECESSED BASE

- Prevents liquids from entering the locker
- Raises locker 4" off the ground



FB024

## Deep Door Storage Cabinets

- All-welded heavy-duty 16-gauge deep door steel cabinet
- Four reinforced 16-gauge adjustable cabinet shelves with 500-lb capacity per shelf
- 4" deep doors for maximum storage capacity
- 12 adjustable door shelves with 35-lb capacity per shelf
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (*See below*)

Model No.	Description	Dimension W" x D" x H"	Wt. lbs.
FB024	Cabinet	38 x 24 x 72	315
FB025	Extra Shelf for Cabinet	38 x 21 1/4 x 1	18
FB026	Extra Shelf for Door	18 x 6 x 1/2	2



## ACCESSORIES

Model No.	Description
SA898	Padlock Keyed Different
SR892	Padlock Keyed Alike



CB448

## 84-Bin - Deep Door Combination Cabinets

- All-welded heavy-duty 16-gauge deep door, combination bin/shelf cabinet
- Four reinforced 16-gauge main adjustable shelves with 500-lb capacity per shelf
- Incorporates louvered bin hanging panels welded into the cabinets
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (*See above*)

## CABINET ONLY

Model No.	Description	Dimension W" x D" x H"	Wt. lbs.
CB442	Cabinet Only	38 x 24 x 72	324
FB025	Extra Shelf for Cabinet	38 x 21 1/4 x 1	18

## CABINETS WITH BINS

Model No.	Bin Colour	Wt. lbs.	Each Cabinet Comes Complete with the Following Bins:
CB446	Blue	341	84 - 4 1/8" x 5 3/8" x 3" (10 lb. Capacity)
CB477	Red	341	
CB448	Yellow	341	
CB693	Green	341	
CB694	Stone	341	



CF354

## 98-Bin - Deep Door Combination Cabinets

- All-welded heavy-duty 16-gauge deep door, combination bin/shelf cabinet
- Two reinforced 16-gauge main adjustable shelves with 500-lb capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (See page 6)

### CABINET ONLY

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
FH820	Cabinet Only	38 x 24 x 72	316
FB025	Extra Shelf	38 x 21 1/4 x 1	18

Model No.	Bin Colour	Wt. lbs.	Each Cabinet Comes Complete with the Following Bins:
CF355	Blue	385	48 - 4 1/8" x 5 3/8" x 3" (10-lb. Capacity)
CF356	Red	385	36 - 4 1/8" x 7 3/8" x 3" (10-lb. Capacity)
CF354	Yellow	385	8 - 8 1/4" x 14 3/4" x 7" (60-lb. Capacity)
CF357	Green	385	6 - 16 1/2" x 14 3/4" x 7" (75-lb. Capacity)
CF358	Stone	385	



CB445

## 118-Bin - Deep Door Combination Cabinets

- All-welded heavy-duty 16-gauge deep door steel cabinet with 118 bins
- Incorporates louvered bin hanging panels welded to the cabinet's back and on its 4" deep hinged doors for added storage
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (See Page 6)

### CABINET ONLY

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB441	Cabinet Only	38 x 24 x 72	316

### CABINET WITH BINS

Model No.	Bin Colour	Wt. lbs.	Each Cabinet Comes Complete with the Following Bins:
CB443	Blue	385	42 - 4 1/8" x 5 3/8" x 3" (10-lb. Capacity)
CB444	Red	385	42 - 4 1/8" x 7 3/8" x 3" (10-lb. Capacity)
CB445	Yellow	385	18 - 5 1/2" x 10 7/8" x 5" (30-lb. Capacity)
CB691	Green	385	12 - 8 1/4" x 14 3/4" x 7" (60-lb. Capacity)
CB692	Stone	385	4 - 16 1/2" x 14 3/4" x 7" (75-lb. Capacity)

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanized steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs (except model CF323) and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

### KPC-HD Heavy-Duty Parts Cabinets

- Reinforced heavy-duty steel shelf
- Drawer size: 6 1/2" W x 14 13/16" D x 4 1/8" H
- Heavy-duty ABS beige drawers



CF323



Model No.	No. of drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF323	30	34 5/8 x 15 11/16 x 34 5/8	119

#### Replacement Parts

**Model No. CF324**, Drawer  
**Model No. CF546**, Black Divider  
**Model No. CF343**, Label Cover  
**Model No. CF344**, Label

### KPC-100 Parts Cabinets

- Drawer size: 6 3/8" W x 11 5/16" D x 2 11/16" H
- Heavy-duty ABS beige drawers

CF285



CF283

CF284



Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF283	12	23 x 11 3/8 x 13 13/16	28
CF284	24	23 x 11 3/8 x 25 3/16	47
CF285	36	23 x 11 3/8 x 36 7/8	60

#### Replacement Parts

**Model No. CF286**, Drawer  
**Model No. CF287**, Clear Divider  
**Model No. CF545**, Black Divider  
**Model No. CF338**, Label Cover  
**Model No. CF339**, Label



- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanized steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish



CA889

## KPC-200 Parts Cabinets

- Drawer size: 5 7/8" W x 9 13/16" D x 3 5/16" H
- Heavy-duty ABS beige drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CA889	30	21 1/8 x 10 1/2 x 36 3/4	58

### Replacement Parts

**Model No. CF481**, Drawer  
**Model No. CF548**, Black Divider  
**Model No. CF522**, Label Cover  
**Model No. CF521**, Label



CA890

CF289

CF293

## KPC-300 Parts Cabinets

- Drawer size: 5 7/8" W x 9 13/16" D x 1 5/8" H
- Clear polystyrene drawers



Model No.	No. of drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF293	18	21 5/16 x 10 3/8 x 12 3/16	25
CF289	24	14 5/16 x 10 3/8 x 22 1/2	32
CA890	60	21 5/16 x 10 3/8 x 36 7/8	60

### Replacement Parts

**Model No. CB984**, Drawer  
**Model No. CF194**, Clear Divider  
**Model No. CF549**, Black Divider  
**Model No. CF024**, Label Cover  
**Model No. CF340**, Label

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanized steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

## KPC-400 Parts Cabinets

- Drawer size: 4 11/16" W x 8 5/8" D x 2 11/16" H
- Heavy-duty ABS beige drawers

CA892

CD440



CA891

CF298



Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF298	16	23 1/8 x 8 11/16 x 13 13/16	24
CA891	24	17 5/16 x 8 11/16 x 25 5/8	33
CA892	48	22 5/8 x 8 11/16 x 36 7/8	58
CD440*	48	22 5/8 x 10.8 x 36 7/8	66.8

\* Comes with locking doors

### Replacement Parts

**Model No. CF025**, Lock with two Numbered Keys for CD440

**Model No. CB985**, Drawer

**Model No. CC309**, Clear Divider

**Model No. CF550**, Black Divider

**Model No. CF341**, Label Cover

**Model No. CC310**, Label



## KPC-500 Parts Cabinets

- Drawer size: 3 1/2" W x 8 5/8" D x 2 11/16" H
- Clear polystyrene drawers

CC454

CC453



CF305

CF306

CF304

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF304	15	13 7/8 x 8 11/16 x 16 5/16	22
CF305	16	18 5/16 x 8 11/16 x 13 13/16	21
CF306	20	23 1/8 x 8 11/16 x 13 13/16	27
CC453	32	18 1/8 x 8 11/16 x 25 5/8	31
CC454	60	22 5/8 x 8 11/16 x 36 7/8	68

### Replacement Parts

**Model No. CC455**, Drawer

**Model No. CC312**, Clear Divider

**Model No. CF551**, Black Divider

**Model No. CF342**, Label Cover

**Model No. CD239**, Label

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanized steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish



## KPC-600 Parts Cabinets

- Drawer size: 3 1/2" W x 8 5/8" D x 2 3/16" H
- Clear polystyrene drawers



Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF311	18	13 7/8 x 8 11/16 x 16 5/16	19
CF312	20	18 5/16 x 8 11/16 x 13 13/16	21
CF313	25	23 1/8 x 8 11/16 x 13 13/16	27
CF314	40	18 5/16 x 8 11/16 x 25 5/16	40
CF315	75	23 1/8 x 8 11/16 x 36 7/8	66

### Replacement Parts

Model No. CF316, Drawer

Model No. CF317, Clear Divider

Model No. CF552, Black Divider

Model No. CF345, Label Cover

Model No. CF346, Label



## KPC-700 Parts Cabinets

- Drawer size: 4 11/16" W x 8 5/8" D x 2 3/16" H
- Clear polystyrene drawers



Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF318	20	23 1/8 x 8 11/16 x 13 5/8	25
CF319	30	17 1/2 x 8 11/16 x 25 5/16	40
CF320	60	23 1/8 x 8 11/16 x 36 7/8	71

### Replacement Parts

Model No. CF321, Drawer

Model No. CF553, Black Divider

Model No. CF347, Label Cover

Model No. CF348, Label



## Heavy-Duty Industrial Carousel Drawer Cabinets

### Create your customized carousel cabinet

- Each level accommodates 4 parts cabinets with same height
- For a multiple tier cabinet (maximum 3 tiers), you require add-on-shelves and threaded rods as per the following: 1 add-on-shelf **CF402** for each level of cabinets, 14" rod required for each level of **CF312** or **CF305** cabinets 25" rod required for each level of **CC453** or **CF314** cabinets
- Rotating base allows for 800-lb. capacity
- All-welded 11-gauge steel base
- Durable KLETON grey enamel finish



Model No.	Description	Dimensions					Wt. lbs.
		W"	x	D"	x	H"	
<b>CF401</b>	Rotating Base and Top Cover	27 1/2	x	27 1/2	x	4	80
<b>CF402</b>	Add-on Shelf	27 1/2	x	27 1/2	x	1	18
<b>CF403</b>	Threaded Rod - 14"	3/8	x	-	x	14	1
<b>CF404</b>	Threaded Rod - 25"	3/8	x	-	x	25	1 1/2
<b>CF305</b>	Parts Cabinet - 16 Drawers	18 5/16	x	8 11/16	x	14	21
<b>CF312</b>	Parts Cabinet - 20 Drawers	18 5/16	x	8 11/16	x	14	21
<b>CC453</b>	Parts Cabinet - 32 Drawers	18 5/16	x	8 11/16	x	25	31
<b>CF314</b>	Parts Cabinet - 40 Drawers	18 5/16	x	8 11/16	x	25	40

### CF408

#### Includes:

- Qty: 12 - **CF314** - Cabinet - 40 drawers  
 Qty: 1 - **CF401** - Rotating Base and Top Cover  
 Qty: 2 - **CF404** - Threaded Rod 25"  
 Qty: 2 - **CF042** - Add-on Shelf

## 3 Tier Cabinet Kits

### CF405 - 192 Drawers

#### Includes:

- 12 - **CF305** Parts Cabinets  
 1 - **CF401** Rotating Base and Top Cover  
 2 - **CF402** Add-on Shelf  
 3 - **CF403** Threaded Rods 14"



### CF406 - 240 Drawers

#### Includes:

- 12 - **CF312** Parts Cabinets  
 1 - **CF401** Rotating Base and Top Cover  
 2 - **CF402** Add-on Shelf  
 3 - **CF403** Threaded Rods 14"



### CF407 - 384 Drawers

#### Includes:

- 12 - **CC453** Parts Cabinets  
 1 - **CF401** Rotating Base and Top Cover  
 2 - **CF402** Add-on Shelf  
 3 - **CF404** Threaded Rods 25"



### CF408 - 480 Drawers

#### Includes:

- 12 - **CF314** Parts Cabinets  
 1 - **CF401** Rotating Base and Top Cover  
 2 - **CF402** Add-on Shelf  
 3 - **CF404** Threaded Rods 25"



CF408

Model No.	Description	Dimensions					Wt. lbs.
		W"	x	D"	x	H"	
<b>CF405</b>	192 Drawers	27	x	27	x	48	392
<b>CF406</b>	240 Drawers	27	x	27	x	48	407
<b>CF407</b>	384 Drawers	27	x	27	x	80	497
<b>CF408</b>	480 Drawers	27	x	27	x	80	600





CF471



CF472



CF473



CF474

## Heavy-Duty Tilt Bins

- Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- Colour: Black and grey

Model No.	No. of Drawers	Bin Dimensions					Cabinet Dimensions					Wt. lbs.
		W"	x	D"	x	H"	W"	x	D"	x	H"	
CF471	8	2 3/4	x	3 1/4	x	3 5/8	11 3/4	x	2 3/4	x	7 7/8	1.8
CF472	6	3 11/16	x	4	x	4 5/8	11 3/4	x	3 1/2	x	9 3/4	2.26
CF473	5	4 1/2	x	4 7/8	x	5 1/2	23 1/2	x	4	x	5 7/8	2.84
CF474	4	5 5/8	x	6 3/8	x	7 1/2	23 1/2	x	5 1/2	x	7 7/8	3.10

## Mobile Tilt Bin Racks

- Heavy-duty steel frame
- Durable powder coat paint finish on galvanised steel
- 3" swivel casters with brake
- Single or double sided use
- Overall dimensions: 26 1/4" W x 22" D x 57 1/2" H
- Colour: Grey

### MOUNTING CHANNEL CF476 FOR MOBILE TILT BIN RACK


- Takes up to six mounting channels per side
- **CF473** tilt bins take up to eight mounting channels per side
- **CF471** and **CF472** take 2 bin units per level per side

SEE PLASTIC BINS FOR CF502 MOUNTING CHANNEL on Page 16



Model No.	Description	Bin Units Included
CF477	Single Sided	2 of each CF471, CF472, CF473, CF474
CF478	Double Sided	4 of each CF471, CF472, CF473, CF474
CF475*	Cart Only	-
CF476	Mounting Channel for Heavy-Duty Tilt Bins	
CF502	Mounting Channel for Plastic Bins	

\* Mounting channels and bins not included



## Drawer Cabinet Trucks

- Allows repair or assembly parts to be transported directly to the work site
- Lower shelf provides added storage capacity
- Rolls smoothly on two rigid and two swivel 5" rubber casters
- Drawers come with two adjustable dividers and full width handles
- Overall truck dimensions: 36"W x 18"D x 35"H

Model No.	No. of Drawers	Bin Dimensions					Wt. lbs.
		W"	x	D"	x	H"	
MA245	18	5 3/8	x	17	x	3 1/2	134
MA246	24	5 3/8	x	17	x	2	145
MA247	36	5 3/8	x	17	x	3 1/2	195
MA248	48	5 3/8	x	17	x	2	220



MA246



## Hi-Stak Plastic Bins

- Innovative stacking design allows for greater visibility and easier access to contents
- Distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage

### BIN DIMENSIONS: 4 13/16" W X 7 1/8" D X 3 3/16" H



Model No.	Colour
CB260	Blue
CB261	Yellow
CC234	Green
CC242	Red
CC441	Replacement Faceplate & Label
CC263	Replacement Legs

### BIN DIMENSIONS: 5 7/8" W X 9 13/16" D X 4 11/16" H



Model No.	Colour
CB262	Blue
CB263	Yellow
CC235	Green
CC243	Red
CC441	Replacement Faceplate & Label
CC263	Replacement Legs

### BIN DIMENSIONS: 8 3/16" W X 14" D X 6 3/16" H



Model No.	Colour
CB264	Blue
CB265	Yellow
CC236	Green
CC244	Red
CC443	Replacement Faceplate & Label
CC437	Replacement Legs

### BIN DIMENSIONS: 7 7/8" W X 17 11/16" D X 7" H



Model No.	Colour
CC239	Blue
CC240	Yellow
CC237	Green
CC245	Red
CC443	Replacement Faceplate & Label
CC437	Replacement Legs

### BIN DIMENSIONS: 11 13/16" W X 17 11/16" D X 7" H



Model No.	Colour
CB266	Blue
CB267	Yellow
CC238	Green
CC246	Red
CC443	Replacement Faceplate & Label
CC437	Replacement Legs

### ALL BINS ARE AVAILABLE IN 4 COLOURS



### INCLUDED FEATURES




Connector clip allows for back-to-back mounting



1" riser legs increase loading capacity and stability



Inclined faceplate with removable label and protector  
**CC441:** 3" x 1/2"  
**CC443:** 5 13/16" x 11"






Built-in extrusions allow side-by-side interlock



Stackable using built-in feet

## Plastic Bins

- Hang from bin racks, panels, rails and carts
- Reduce and control inventory, shorten assembly times and minimize parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads
- Stackable
- Unaffected by weak acids and alkalis
- Six available colours allow for colour coding



Bin Model No.						Outside Bin Dimensions					Bin Load	Divider
Blue	Red	Yellow	Green	Stone	Clear	W"	x	D"	x	H"	Cap. lbs.	Model No.
CB093	CB094	CB095	CB663	CB664	CF427	4 1/8	x	5 3/8	x	3	10	CB124
CB096	CB097	CB098	CB665	CB666	CF428	4 1/8	x	7 3/8	x	3	10	CB125
CB099	CB100	CB101	CB667	CB668	CF429	5 1/2	x	10 7/8	x	5	30	CD513
CB102	CB103	CB104	CB669	CB670	CF430	11	x	10 7/8	x	5	50	CD514
CB105	CB106	CB107	CB671	CB672	CF431	8 1/4	x	10 3/4	x	7	50	CB128
CB108	CB109	CB110	CB673	CB674	CF432	8 1/4	x	14 3/4	x	7	60	CB129
CB111	CB112	CB113	CB675	CB676	CF433	16 1/2	x	14 3/4	x	7	75	CF023

## Never get a flat...

with **KLETON** flat free wheel hand trucks, designed for rugged work environments!

See pages  
61, 63 and 64



## Jumbo Plastic Containers

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline, and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to four high
- Outside Dimensions: 15 1/2" W x 25" D x 13" H
- Inside Dimensions: 13 1/2" W x 22 3/5" D x 12" H
- Capacity: 200 lbs.



Model No.	Colour
CF328	Blue
CF330	Yellow
CF329	Green
CF327	Red

## Collapsible Containers

- Polypropylene construction
- Reinforced base for added durability
- 16 heavy-duty steel pins built in for increased strength
- Collapses to 21" L x 14" W x 2" H for convenient storage
- Open dimensions: 21" L x 14" W x 10 1/2" H
- Capacity: 160 lbs.

**Model No. CF326**



## Hanging Pegboards

- Hanging pegboard can be wall mounted, attached to the back of shelving, mounted on benches, carts, inside cabinets, fastened to slotted angle components, or used for service truck interiors
- Heavy-duty nylon fibre construction
- Dimensions: 24" W x 18" H
- Sold two per pack
- 36 plastic hooks included
- Installation note: Panels must be securely fastened to materials of adequate load bearing strength

**Model No. FH810**



(Tools not included)





Customise these  
products to your specs!  
See page 36

# STORAGE BINS & RACKS

17




## Hanging Metal Bin Panels

- Wall mount, attached to the back of shelving, mount on benches, carts, inside cabinets, fasten to slotted angle components, or use for service truck interior
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16-gauge cold-rolled steel
- Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- KLETON grey powder coated
- **Installation note:** Panels must be securely fastened to materials of adequate load bearing strength
- Each panel must be secured vertically at the centre

### METAL BIN PANELS

Model No.	Panel Size W" x H"			Wt. lbs.
CF411	18	x	19	6
CF412	36	x	19	12



CF412  
(Bins not included)

### BIN QUANTITY TABLE

Quantity of identical plastic bins that fit Model CF412 Panel

Outside Bin Dimensions					Qty of Bins 1 Panel	Qty of Bins 2 Panel	Qty of Bins 3 Panel	Qty of Bins 4 Panel
W"	x	D"	x	H"				
4 1/8	x	5 3/8	x	3	32	72	104	144
4 1/8	x	7 3/8	x	3	32	72	104	144
5 1/2	x	10 7/8	x	5	18	36	54	72
11	x	10 7/8	x	5	9	18	27	36
8 1/4	x	10 3/4	x	7	8	18	28	36
8 1/4	x	14 3/4	x	7	8	16	28	36
16 1/2	x	14 3/4	x	7	4	8	14	18

For CF411 Panel: Use 1/2 of bin quantities shown above.

NOTE: If mounting more  
than 1 Panel

2 Panels = 37"H

3 Panels = 55" H


4 Panels = 73" H

Width of 2 panels combined: 35 3/4"

## 36" Louvered Bench Racks

- All-welded louvered bench rack
- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners
- Durable KLETON blue enamel finish


Model No.	Description	W" x D" x H"	Wt. lbs.
CB363	Free Standing Bench Rack Only	36 x 10 x 22	22



PLASTIC BINS FOR CB363  
BENCH RACK  
See Page 15

### RACK WITH BIN COMBINATIONS


W/Red Bins	W/Blue Bins	W/Yellow Bins	W/Green Bins	W/Stone Bins	Outside Bin Dimensions W" x D" x H"	Bin Qty	Bin Capacity lbs.
CB146	CB145	CB147	CF359	CF360	4 1/8 x 5 3/8 x 3	32	320
CB152	CB151	CB153	CF361	CF362	4 1/8 x 7 3/8 x 3	32	320
CB155	CB154	CB156	CF363	CF364	5 1/2 x 10 7/8 x 5	18	540



CB147



Customise these  
products to your specs!  
See page 36




See Page 15 for  
plastic bins

## 72" Louvered Bench Racks

- Provides tool and parts storage for assembly or repair operations when combined with plastic parts bins
- All-welded louvered bench rack
- Designed to be permanently installed on a 72" wide workbench
- Constructed of 1 1/4" square tube frame
- Durable KLETON blue enamel finish

Model No.	Description	W" x D" x H"	Wt. lbs.
CB364	Bolt-on Bench Rack	72 x 15 x 40	95



CB173

### RACK WITH BIN COMBINATIONS

W/Red Bins	W/ Blue Bins	W/Yellow Bins	W/Green Bins	W/Stone Bins	Outside Bin Dimensions W" x D" x H"	Bin Qty	Total Bin Capacity lbs.
CB173	CB172	CB174	CF365	CF366	4 1/8 x 7 3/8 x 3	144	1440
CB176	CB175	CB177	CF367	CF368	5 1/2 x 10 7/8 x 5	72	2160
CB185	CB184	CB186	CF369	CF370	8 1/4 x 14 3/8 x 7	36	2160

## Stationary Bin Racks

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double-sided racks to meet your storage needs
- Durable KLETON blue enamel finish



Model No.	Description	Rack Type	W" x D" x H"	Wt. lbs.
CB373	Rack Only	Single-Sided	36 x 12 x 61	60
CB653	Rack Only	Double-Sided	36 x 24 x 61	100

### RACK WITH BIN COMBINATIONS

W/Red Bins	W/ Blue Bins	W/Yellow Bins	W/Green Bins	W/Stone Bins	Rack Type	Outside Bin Dimensions W" x D" x H"	Bin Qty	Total Bin Capacity lbs.
CB654	CB655	CB656	CB685	CB686	Single-Sided	8 1/4 x 14 3/4 x 7	28	1680
CB370	CB371	CB372	CB687	CB688	Double-Sided	8 1/4 x 14 3/4 x 7	56	3360

### ACCESSORIES FOR LOUVERED PANELS

Model No.	Description
CC165	Round Hook, 6"
CC166	Round Hook, 12"
CC167	Square Hook, 6"
CC168	Square Hook, 12"



Round Hook



Square Hook

## Bin Carts

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted-on 5" non-marking casters and two louvered panels
- Durable KLETON blue enamel finish

**1000-LB.  
CAPACITY**



Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB365	Cart Only	24 x 38 1/2 x 36 1/2	95

### CARTS/BIN COMBINATION

W/Blue Bins	W/ Red Bins	W/Yellow Bins	W/Green Bins	W/Stone Bins	Bin Qty
CB366	CB367	CB368	CB689	CB690	20

### BIN QUANTITY TABLE


Quantity of identical plastic bins that fit Model CB365

Outside Bin Dimensions					Qty of Bins
W"	x	D"	x	H"	
8 1/4	x	14 3/4	x	7	16
16 1/2	x	14 3/4	x	7	4

## Mobile Single Sided Bin Racks

- Ideal for transportation of small parts
- All-welded single-sided mobile bin rack
- Includes 3" casters and two louvered panels
- Durable KLETON blue enamel finish

**800-LB.  
CAPACITY**



Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB359	Rack Only	36 x 16 x 52	60

### RACK WITH BIN COMBINATIONS

W/Blue Bins	W/ Red Bins	W/Yellow Bins	W/Green Bins	W/Stone Bins	Bin Qty
CB650	CB651	CB652	CB681	CB682	36

### BIN QUANTITY TABLE

Quantity of identical plastic bins that fit Model CB359

Outside Bin Dimensions					Qty of Bins
W"	x	D"	x	H"	
5 1/2	x	10 7/8	x	5	36

## Mobile Double Sided Bin Racks

- Ideal for transportation of small parts
- All-welded double-sided mobile bin rack
- Includes bolted-on 5" non-marking casters and six louvered panels
- Durable KLETON blue enamel finish

**1000-LB.  
CAPACITY**



Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB649	Rack Only	36 x 24 x 63	120

### RACK WITH BIN COMBINATIONS

W/Blue Bins	W/ Red Bins	W/Yellow Bins	W/Green Bins	W/Stone Bins	Bin Qty
CB089	CB090	CB091	CB683	CB684	96

## Wire Shelving Components

- Heavy-gauge chromate plated shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Assembly required

## WIRE SHELVES

Model No.	Dimensions D" x W"	Cap lbs.*	Wt. lbs.
RL606	14 x 30	800	7.5
RL607	14 x 36	800	8.25
RL608	14 x 48	800	10.5
RL609	14 x 60	600	14.25
RL610	14 x 72	600	17.5
RL035	18 x 30	800	8.5
RL036	18 x 36	800	9.75
RL037	18 x 48	800	12.5
RL038	18 x 60	600	18
RL039	18 x 72	600	20.5
RL040	24 x 36	800	13.25
RL041	24 x 48	800	16.25
RL042	24 x 60	600	21.5
RL043	24 x 72	600	27

\* Evenly distributed weight

## POSTS

Model No.	Height"	Wt. lbs.
RL611	33	4
RL330	54	6.3
RL331	63	7
RL332	74	8
RL333	86	8.8



## Accessories



RL048



RL049


RL050  
Divider

RL054  
Split Sleeve

RL055  
"S" Hook  
Use S hooks to eliminate two posts per adjacent shelf. Two required per shelf.

RL056  
Leveling Foot

RL614  
Ledge for Shelf

RL330  
Posts

Model No.	Description	Wt. lbs.
RL048	Caster, 5", no brake	2.8
RL049	Caster, 5", with brake	2.7
RL050	Divider for shelf, 18"	1.7
RL051	Divider for shelf, 24"	2.2
RL052	Handle 18" - For utility carts	3.9
RL053	Handle 24" - For utility carts	4.4

Model No.	Description	Wt. lbs.
RL054	Split Sleeves, black 4 Pc/bag	0.1
RL055	S-Hook for attaching Add-On	0.1
RL056	Leveling feet (Die cast and foot bolt)	0.2
RL057	Die cast for leveling feet	0.1
RL058	Foot bolt for leveling feet	0.1

Model No.	Description	Wt. lbs.
RL614	Ledge for shelf, 14"	0.6
RL615	Ledge for shelf, 18"	0.75
RL616	Ledge for shelf, 24"	1
RL617	Ledge for shelf, 30"	2
RL618	Ledge for shelf, 36"	2.5
RL619	Ledge for shelf, 48"	3.5
RL620	Ledge for shelf, 60"	3.75
RL621	Ledge for shelf, 72"	4

## Direct Wall Mounts for Wire Shelving

Same great features as the KLETON chromate wire shelving, but with the added convenience of directly mounting on a wall.

- Wall mounts maximize available floor space
- Each wall mount unit consists of one shelf support and mounting plate
- Use single support at shelf ends; double support for adjoining shelves
- Installation note: Wall mounts must be securely fastened to materials of adequate load bearing strength. (Load rating: 200 lbs. (91kg) per system )



RL612  
Single Shelf Support

RL613  
Double Shelf Support

Model No.	Shelf Support	Shelf Depth
RL612	Single	14"
RL898	Single	18"
RL900	Single	24"
RL613	Double	14"
RL899	Double	18"
RL901	Double	24"


## Wall Mount Wire Shelving Kits

- Kit includes shelves, supports and mounting plate


RL911  
Shelf and Support Kit

Model No.	Description	Shelf Dimensions
RL911	1 Shelf	14" x 30"
RL912	2 Shelves	14" x 30"





## 4 Shelves

Model No.	Type	Dimensions D" x W" x H"	Cap Lbs. /Shelf*	Wt. Lbs.
<b>63" POSTS</b>				
RL907	Starter	14 x 30 x 63	800	39
RL908	Add-on	14 x 30 x 63	800	32
RL632	Starter	14 x 36 x 63	800	43
RL633	Add-on	14 x 36 x 63	800	35.5
RL634	Starter	14 x 48 x 63	800	49
RL635	Add-on	14 x 48 x 63	800	42
RL636	Starter	14 x 60 x 63	600	64.75
RL637	Add-on	14 x 60 x 63	600	57.75
RL638	Starter	14 x 72 x 63	600	71.5
RL639	Add-on	14 x 72 x 63	600	64
RL059	Starter	18 x 36 x 63	800	48
RL060	Add-on	18 x 36 x 63	800	35
RL061	Starter	18 x 48 x 63	800	58
RL062	Add-on	18 x 48 x 63	800	53.5
RL063	Starter	18 x 60 x 63	600	81
RL064	Add-on	18 x 60 x 63	600	76.5
RL065	Starter	18 x 72 x 63	600	91
RL066	Add-on	18 x 72 x 63	600	86.5
RL067	Starter	24 x 36 x 63	800	62
RL068	Add-on	24 x 36 x 63	800	57.5
RL069	Starter	24 x 48 x 63	800	74
RL070	Add-on	24 x 48 x 63	800	69.5
RL071	Starter	24 x 60 x 63	600	95
RL072	Add-on	24 x 60 x 63	600	90.5
RL073	Starter	24 x 72 x 63	600	117
RL074	Add-on	24 x 72 x 63	600	112.5

\* Evenly distributed weight

KLETON wire shelving can be assembled as you wish: End to End, at Right Angles or any combination.

## 5 Shelves

Model No.	Type	Dimensions D" x W" x H"	Cap Lbs. /Shelf*	Wt. Lbs.
<b>74" POSTS</b>				
RL909	Starter	14 x 30 x 74	800	46.5
RL910	Add-on	14 x 30 x 74	800	39
RL640	Starter	14 x 36 x 74	800	51
RL641	Add-on	14 x 36 x 74	800	44
RL642	Starter	14 x 48 x 74	800	59
RL643	Add-on	14 x 48 x 74	800	42.8
RL644	Starter	14 x 60 x 74	600	78.75
RL645	Add-on	14 x 60 x 74	600	71
RL646	Starter	14 x 72 x 74	600	87
RL647	Add-on	14 x 72 x 74	600	79.5
RL075	Starter	18 x 36 x 74	800	67.75
RL076	Add-on	18 x 36 x 74	800	58.25
RL077	Starter	18 x 48 x 74	800	80.25
RL078	Add-on	18 x 48 x 74	800	70.75
RL079	Starter	18 x 60 x 74	600	109
RL080	Add-on	18 x 60 x 74	600	99.5
RL081	Starter	18 x 72 x 74	600	121.5
RL082	Add-on	18 x 72 x 74	600	112
RL083	Starter	24 x 36 x 74	800	85.25
RL084	Add-on	24 x 36 x 74	800	75.75
RL085	Starter	24 x 48 x 74	800	100.25
RL086	Add-on	24 x 48 x 74	800	90.75
RL087	Starter	24 x 60 x 74	600	126.5
RL088	Add-on	24 x 60 x 74	600	117
RL089	Starter	24 x 72 x 74	600	154
RL090	Add-on	24 x 72 x 74	600	144.5
<b>86" POSTS</b>				
RL448	Starter	18 x 36 x 86	800	62
RL449	Add-on	18 x 36 x 86	800	53
RL450	Starter	18 x 48 x 86	800	69
RL451	Add-on	18 x 48 x 86	800	60
RL452	Starter	18 x 60 x 86	600	91.5
RL453	Add-on	18 x 60 x 86	600	82
RL454	Starter	18 x 72 x 86	600	96
RL455	Add-on	18 x 72 x 86	600	87
RL456	Starter	24 x 36 x 86	800	74
RL457	Add-on	24 x 36 x 86	800	65
RL458	Starter	24 x 48 x 86	800	90
RL459	Add-on	24 x 48 x 86	800	80
RL460	Starter	24 x 60 x 86	600	107
RL461	Add-on	24 x 60 x 86	600	97
RL462	Starter	24 x 72 x 86	600	129
RL463	Add-on	24 x 72 x 86	600	120

\* Evenly distributed weight



## Wide Span Shelving with Jumbo Plastic Bins

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars

- Capacity is 800 lbs. per shelf (based on evenly distributed loads)
- Offered configurations include three levels with 12 bins and four levels with 16 bins.
- Plastic bin outside dimensions :15 1/2"W x 25"D x 13"H
- Assembly required




RL984



RL986



RL981



RL983



Model No.	Shelving Size D" x W" x H"	No. of Shelves	No. of Bins	Colour
RL984	18" x 66" x 60"	3	12	Red
RL985	18" x 66" x 60"	3	12	Blue
RL986	18" x 66" x 60"	3	12	Green
RL987	18" x 66" x 60"	3	12	Yellow
RL988	18" x 66" x 60"	3	12	Red, Blue, Yellow
RL980	18" x 66" x 72"	4	16	Red
RL981	18" x 66" x 72"	4	16	Blue
RL982	18" x 66" x 72"	4	16	Green
RL983	18" x 66" x 72"	4	16	Yellow
RL989	18" x 66" x 72"	4	16	Red, Blue, Yellow, Green

## Wire Shelving Units with Storage Bins

Same great features as the KLETON chromate wire shelving, but with the added convenience of heavy-duty storage bins.

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage
- Units total capacity should not exceed - 2000 lbs.
- NSF certified (wire shelving unit only)
- Assembly required



RL815



RL820



RL826



RL837

Model No.	Shelving Size D" x W" x H"	No. of Shelves	Bin Model No.*	No. of Bins	Colour
RL815	14 x 36 x 74	8	CB264	28	Blue
RL816	14 x 36 x 74	8	CB265	28	Yellow
RL817	14 x 36 x 74	8	CC236	28	Green
RL818	14 x 36 x 74	8	CC244	28	Red
RL819	18 x 36 x 74	8	CC239	28	Blue
RL820	18 x 36 x 74	8	CC240	28	Yellow
RL821	18 x 36 x 74	8	CC237	28	Green
RL822	18 x 36 x 74	8	CC245	28	Red
RL823	24 x 36 x 74	5	CF328	8	Blue
RL824	24 x 36 x 74	5	CF330	8	Yellow
RL825	24 x 36 x 74	5	CF329	8	Green
RL826	24 x 36 x 74	5	CF327	8	Red
RL827	18 x 48 x 74	8	CC239 CB266	28 7	Blue
RL828	18 x 48 x 74	8	CC240 CB267	28 7	Yellow
RL829	18 x 48 x 74	8	CC237 CC288	28 7	Green
RL830	18 x 48 x 74	8	CC245 CC246	28 7	Red
RL831	18 x 48 x 74	8	CC239 CB266	7 21	Blue
RL832	18 x 48 x 74	8	CC240 CB267	7 21	Yellow
RL833	18 x 48 x 74	8	CC237 CC238	7 21	Green
RL834	18 x 48 x 74	8	CC245 CC246	7 21	Red
RL835	24 x 48 x 74	5	CC239 CB266 CF328	4 7 6	Blue
RL836	24 x 48 x 74	5	CC240 CB267 CF330	4 7 6	Yellow
RL837	24 x 48 x 74	5	CC237 CC238 CF329	4 7 6	Green
RL838	24 x 48 x 74	5	CC245 CC246 CF327	4 7 6	Red
RL839	18 x 36 x 74	8	CB266 CC239	7 14	Blue
RL840	18 x 36 x 74	8	CB267 CC240	7 14	Yellow
RL841	18 x 36 x 74	8	CC238 CC237	7 14	Green
RL842	18 x 36 x 74	8	CC246 CC245	7 14	Red

\* See Page 14 for bin dimensions

## Utility Carts

- Durable, dependable transport solution
- Easy maneuverability
- Highly rigid construction that is easily adjustable at 1" increments
- Two handles, indicated number of shelves, and casters
- NSF certified
- One year limited warranty
- Shipped knocked down



**600-LB CAPACITY**  
Evenly Distributed



Model No.	Dimensions D" x W" x H"	Wt. lbs.
-----------	-------------------------	----------

### 2 SHELVES

MK781	18 x 30 x 39	36.5
MK782	18 x 36 x 39	40.25
MK783	18 x 48 x 39	44.75
MK784	18 x 60 x 39	54
MK785	24 x 36 x 39	47.75
MK786	24 x 48 x 39	53.75
MK787	24 x 60 x 39	63.5

### 3 SHELVES

MJ539	18 x 30 x 39	51.5
MJ540	18 x 36 x 39	56.5
MJ541	18 x 48 x 39	61
MJ542	18 x 60 x 39	74.25
MJ543	24 x 36 x 39	54
MJ544	24 x 48 x 39	63
MJ545	24 x 60 x 39	73.5

## Push Carts

- Durable, dependable transport solution
- Easy maneuverability
- Shelves can be adjusted quickly and easily
- NSF certified
- One year limited warranty
- Shipped knocked down



**600-LB CAPACITY**  
Evenly Distributed



Model No.	Dimensions D" x W" x H"	Wt. lbs.
-----------	-------------------------	----------

### 4 SHELVES

RL914	14 x 30 x 54	49
RL915	14 x 36 x 54	54.25
RL916	14 x 48 x 54	61.5
RL917	14 x 60 x 54	74.25

### 5 SHELVES

RL918	14 x 30 x 54	55.5
RL919	14 x 36 x 54	61.75
RL920	14 x 48 x 54	70.75
RL921	14 x 60 x 54	86.5

## Wire Shelf Carts

- Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chromate plated shelves and posts prevent corrosion
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- NSF certified
- One year limited warranty
- Shipped knocked down



**600-LB CAPACITY**  
Evenly Distributed



Model No.	Dimensions D" x W" x H"	Wt. lbs.
-----------	-------------------------	----------

### 4 SHELVES

RL600	18 x 36 x 63	59.5
RL601	18 x 48 x 63	65
RL602	18 x 60 x 63	83
RL603	24 x 36 x 63	69
RL604	24 x 48 x 63	81
RL605	24 x 60 x 63	95
MJ527	18 x 36 x 74	60.75
MJ528	18 x 48 x 74	66.5
MJ529	18 x 60 x 74	85
MJ530	24 x 36 x 74	70.5
MJ531	24 x 48 x 74	82.5
MJ532	24 x 60 x 74	96.5

### 5 SHELVES

MJ533	18 x 36 x 86	73
MJ534	18 x 48 x 86	80
MJ535	18 x 60 x 86	102.5
MJ536	24 x 36 x 86	85
MJ537	24 x 48 x 86	96
MJ538	24 x 60 x 86	117.5



## Green Epoxy Finish Wire Shelving

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Shipped knocked down



RL648



### COMPLETE SHELVING UNITS

Model No.	Type	Dimensions D" x W" x H"	Cap lbs. Shelf
-----------	------	-------------------------	----------------

#### 4 SHELVES

RL648	Starter	18 x 36 x 63	800
RL649	Add-on	18 x 36 x 63	800
RL650	Starter	18 x 48 x 63	800
RL651	Add-on	18 x 48 x 63	800
RL652	Starter	18 x 60 x 63	600
RL653	Add-on	18 x 60 x 63	600
RL654	Starter	18 x 72 x 63	600
RL655	Add-on	18 x 72 x 63	600
RL656	Starter	24 x 36 x 63	800
RL657	Add-on	24 x 36 x 63	800
RL658	Starter	24 x 48 x 63	800
RL659	Add-on	24 x 48 x 63	800
RL660	Starter	24 x 60 x 63	600
RL661	Add-on	24 x 60 x 63	600

#### 5 SHELVES

RL662	Starter	18 x 36 x 74	800
RL663	Add-on	18 x 36 x 74	800
RL664	Starter	18 x 48 x 74	800
RL665	Add-on	18 x 48 x 74	800
RL666	Starter	18 x 60 x 74	600
RL667	Add-on	18 x 60 x 74	600
RL668	Starter	18 x 72 x 74	600
RL669	Add-on	18 x 72 x 74	600
RL670	Starter	24 x 36 x 74	800
RL671	Add-on	24 x 36 x 74	800
RL672	Starter	24 x 48 x 74	800
RL673	Add-on	24 x 48 x 74	800
RL674	Starter	24 x 60 x 74	600
RL675	Add-on	24 x 60 x 74	600

### POSTS

Model No.	Height"
RL629	63
RL630	74
RL631	86

### WIRE SHELVES

Model No.	D" x W"	Cap lbs. Shelf*
RL622	18 x 36	800
RL623	18 x 48	800
RL624	18 x 60	600
RL625	18 x 72	600
RL626	24 x 36	800
RL627	24 x 48	800
RL628	24 x 60	600

## Green Epoxy Finish Wire Shelf Carts

- Green epoxy wire shelf carts are ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters, two swivel, two with brake
- NSF certified
- One year limited warranty
- Shipped knocked down

**600-LB CAP.**  
**Evenly Distributed**



RL803



Model No.	Dimensions D" x W" x H"	Wt. lbs.
-----------	-------------------------	----------

#### 4 SHELVES

RL803	18 x 36 x 74	64
RL804	18 x 48 x 74	74
RL805	18 x 60 x 74	94
RL806	24 x 36 x 74	78
RL807	24 x 48 x 74	90
RL808	24 x 60 x 74	110


Model No.	Dimensions D" x W" x H"	Wt. lbs.
-----------	-------------------------	----------

#### 5 SHELVES

RL809	18 x 36 x 86	68
RL810	18 x 48 x 86	78
RL811	18 x 60 x 86	98
RL812	24 x 36 x 86	82
RL813	24 x 48 x 86	94
RL814	24 x 60 x 86	114



Customise these products to your specs! See page 36



CF449



CF450



CF453



CF457

## Bulk Stacking Containers

- Heavy-duty all-welded construction
- Mesh containers use 2" x 2" x 10-gauge wire mesh
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Available with one drop gate or fully enclosed sides
- Height: 24" inside, 30" overall
- Stackable up to 5 high
- Other sizes are available
- Painted durable KLETON blue

**3000-LB.  
CAPACITY**

### MESH CONTAINERS

Model No.	Description	Capacity lbs.	Width"	Length"	Wt. lbs.
CF449	Fully Enclosed	3000	34 1/2	40 1/2	125
CF450	One Drop Gate	3000	34 1/2	40 1/2	130
CF451	Fully Enclosed	3000	40 1/2	48 1/2	150
CF452	One Drop Gate	3000	40 1/2	48 1/2	160

**3500-LB.  
CAPACITY**

### SHEET CONTAINERS

Model No.	Description	Capacity lbs.	Width"	Length"	Wt. lbs.
CF453	Fully Enclosed	3500	34 1/2	40 1/2	150
CF454	One Drop Gate	3500	34 1/2	40 1/2	150
CF455	Fully Enclosed	3500	40 1/2	48 1/2	185
CF456	One Drop Gate	3500	40 1/2	48 1/2	185

**4500-LB.  
CAPACITY**

### CORRUGATED CONTAINERS

Model No.	Description	Capacity lbs.	Width"	Length"	Wt. lbs.
CF457	Fully Enclosed	4500	34 1/2	40 1/2	160
CF458	One Drop Gate	4500	34 1/2	40 1/2	160
CF459	Fully Enclosed	4500	40 1/2	48 1/2	195
CF460	One Drop Gate	4500	40 1/2	48 1/2	195

## Stacking Racks

- Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletized goods
- Rugged all-welded 2" sq. tubing steel construction
- Holds 4000 lbs per rack and can be stacked four high
- Posts and bases are sold separately
- Durable KLETON blue enamel finish



Customise these products to your specs! See page 36

**4000-LB. CAPACITY**

### OPEN BASE FRAME


Model No.	Inside Dimensions D" x W"	Overall Dimensions D" x W"	Wt. lbs.
RL414	38 x 44	42 x 48	85
RL415	44 x 44	48 x 48	90

### CLOSED BASE FRAME


RL416	38 x 44	42 x 48	110
RL417	44 x 44	48 x 48	115

### ACCESSORIES


Model No.	Description	Overall Dimensions W" x H"	Wt. lbs.
RL418	42" Side Rail	42 x 48	30
RL419	48" Side Rail	48 x 48	32
RL420	42" Upright Post-Pack of 4	2 x 42	35
RL421	48" Upright Post-Pack of 4	2 x 48	40
RL422	60" Upright Post-Pack of 4	2 x 60	50




RL415



RL417



RL414 with 2 RL419



RL414 with 4 RL421

## Cable Reel Rollers

- For winding or dispensing cable, chain, wire, rope and hose
- Turns reel handling into a one-person operation
- Accommodates unlimited reel widths and all reel diameters with flanges up to 5 1/2" thick
- Heavy-duty side rollers eliminate slipping or wedging between rollers and reel
- Inclined ramp permits for easy loading and unloading
- Durable KLETON blue enamel finish




Customise these products to your specs! See page 36

**3000-LB. CAPACITY**

Model No.	Overall Dimensions L" x W" x H"	Inclined Ramp Angle	Pair Wt. lbs.
MD166	28 x 9 x 4 1/4	68°	58


### REPLACEMENT WHEEL

Model No.	Description
MC064	3" Polyolefin Wheel






Customise these products to your specs! See page 36



## Horizontal Bar Storage Racks

- Ideal for storing bars, tube, pipe and angle
- Horizontally stores bars up to 10' long
- 9" deep arms with nine storage levels at 6" intervals
- Capacity: 1200 lbs.
- Durable KLETON blue enamel finish
- Shipped knocked down

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RB958	18 x 40 x 84	68



## Combination Vertical Racks

- Stores bars up to 12' long and features three shelves for extra storage of small parts
- 8" deep arms divided into three sections
- Capacity: 3000 lbs.
- Durable KLETON blue enamel finish
- Shipped knocked down


Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RL922	36 x 24 x 84	128



## Vertical Bar Storage Racks

- Ideal for storing bars, tube, pipe and angle
- All-welded steel construction
- Vertically stores bars up to 10' long
- Four 24" deep dividers
- Capacity: 3000 lbs.
- Durable KLETON blue enamel finish


Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RL383	48 x 24 x 60	100



## Standard Vertical Sheet Racks

- All-welded steel construction
- Designed for vertically storing sheet goods
- 4 bays with 10" between each bay
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- Capacity: 4000 lbs.
- Durable KLETON blue enamel finish

Model No.	Overall Dimensions L" x W" x H"	Wt. lbs.
RL384	50 x 84 x 36 3/4	200



## Horizontal Sheet Racks

- Designed for storage of sheet materials
- Flat storage fully supports materials and reduces warping
- Sheets are accessible from all four sides
- All-welded construction and the frame is made of 2" square tubing
- Five shelf design creates four storage bays spaced 9 1/2" apart and an open top bay
- Bay Capacity: 2000 lbs. evenly distributed
- Maximum rack capacity: 8000 lbs.

Model No.	Overall Dimensions L" x W" x H"	Wt. lbs.
RL923	103 x 55 x 48	575



Convert rack to a mobile unit using option caster set MN425

## Carton Racks

- All-welded steel construction, ready to use
- Single tier rack has 20" high dividers with 10 1/2" space between the dividers
- Double tier rack has 20" high dividers on the bottom with 10 1/2" space between the dividers and 14" high dividers on the top with 8 1/2" space between the dividers
- Capacity: 600 lbs.
- Durable KLETON blue enamel finish

Model No.	Overall Dimensions W" x D" x H"
<b>SINGLE TIER RACK</b>	
MN423	48 x 18 x 22
<b>DOUBLE TIER RACK</b>	
MN424	48 x 18 x 58 1/2





SAF837



SAF848

- Heavy-duty construction
- Innovative door design allows for left or right opening installation
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- English and French warning labels included
- Padlock hasp for added security
- Safety yellow powder coat finish
- Shipped knocked down (except **SEB837** and **SEB838**)

## COMPRESSED GAS (9" GAS CYLINDER BOTTLES)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
<b>SAF837</b>	44 x 30 x 74	10	210
<b>SAF848*</b>	88 x 30 x 74	20	420

\* Consists of two units of **SAF837**

## LIQUID PROPANE (35-LB CYLINDERS)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
<b>SEB837*</b>	30 x 17 x 37	2	70
<b>SEB838*</b>	17 x 17 x 69	2	85
<b>SAF836</b>	44 x 30 x 37	6	135
<b>SAF847</b>	44 x 30 x 74	12	270

**Notes:** Constructed to meet or exceed strict CSA International B149.2-00 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

\* Fully assembled all-welded construction



SEB837



SEB838



SAF836



SAF847



Customise these products to your specs! See page 36

Rugged KLETON wire mesh partitions and enclosures provide maximum security at a minimal cost. They are ideal for the storage of tools, valuable inventory, hazardous materials and any area of your plant where restricted access is required.

Wire mesh panels permit full visibility and allow for unrestricted circulation of air, heat and light, providing an ideal storage facility.

- 2" x 2" x 10-gauge wire mesh
- 10-gauge frame (stiffeners included on all applicable sizes)
- Pre-drilled modular components allow for quick and easy installation
- Durable KLETON blue or safety yellow finish (Other colours available)

## WIRE MESH PARTITION COMPONENTS

Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.

### 1. Universal Posts

A post must be placed at each end of every panel (or of every stack of panels). Be sure to calculate an extra 2" of overall wall length for each post added. When a post meets an existing wall, add one **KD115** wall bracket for proper support (fasteners are included with **KD115** to mount to post, not to wall).

Universal Posts

Blue Model No.	Yellow Model No.	Height	Wt. lbs.
KD053	KH860	8' 3"	22
KD046	KH922	10' 3"	27
KD050	KH923	12' 3"	32




### 2. Panels

Whenever possible, stacking panels horizontally (one above the other) is more economical than placing them vertically (next to each other) - this is because fewer posts are required for wall support when panels are stacked.

#### Examples:

- For an 8' high partition, stack two **KD037** (8' x 4') panels horizontally
- For a 10' high partition, stack two **KD037** (8' x 4') and one **KD033** (8' x 2') panel horizontally
- For a 12' high partition, stack three **KD037** (8' x 4') panels horizontally



Panels

Blue Model No.	Yellow Model No.	Frame Dimensions W' x H'	Wt. lbs.
KD121	KH926	4 x 1	10
KD120	KH927	8 x 1	21
KD030	KH928	2 x 2	10
KD031	KH929	3 x 2	11
KD032	KH914	4 x 2	12
KD033	KH915	8 x 2	31
KD034	KH916	8 x 3	40
KD035	KH930	3 x 4	20
KD036	KD130	4 x 4	23
KD037	KD131	8 x 4	45

### 3. Adjustable Filler Panels

Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.

Adjustable Filler Panels



Blue Model No.	Yellow Model No.	Dimensions W' x H'	Wt. lbs.
KD119	KH924	4 x 1	5
KD118	KH925	8 x 1	10



Safety Yellow

## WIRE MESH PARTITION COMPONENTS (CONTINUED)

Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.


### 4. Swing Doors

#### HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right (except the **KD112** and **KH937** heavy swing door with wicket which swings open to the left only)
- Fasteners are included

#### STANDARD-DUTY

- Frame constructed with 1 1/4" x 1 1/4" angle iron frame
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right
- Fasteners are included



Swing Door



Customise these products to your specs! See page 36

Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
<b>KD110</b>	<b>KH933</b>	Heavy-Duty Swing Door	3 x 7	65
<b>KH853</b>	<b>KH934</b>	Standard-Duty Swing Door	3 x 7	54
<b>KD111</b>	<b>KH935</b>	Heavy-Duty Swing Door	4 x 7	74
<b>KH854</b>	<b>KH936</b>	Standard-Duty Swing Door	4 x 7	62
<b>KD112</b>	<b>KH937</b>	Swing Door c/w Wicket	4 x 7	85


### 5. Sliding Doors

#### HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

#### STANDARD-DUTY

- Frame constructed with 1 1/2" x 1 1/2" angle iron frame
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width



Sliding Door

Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
<b>KH852</b>	<b>KH938</b>	Standard-Duty Sliding Door	4 x 8	71
<b>KD106</b>	<b>KH939</b>	Heavy-Duty Sliding Door	4 x 8	85
<b>KD108</b>	<b>KH940</b>	Heavy-Duty Sliding Door	8 x 8	122
<b>KD107</b>	<b>KH941</b>	Heavy-Duty Sliding Door	8 x 10	148

### 6. Hardware Required

#### For Each Stacked Panel Add:

- 4 x **MMH254**, 4 x **MMB721** for each 8' stacked panel
- 2 x **MMH254**, 2 x **MMB721** for each stacked panel under 8' long

#### For Each Post Add:

- 8 x **MMH262**, 8 x **MMB721**, 2 x **KD001** for each **KD053** and **KH860**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD046** and **KH922**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD050** and **KH923**

#### For Each Sliding Door Add:

- 1 x **KD028**, 1 x **KD029** door track for each **KD106** and **KH852** 4' wide sliding door
- 1 x **KD028**, 2 x **KD029** door track for each **KD108** and **KD107** 8' wide sliding door

Blue Model No.	Yellow Model No.	Description	Wt. lbs.
<b>KD029</b>	<b>KH942</b>	8' Door Track	16
<b>KD028</b>	<b>KH943</b>	Sliding Door Hardware Kit	6
<b>KD115</b>	<b>KH944</b>	Wall Bracket Kit	0.1
<b>MMH254*</b>	-	5/16" x 1" Carriage Bolt	0.01
<b>MMH262*</b>	-	5/16" x 3" Carriage Bolt	0.01
<b>MMB721</b>	-	Nut 5/16" Hex.	0.01
<b>KD001</b>	-	3/8" Anchor Bolt	0.01

\* 1 x **MMB721** is required for each **MMH254** and **MMH262**

Call your distributor today, for your custom application.






Customise these products to your specs! See page 36

**Rugged KLETON wire mesh partitions and enclosures** provide maximum security at low cost for tools, valuable inventory, hazardous materials, and any area of your plant where restricted access is required. Bolt-down posts and reinforced panels provide the strength that your application demands. Standard **STOCK SIZES** include all basic bolt-together hardware required for fast and easy installation of modular


wall and roof panels, and a standard 4' x 8' or 8' x 8' sliding door which may be located on any side, opening left-to-right or right-to-left. This system provides the versatility needed to expand or modify your enclosure quickly and at minimum cost. Order an enclosure with a roof for maximum security. **CUSTOM SIZES** can be designed to suit your special application regardless of the size required. Colour: KLETON blue.

**Type A - 2 Sides**




Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W x H	WITHOUT ROOF		WITH ROOF	
			Model No.	Wt. lbs.	Model No.	Wt. lbs.
8'3"	12'8" x 8'4"	4' x 8'	KD069	417	KD070	670
8'3"	16'8" x 12'6"	4' x 8'	KD057	535	KD058	1009
8'3"	24'8" x 16'6"	8' x 8'	KD061	682	KD062	1485
12'3"	12'8" x 8'4"	4' x 8'	KD067	583	KD068	836
12'3"	16'8" x 12'6"	4' x 8'	KD055	758	KD056	1232
12'3"	24'8" x 16'6"	8' x 8'	KD059	977	KD060	1780

**Type B - 3 Sides**



Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W x H	WITHOUT ROOF		WITH ROOF	
			Model No.	Wt. lbs.	Model No.	Wt. lbs.
8'3"	12'8" x 8'4"	4' x 8'	KD085	511	KD086	758
8'3"	16'8" x 12'6"	4' x 8'	KD073	690	KD074	1158
8'3"	24'8" x 16'6"	8' x 8'	KD077	878	KD078	1677
12'3"	12'8" x 8'4"	4' x 8'	KD083	730	KD084	977
12'3"	16'8" x 12'6"	4' x 8'	KD071	997	KD072	1465
12'3"	24'8" x 16'6"	8' x 8'	KD075	1273	KD076	2072

**Type C - 4 Sides**



Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W x H	WITHOUT ROOF		WITH ROOF	
			Model No.	Wt. lbs.	Model No.	Wt. lbs.
8'3"	12'8" x 8'4"	4' x 8'	KD101	688	KD102	923
8'3"	16'8" x 12'6"	4' x 8'	KD089	912	KD090	1368
8'3"	24'8" x 16'6"	8' x 8'	KD093	1190	KD094	1975
12'3"	12'8" x 8'4"	4' x 8'	KD099	996	KD100	1231
12'3"	16'8" x 12'6"	4' x 8'	KD087	1330	KD088	1786
12'3"	24'8" x 16'6"	8' x 8'	KD091	1740	KD092	2525



Customise these  
products to your specs!  
See page 36

# STRIP CURTAIN DOORS



## Interior Doors




### Save energy costs

- The optimal solution to open door heat/cooling loss

### Reduce noise pollution

- Provides the ideal accoustical barrier around noisy equipment

## Conveyors



### Provide extra safe passage

- People can see and be seen so there's less chance of accidents

### Control smoke, dust and sprays

- Strip curtains can control in-plant contaminants to improve employee environment

## Docks



### Low maintenance

- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt etc. can be removed by carefully applying ethanol

## Strip Curtain Doors

Everything you need in one package to install your own strip curtain door and save money!

### ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple to follow installation instructions are included in every package.

#### 1. Determine inside width and height of door opening.

**NOTE:** If mounting on door above lintel, measure from floor to mounting height.

#### 2. Select type of PVC material required:

**STANDARD or LOW TEMP.**

**Standard recommended for temperatures from -23°C to 66°C.**

**Low temp. recommended for interior use only for temperatures from -40°C to 66°C.**

#### 3. Select from the standard sizes listed in the chart below.

**NOTE:** If required size is not available, order the next largest size. Installation instructions describe how simple trimming can custom fit almost any door opening.

#### 4. Special size doors and hanging applications are available upon request.

#### 5. For overhead doors, please call one of our sales representatives for assistance.

### EASY TO ORDER

It's easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings. Special sizes are available.

### IN-STOCK DELIVERY

We have the strip curtain package you need, in-stock, ready to be delivered to your door.

### STANDARD DOOR SIZES

Strip Size	Door Opening W' x H'	Model No. Standard	Model No. Low Temp.	Wt. lbs.
8" (8" x .080)	4 x 7	KF022	KF004	25
	5 x 8	KF023	KF005	35
	6 x 8	KF024	KF006	40
12" (12" x .120)	8 x 8	KF026	KF008	80
	8 x 10	KF025	KF007	100
	10 x 10	KF020	KF002	125
	12 x 12	KF021	KF003	175

**NOTE:** Doors with 8" strips have 2" standard overlap. Doors with 12" strips have 4" standard overlap.

### REPLACEMENT STRIPS - 5 PER CARTON

Strip Size	Model No. Standard	Model No. Low Temp.	Wt. lbs.
8" x .080 x 8'	KF032	KF013	15
12" x .120 x 12'	KF029	KF011	45

### BULK ROLLS

Strip Size	Roll'	Model No. Standard	Model No. Low Temp.	Wt. lbs.
8" x .080	300	KF033	KF014	99
12" x .120	200	KF030	KF012	150

Rolls also available in dark amber welding material **ML959**




## PERIMETER GUARDS

### Mesh Style Individual Components

Blue Model No.	Yellow Model No.	Description	Dimensions	Wt. lbs.
KD036	KD130	Mesh Panel	4' x 4'	20
KD037	KD131	Mesh Panel	8' x 4'	39
KH861	KD129	Post Universal	49 1/2" H	13

#### HARDWARE REQUIRED

Model No.	Description
KD001	Floor Anchors (Two per Post)
MMH262	5/16" x 3" Carriage Bolt (Four per Frame)
MMH966	5/16" Hex Nut (One Nut for Each MMH262)
KD116	Post Caps (One per Post)



- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or KLETON blue powder coat finish

### Mesh Style Kits

Blue Model No.	Yellow Model No.	Description	Dimensions W" x H"	Wt. lbs.
KH945	RL848	Starter Section	48 x 48	46
KH946	RL849	Add-On Section	48 x 48	46
KH947	RL850	Starter Section	96 x 48	65
KH948	RL851	Add-On Section	96 x 48	55

**Note:** Includes assembly fasteners, floor anchors and post caps




### Square Tube Style Kits

Model No.	Description	Dimensions W' x H"	Wt. lbs.
KD132	Starter Section	4 x 49 1/2	45
KD133	Add-On Section *	4 x 49 1/2	32
KD134	Starter Section	8 x 49 1/2	66
KD135	Add-On Section *	8 x 49 1/2	53

\*Hardware to attach add-on section is included

#### HARDWARE REQUIRED

KD001	Floor Anchors (2 Per Post)
KD116	Post Caps (1 Per Post)



## Steel Racking Aisle Protectors

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 12" high with an angle of 5" H x 3" W x 1/4" D with holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Safety yellow powder coat finish

Model No.	Description	Fits Upright Width"	Overall Dimensions L" x W" x H"	Wt. lbs.
<b>RN059</b>	Single Wrap - Left	42	50 1/4 x 3 x 12	38
<b>RN060</b>	Single Wrap - Right	42	50 1/4 x 3 x 12	38
<b>RN061</b>	Single Wrap - Left	48	56 1/4 x 3 x 12	41
<b>RN062</b>	Single Wrap - Right	48	56 1/4 x 3 x 12	41
<b>RN063</b>	Double Wrap	42	46 1/2 x 3 x 12	46
<b>RN064</b>	Double Wrap	48	52 1/2 x 3 x 12	49



## Floor Angle Guard Rails

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Safety yellow powder coat finish

Model No.	Dimensions L" x W" x H"	Wt. lbs.
<b>RN065</b>	48 x 3 x 5	26
<b>RN066</b>	60 x 3 x 12	33
<b>RN067</b>	120 x 3 x 12	66







# BUILT

# KLETON

# TOUGH

Kleton builds quality and dependability into all of their products. The same is true of products specially built to meet your specifications. Look throughout the catalogue for the *Kleton Custom Symbol* indicating which products can be customized to meet your specific needs.




Look for this symbol throughout the catalogue indicating which products can be customized to meet your specific needs.



***NEW facilities to  
better serve you and  
the environment.***







## Safety Guards


- Protect your equipment and personnel from accidental damage and injury
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish

Model No.	Dimensions L" x H"	Wt. lbs.
KD127	24 x 18	65
KH855	36 x 18	75
KD128	48 x 18	85
KD136	24 x 42	95
KD856	36 x 42	110
KD139	48 x 42	115

## Heavy-Duty Steel Bollards

- Protect your warehouse equipment and high traffic areas
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish

Model No.	Height"	Wt. lbs.
KD125	24	30
KH857	36	40
KD126	48	50



## Upright Protectors

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- Four pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coat finish




RB925

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RB925	7 x 7 x 18 1/4	15
KH858	7 x 7 x 12	12

## Pallet Rack Back Guards

Back guards help prevent accidents by keeping pallets or their contents from falling off the back. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2" x 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Safety yellow powder coated finish




Model No.	Description	Wt. lbs.
RL929	Back Guard 4' x 8' w/6" Brackets	39
RL930	Back Guard 4' x 8' w/9" Brackets	40
RL931	Back Guard 4' x 8' w/12" Brackets	41
RL932	Back Guard 4' x 9' w/6" Brackets	49
RL933	Back Guard 4' x 9' w/9" Brackets	50
RL934	Back Guard 4' x 9' w/12" Brackets	51
RL935	Back Guard 4' x 10' w/6" Brackets	57
RL936	Back Guard 4' x 10' w/9" Brackets	58
RL937	Back Guard 4' x 10' w/12" Brackets	59
RL938	Back Guard 4' x 11' w/6" Brackets	63
RL939	Back Guard 4' x 11' w/9" Brackets	64
RL940	Back Guard 4' x 11' w/12" Brackets	65
RL941	Back Guard 4' x 12' w/6" Brackets	70
RL942	Back Guard 4' x 12' w/9" Brackets	71
RL943	Back Guard 4' x 12' w/12" Brackets	72



## Standard-Duty Blue Polyethylene

- 8 x 8 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 36"
- 100 micrometers (4 mil) thick
- Increased UV resistance for long life
- Water-resistant coating



**3 Layer Corner**

## Industrial Green /Silver Polyethylene

- 14 x 14 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 20"
- 225 micrometers (9 mil) thick
- Increased UV resistance for long life
- Water-resistant coating
- 9" x 9" three layers on each corners for added strength
- Green on one side and silver on the other side for heat and ultraviolet light diversion



**Reinforced Corner**

## Heavy-Duty White Polyethylene

- 10 x 10 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 36"
- 150 micrometers (6 mil) thick
- Increased UV resistance for long life
- Water-resistant coating
- Four corner rubber patches for added strength



## Super Heavy-Duty Silver

- 16 x 16 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 30"
- 300 micrometers (12-mil) thick
- Increased UV resistance for long life
- Water-resistant coating
- 9" x 9" triple-layered on four corners

Dimensions *		Standard-Duty Blue	Heavy-Duty White	Industrial Green/Silver	Super Heavy-Duty/Silver
5' x 7'	1.5 m x 2.1 m	NI768			
6' x 8'	1.8 m x 2.4 m	NI769	NI780	JB567	
8' x 10'	2.4m x 3.1 m	NI770	NI781	JB568	JC626
10' x 12'	3.1 m x 3.7 m	NI771	NI782	JB569	JC627
10' x 20'	3.1m x 6.1 m	NI772			
12' x 16'	3.7m x 4.9 m	NI773	NI783	JB570	
16' x 20'	4.9 m x 6.1 m	NI774	NI784	JB571	JC628
18' x 24'	5.5 m x 7.3 m	NI775	JC512		JC629
20' x 30'	6.1 m x 9.1 m	NI776	JC513	JB572	JC630
24' x 30'	7.3 m x 9.1 m	NI777	NI785		JC631
30' x 40'	9.1 m x 12.2 m	NI778	JC514	JC516	JC632
30' x 50'	9.1 m x 15.2 m	JC510	JC515	JC517	JC633
30' x 60'	9.1 m x 18.3 m				JC634
40' x 50'	12.2 m x 15.2 m	JC511	JC625	JC518	
40' x 60'	12.2 m x 18.3 m	NI779	JB508	JB573	JC635

\* Finished sizes slightly smaller due to hem allowance

## Clear Tarpaulins

- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets
- 3 x 3 high density weave
- 200 micrometers (8-mil) thick




Model No.	Dimensions*	
JD414	8' x 10'	2.4 m x 3.1 m
JD415	10' x 12'	3.1 m x 3.7 m
JD416	16' x 20'	4.9 m x 6.1 m
JD417	20' x 30'	6.1 m x 9.1 m
JD418	30' x 40'	9.1 m x 12.2 m
JD419	40' x 60'	12.2 m x 18.3 m

\* Finished sizes slightly smaller due to hem allowance

## Insulated Tarpaulins

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- R value: 1.0
- Dimensions: 12' x 20'



**Model No. JD420**

## Premium Furniture Pads

- Protect furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning
- Cotton and polyester material
- Filling: 40 oz.
- Size: 72" x 80"
- Weight: 5.5 lbs.
- Colour: Dark blue and light blue



**Model No. PF460**

## Standard Furniture Pads

- Protect furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning
- Cotton and polypropylene material
- Filling: 29 oz.
- Size: 72" x 80"
- Weight: 5 lbs.
- Colour: Dark blue and green



**Model No. PF461**

## Rubber Tie Downs

- Retains its rebound qualities
- Rot resistant
- Zinc plated steel hooks



Model No.	Size"	Max. Safe Stretch"
PE366	5	7.5
PE367	9	13.5
PE368	15	22.5
PE369	21	31.5
PE370	31	46.5
PE371	41	61.5

## Rubber Tie Down Sets

**Same great features as KLETON rubber tie downs however in the convenience of sets!**

### 10-PC. BASIC TIE DOWN SET

#### Kit Includes:

- 4 - 21" tie downs (PE369)
- 2 - 31" tie downs (PE370)
- 4 - 41" tie downs (PE371)

**Model No. PF090**

### 16-PC. ALL-PURPOSE TIE DOWN SET

#### Kit Includes:

- 2 - 9" tie downs (PE367)
- 2 - 15" tie downs (PE368)
- 4 - 21" tie downs (PE369)
- 4 - 31" tie downs (PE370)
- 4 - 41" tie downs (PE371)

**Model No. PF091**

### 20-PC. PROFESSIONAL TIE DOWN SET

#### Kit Includes:

- 10 - 21" tie downs (PE369)
- 10 - 41" tie downs (PE371)

**Model No. PF092**

# SHOP & INDUSTRIAL FURNITURE



Moving Blankets ..... 39

Rubber Tie Downs ..... 39

Workbenches and Pedestals..... 41 - 51

Mobile Workbenches..... 52 - 53

Cabinet Workbenches..... 54

Machine Stands..... 55

Heavy-Duty Workbenches..... 55

Shop Desks ..... 56

Locker Room Benches..... 56

Folding Tables and Chairs ..... 57

Corkboards and White Boards ..... 58





Customise these products to your specs! See page 36

# WORKBENCHES



Select from one of our pre-designed layout options. 34" overall height, 2500-lb. capacity evenly distributed.



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	<b>STEEL - WOOD FILL</b>				
	FF672	FF671	FF670	FF669	FF667
	<b>LAMINATED WOOD</b>				
	FF658	FF657	FF656	FF655	FF653
	<b>SHOP TOP</b>				
	FF679	FH877	FF677	FF676	FH878
	<b>PLASTIC LAMINATE</b>				
	FF665	FH879	FF663	FF662	FH880



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	<b>STEEL - WOOD FILL</b>				
	FF707	FF706	FF703	FF702	FF700
	<b>LAMINATED WOOD</b>				
	FF691	FF690	FF689	FF688	FF686
	<b>SHOP TOP</b>				
	FF715	FH881	FF713	FF712	FH882
	<b>PLASTIC LAMINATE</b>				
	FF698	FH883	FF696	FF695	FH884



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	<b>STEEL - WOOD FILL</b>				
	FG293	FG292	FG291	FG290	FG289
	<b>LAMINATED WOOD</b>				
	FG285	FG284	FG283	FG282	FG281
	<b>SHOP TOP</b>				
	FG296	FH885	FG295	FG294	FH886
	<b>PLASTIC LAMINATE</b>				
	FG288	FH887	FG287	FG286	FH888



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	<b>STEEL - WOOD FILL</b>				
	FG109	FG108	FG107	FG106	FG104
	<b>LAMINATED WOOD</b>				
	FG095	FG094	FG093	FG092	FG090
	<b>SHOP TOP</b>				
	FG116	FH889	FG114	FG113	FH890
	<b>PLASTIC LAMINATE</b>				
	FG102	FH891	FG100	FG099	FH892



If you need specific sizes or requirements not available on this page . . . see pages 46 - 49 to customize your own workbench or call your KLETON dealer with your specs today!



Customise these products to your specs! See page 36

Select from one of our pre-designed layout options. 34" overall height, 2500-lb. capacity evenly distributed.



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG277	FG276	FG275	FG274	FG273
	LAMINATED WOOD				
	FG269	FG268	FG267	FG266	FG265
	SHOP TOP				
	FG280	FH893	FG279	FG278	FH894
	PLASTIC LAMINATE				
	FG272	FH895	FG271	FG270	FH896



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG640	FG641	FG642	FG444	FG443
	LAMINATED WOOD				
	FG635	FG636	FG637	FG638	FG639
	SHOP TOP				
	FG645	FH897	FG646	FG647	FH898
	PLASTIC LAMINATE				
	FG648	FH899	FG649	FG650	FH900



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG137	FG136	FG135	FG134	FG132
	LAMINATED WOOD				
	FG123	FG122	FG121	FG120	FG118
	SHOP TOP				
	FG144	FH901	FG142	FG141	FH902
	PLASTIC LAMINATE				
	FG130	FH903	FG128	FG127	FH904



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG245	FG244	FG243	FG242	FG241
	LAMINATED WOOD				
	FG237	FG236	FG235	FG234	FG233
	SHOP TOP				
	FG248	FH905	FG247	FG246	FH906
	PLASTIC LAMINATE				
	FG240	FH907	FG239	FG238	FH908



Customise these products to your specs! See page 36

# WORKBENCHES

43



Select from one of our pre-designed layout options. 34" overall height, 2500-lb. capacity evenly distributed.



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG624	FG625	FG626	FG627	FG628
	LAMINATED WOOD				
	FG619	FG620	FG621	FG622	FG623
	SHOP TOP				
	FG629	FH909	FG630	FG631	FH910
	PLASTIC LAMINATE				
	FG632	FH911	FG633	FG634	FH912

TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG464	FG465	FG466	FG467	FG468
	LAMINATED WOOD				
	FG459	FG460	FG461	FG462	FG463
	SHOP TOP				
	FG469	FH913	FG470	FG471	FH914
	PLASTIC LAMINATE				
	FG472	FH915	FG473	FG474	FH916



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG229	FG228	FG227	FG226	FG225
	LAMINATED WOOD				
	FG221	FG220	FG219	FG218	FG217
	SHOP TOP				
	FG232	FH917	FG231	FG230	FH918
	PLASTIC LAMINATE				
	FG224	FH919	FG223	FG222	FH920

TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FG415	FG414	FG413	FG412	FG411
	LAMINATED WOOD				
	FG420	FG419	FG418	FG417	FG416
	SHOP TOP				
	FG423	FH921	FG422	FG421	FH922
	PLASTIC LAMINATE				
	FG426	FH923	FG425	FG424	FH924



Customise these products to your specs! See page 36

Select from one of our pre-designed layout options. 34" overall height, 2500-lb. capacity evenly distributed.



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI552	FI553	FI554	FI555	FI556
	LAMINATED WOOD				
	FI557	FI558	FI559	FI560	FI561
	SHOP TOP				
	FI562	FI563	FI564	FI565	FI566
	PLASTIC LAMINATE				
	FI567	FI568	FI569	FI570	FI571

TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI572	FI573	FI574	FI575	FI576
	LAMINATED WOOD				
	FI577	FI578	FI579	FI580	FI581
	SHOP TOP				
	FI582	FI583	FI584	FI585	FI586
	PLASTIC LAMINATE				
	FI587	FI588	FI589	FI590	FI591



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI592	FI593	FI594	FI595	FI596
	LAMINATED WOOD				
	FI597	FI598	FI599	FI600	FI601
	SHOP TOP				
	FI602	FI603	FI604	FI605	FI606
	PLASTIC LAMINATE				
	FI607	FI608	FI609	FI610	FI611

TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI612	FI613	FI614	FI615	FI616
	LAMINATED WOOD				
	FI617	FI618	FI619	FI620	FI621
	SHOP TOP				
	FI622	FI623	FI624	FI625	FI626
	PLASTIC LAMINATE				
	FI627	FI628	FI629	FI630	FI631





Customise these  
products to your specs!  
See page 36

# WORKBENCHES

45



Select from one of our pre-designed layout options. 34" overall height, 2500-lb. capacity evenly distributed.



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI632	FI633	FI634	FI635	FI636
	LAMINATED WOOD				
	FI637	FI638	FI639	FI640	FI641
	SHOP TOP				
	FI642	FI643	FI644	FI645	FI646
	PLASTIC LAMINATE				
	FI647	FI648	FI649	FI650	FI651



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI652	FI653	FI654	FI655	FI656
	LAMINATED WOOD				
	FI657	FI658	FI659	FI660	FI661
	SHOP TOP				
	FI662	FI663	FI664	FI665	FI666
	PLASTIC LAMINATE				
	FI667	FI668	FI669	FI670	FI671



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI672	FI673	FI674	FI675	FI676
	LAMINATED WOOD				
	FI677	FI678	FI679	FI680	FI681
	SHOP TOP				
	FI682	FI683	FI684	FI685	FI686
	PLASTIC LAMINATE				
	FI687	FI688	FI689	FI690	FI691



TOPS	36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
	STEEL - WOOD FILL				
	FI692	FI693	FI694	FI695	FI696
	LAMINATED WOOD				
	FI697	FI698	FI699	FI700	FI701
	SHOP TOP				
	FI702	FI703	FI704	FI705	FI706
	PLASTIC LAMINATE				
	FI707	FI708	FI709	FI710	FI711



Customise these products to your specs! See page 36

## Create a Workbench Designed for Your Application

- Select from the components below to build the workbench to fit your needs.
- All components **required** to make up your workbench are on this page
- Optional features for enhanced functionality are on the following page
- All steel components constructed of 14-gauge steel unless otherwise specified
- All mounting hardware included
- Capacities range from 1000 lbs. to 2500 lbs.
- All steel components are powder coat KLETON grey
- Shipped knocked down



### A - Legs

- Legs static or mobile
- Comes with knockout for standard 2-outlet electrical plug
- Provides an overall height of 34" w/top




Model No.	Description	D" x H"	Wt. lbs.
<b>ML264</b>	Single leg for use w/ 24"D top	22 x 32	14
<b>ML265</b>	Single leg for use w/ 30"D or 36"D top	28 x 32	15
<b>ML266*</b>	Pair of legs to use w/24"D tops, includes Stringer FF979	22 x 32	38
<b>ML268*</b>	Pair of legs to use w/30"D or 36"D tops, includes Stringer FF979	22 x 32	40
<b>ML267*</b>	Mobile Kit for use w/24"D top (pair), includes Stringer FF979	28 x 32	45
<b>ML269*</b>	Mobile Kit for use w/30"D or 36"D top (pair), includes Stringer FF979	28 x 32	40
<b>FG732</b>	Leg extensions to make height adjustable from 34"-39" in 1" increments (set of 4)		8

\* For 84"L and 96"L tops, **FH925** or **FH926** stringers are required

### B - Tops

A variety of tops are available. 14-gauge steel wood filled, laminated wood, shop top and plastic laminate in a variety of sizes.

Our complete list of tops can be found on **Page 48**.



Stainless-Steel Wood-Filled Top



Wood Top




Bullnose- Wood Top



Plastic Laminate Top



Shop Top



Steel Wood-Filled Top

### C - Universal Stringers



- Adds stability to the workbench
- Prevents legs from shifting
- Included in kits **ML266** to **ML269**
- Weight: 11lbs.


**Model No. FF979** - for 48", 60" or 72" bench

**Model No. FH925** - for 84" bench

**Model No. FH926** - for 96" bench

## Things to consider when ordering a workbench

1. Determine the size (length, width, height) of the workbench required.
2. Select one of each of the required components listed on this page, respecting the determined size of the workbench.





Customise these  
products to your specs!  
See page 36



## Customize your workbenches with any of the following options.

### D - Drawers

- All-welded heavy-gauge steel
- Add storage to any workbench
- 100% full extension with ball bearing slide mechanism
- Equipped with locks and two keys
- All locks keyed alike by drawer model
- Custom key options available
- Capacity: 100 lbs. per drawer evenly distributed
- Aluminum extrusion handles with grey end caps
- Overall Dimensions: 18" W x 21" D x 9" H



#### Single Drawer Units

**Model FH673**

(1) 15 3/8" W x 20" D x 5 5/8" H



#### Double Drawer Units

**Model FH674**

(2) 15 3/8" W x 20" D x 2 3/4" H

### E - Bench Riser Shelves

- Increase storage space
- Ideal for getting tools and other equipment off work surfaces
- 9" D x 12" H
- One per workbench



Model No.	Overall Width"	Wt. lbs.
FF956	48	19
FF957	60	24
FF958	72	29
FI319	84	35
FI320	96	42

### F - Lower Shelves


- Add extra storage to any workbench
- 9"D
- One or two 9" deep shelves can be used per workbench



Model No.	Overall Width"	Wt. lbs.
FF934	44 (For Use with 48" Top)	14
FF935	56 (For Use with 60" Top)	16
FF936	68 (For Use with 72" Top)	18
RL866	80 (For Use with 84" Top)	21
RL867	92 (For Use with 96" Top)	24

### G - Back Stops

- Add a 3" edge to the back of any workbench
- One per bench top



Model No.	Overall Width"	Wt. lbs.
FF704	48	8
FF705	60	10
FF708	72	12
FI317	84	14
FI318	96	16

### H - End Stops

- Add 3" sides to any workbench
- One per side desired to enclose



Model No.	Overall Depth"	Wt. lbs.
FF792	24	4
FF793	30	5
FF794	36	6

## Stainless Steel Top Workbenches

- Top constructed of 14-gauge stainless steel with a number 4 finish and formed edges
- Top reinforced with wood core for sound reduction and added strength
- 1 3/4" overall thickness
- Overall dimensions: 72" W x 30" D x 34" H
- Legs and stringers are constructed from 14-gauge steel powder coated KLETON grey finish
- Capacity: 2500 lbs. evenly distributed

**Model No. FI296**



## Select one of these six tops to customise your Workbench.



### LAMINATED HARDWOOD TOPS - SQUARE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"
- Tops over 36" wide are shipped in two pieces.
- Hardware included



### LAMINATED HARDWOOD TOPS - BULLNOSE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"
- Tops over 36" wide are shipped in two pieces.
- Hardware included

Model No.	Dimensions D" x W"	Wt. lbs.	Model No.	Dimensions D" x W"	Wt. lbs.
FI730	24 x 48	56	FD025	36 x 48	84
FD016	24 x 60	70	FD026	36 x 60	105
FD017	24 x 72	84	FI738	36 x 72	126
FI731	24 x 84	98	FD028	36 x 84	147
FG970	24 x 96	112	FI739	36 x 96	168
FI732	24 x 120	140	FD023	36 x 120	210
FD019	30 x 48	70	FI740	48 x 48	112
FI733	30 x 60	88	FG977	48 x 60	140
FI734	30 x 72	105	FG978	48 x 72	168
FI735	30 x 84	123	FG979	48 x 84	196
FI736	30 x 96	140	FG980	48 x 96	224
FI737	30 x 120	175	FG982	48 x 120	280

Model No.	Dimensions D" x W"	Wt. lbs.	Model No.	Dimensions D" x W"	Wt. lbs.
FI522	24 x 48	56	FH751	36 x 48	84
FI523	24 x 60	70	FI532	36 x 60	105
FI524	24 x 72	84	FI533	36 x 72	126
FH742	24 x 84	98	FH754	36 x 84	147
FI525	24 x 96	112	FI534	36 x 96	168
FI526	24 x 120	140	FH756	36 x 120	210
FI527	30 x 48	70	FH757	48 x 48	112
FI528	30 x 60	88	FH758	48 x 60	140
FI529	30 x 72	105	FH759	48 x 72	168
FI530	30 x 84	123	FH760	48 x 84	196
FI531	30 x 96	140	FH761	48 x 96	224
FH750	30 x 120	175	FH762	48 x 120	280



### SHOP TOPS

- Great top for medium-duty applications
- 1/2" double sealed resin boards laminated over 3/4" MDF core
- Overall thickness: 1 3/4"

Model No.	Dimensions D" x W"	Wt. lbs.
FD001	24 x 48	60
FD002	24 x 60	75
FH764	30 x 48	75
FD004	30 x 60	94
FD005	30 x 72	113
FH765	30 x 84	131
FH766	30 x 96	150
FH767	36 x 48	90
FD006	36 x 60	113
FD007	36 x 72	135
FH768	36 x 84	158
FH769	36 x 96	180



### STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"
- Colour: Powder coat KLETON grey


Model No.	Dimensions D" x W"	Wt. lbs.
FD030	24 x 48	59
FD031	24 x 60	74
FH871	30 x 48	74
FD033	30 x 60	92
FD034	30 x 72	110
FH872	30 x 84	129
FH873	30 x 96	147
FH874	36 x 48	89
FD035	36 x 60	110
FD036	36 x 72	132
FH875	36 x 84	154
FH876	36 x 96	176



### PLASTIC LAMINATE TOPS

- Light-duty top with smooth white plastic laminate face covering 45-lb. density particle board
- Overall thickness: 1 5/8"
- Colour: White

Model No.	Dimensions D" x W"	Wt. lbs.
FD008	24 x 48	65
FD009	24 x 60	72
FH771	30 x 48	72
FD011	30 x 60	90
FD012	30 x 72	108
FH772	30 x 84	126
FH773	30 x 96	144
FH774	36 x 48	86
FD013	36 x 60	108
FD014	36 x 72	130
FH776	36 x 84	151
FH777	36 x 96	173



### 304 STAINLESS STEEL WOODFILLED TOPS

- Heavy-duty 14-gauge stainless steel with a number 4 finish and formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"

Model No.	Dimensions D" x W"	Wt. lbs.
FI268	24 x 48	59
FI269	24 x 60	74
FI270	30 x 48	74
FI271	30 x 60	92
FI272	30 x 72	110
FI273	30 x 84	129
FI274	30 x 96	147
FI275	36 x 48	89
FI276	36 x 60	110
FI277	36 x 72	132
FI278	36 x 84	154
FI279	36 x 96	176





## Customise your own Workbench . . . simply select any two cabinets listed and add a top.

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Reversible doors, can be opened on either left or right side (factory installed hinges on right side)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size
- 30" overall height with top
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Capacity: 100 lbs. per drawer evenly distributed
- Powder coat finish with grey KLETON shell and KLETON blue on doors and drawers



**FULL DOOR CABINET**  
16 3/4" W x 21" D x 24" H  
Internal Adjustable Shelf included  
Weight: 50 lbs.  
**Model FH666**



**TWO-DOOR CABINET**  
(2) 16 3/4" W x 21" D x 12" H  
Weight: 48 lbs.  
**Model FH667**



**TWO-DRAWER W/ONE DOOR CABINET**  
(2) 15 3/8" W x 20" D x 5 5/8" H  
(1) 16 3/4" W x 21" D x 12" H  
Weight: 70 lbs.  
**Model FH668**



**TWO-DRAWER CABINET**  
(2) 15 3/8" W x 20" D x 11 5/8" H  
Weight: 66 lbs.  
**Model FI166**




**THREE-DRAWER CABINET**  
(2) 15 3/8" W x 20" D x 5 5/8" H  
(1) 15 3/8" W x 20" D x 11 5/8" H  
Weight: 78 lbs.  
**Model FI167**



**FOUR-DRAWER CABINET**  
(4) 15 3/8" W x 20" D x 5 5/8" H  
Weight: 68 lbs.  
**Model FH669**



**FOUR-DRAWER W/ONE DOOR CABINET**  
(4) 15 3/8" W x 20" D x 2 5/8" H  
(1) 16 3/4" W x 21" D x 12" H  
Weight: 86 lbs.  
**Model FH670**



**SIX-DRAWER CABINET**  
(4) 15 3/8" W x 20" D x 2 5/8" H  
(2) 15 3/8" W x 20" D x 5 5/8" H  
Weight: 94 lbs.  
**Model FH671**



**OPTIONAL PEDESTAL BASE**  
4" High -  
34" high with top  
Weight: 8 lbs.  
**Model FH672**

## Leg and Pedestal Combinations

- All-welded 14-gauge steel legs
- Knockout for standard two-outlet electrical plug
- Overall height of 34" with top
- Powder coat KLETON grey finish

Model No.	Description	Dimensions D" x H"	Wt. lbs.
ML264	Single Leg for Use w/ 24"D Top	22 x 32	14
ML265	Single Leg for Use w/ 30"D or 36" D Top	28 x 32	15
FH672	Pedestal Base (Max 1)*	4" H	5
FF920	Bench Leg Gussets (Pkg. of 2)*	-	3

\* Pedestal base and bench leg gussets are required components when building all leg/pedestal combinations

## HOW TO ORDER

1. Choose the pedestal and leg combination desired
2. Choose your desired top

See our selection of workbench tops on Page 48.

We try to make it easy . . . look at our pre-designed layout options on pages 41 to 45.

Customise to your specifications. If you need specific sizes or requirements not available on this page . . . call your KLETON dealer with your specs today!






## NEXUS System Workbenches

- Highly functional and flexible system of above-work surface accessories and modular components
- Ergonomically designed, delivering easy accessibility with no stretch or strain
- Modular design allows for easy reconfiguration

### Workstation benefits include:

- Greater productivity and efficiency
- Reduced strain and increased ergonomic ease •
- Equipped to exactly suit your needs
- Properly illuminated work areas



To pick the right frame for your needs you must determine the following measurements:

**Inside Useable Width (A):** Is measured from the inside of one upright to the other.


**Section Width (B):** Is measured from the centre of one upright to the other.

**Overall Width (C):** Is measured from the outside of one foot plate to the other.

Then determine if you require a single frame or double frame unit.

### Surface Mount Frames

- Frames are made from a heavy gauge steel and are notched front and back at 1" increments
- Foot Plate is 2 3/4" x 4"



### SINGLE FRAME SECTIONS

Model No.	Height"	Inside Useable Width" (A)	Section Width" (B)	Overall Width" (C)	Min Work Surface Width" Required
FH992	30	34 3/4	36	38 3/4	42
FH994	48	46 3/4	36	38 3/4	42
FH993	30	34 3/4	48	50 3/4	54
FH995	48	46 3/4	48	50 3/4	54

### DOUBLE FRAME SECTIONS

Model No.	Height"	Inside Useable Width" (A)	Section Width" (B)	Overall Width" (C)	Min Work Surface Width" Required
FI747	30	(1) 22 3/4, (1) 28 3/4	(2) 24	50 3/4	54
FI748	30	(1) 22 3/4	(1) 24, (1) 30	56 3/4	60
FI749	48	(2) 22 3/4	(2) 24	50 3/4	54
FI750	48	(1) 22 3/4, (1) 28 3/4	(1) 24, (1) 30	56 3/4	60



## NEXUS System Workbench Accessories

### OVERHEAD CABINETS

- Protect, secure above-work-surface storage of large, bulky items



Model No.	Overall Dimensions				
	W"	x	D"	x	H"
FI364	24	x	15	x	16
FI365	30	x	15	x	16
FI366	36	x	15	x	16
FI367	48	x	15	x	16
FI362	Support Bracket for 16"H Cabinet				

### OVERHEAD LIGHT FIXTURES

- Tilts up or down 10°
- Kit includes a switch, 8' grounded electrical cord, support bracket, support track, standard acrylic diffuser and T8 bulbs



Model No.	Use with Frame Overall Width"
FI019	48
FI020	60
<b>SUPPORT BRACKETS (PAIR)</b>	
FI327	Less Than 30"
FI328	Greater than or equal to 30"

### HORIZONTAL POWER BOARDS

- 15 Amps with 6 plugs
- Pivots on axis providing full horizontal adjustability



Model No.	Overall Width"
FI022	24
FI023	30
FI024	36
FI025	48

### VERTICAL POWER BOARDS

- 15 Amps with 6 outlets
- Mounts vertically to front and back of upright
- Features a lighted on/off switch, 6' cord with grounded plug and circuit breaker
- Bracket and hardware included

Model No. FI021



### PLASTIC BOX RAILS


- Easily adjustable for ergonomic access
- Can be mounted either parallel or a 15° angle to the workstation
- Suitable to use with bins that have a rear lip
- Plastic bins not included



Model No.	Overall Width"
FI030	24
FI031	30
FI032	36
FI033	48

### ADJUSTABLE SHELVES

- Adjustable, heavy gauge steel shelves can be mounted parallel to the work surface or at a 15° angle for easy ergonomic access
- 100-lb. capacity evenly distributed



Model No.	Overall Dimensions		
	W"	x	D"
FI001	24	x	12
FI002	30	x	12
FI003	36	x	12
FI004	48	x	12
FI005	24	x	15
FI006	30	x	15
FI007	36	x	15
FI008	48	x	15
FI009	24	x	18
FI010	30	x	18
FI011	36	x	18
FI012	48	x	18

### SHELF DIVIDERS

- Steel dividers fit over the edge of the shelf when it is mounted parallel to the work surface



Model No.	Overall Dimensions		
	D"	x	H"
FI013	12	x	4
FI014	12	x	6
FI015	12	x	8
FI016	15	x	4
FI017	15	x	6
FI018	15	x	8

### STEEL LOUVERED BACK PANELS


- Designed to accommodate industry standard plastic bins that featured louvered edge or lip



Model No.	Overall Dimensions		
	W"	x	H"
FI034	24	x	18
FI035	30	x	18
FI036	36	x	18
FI037	48	x	18
FI038	24	x	30
FI039	30	x	30
FI040	36	x	30
FI041	48	x	30

### REVERSIBLE MARKERBOARDS/TACKBOARDS

- Two-sided reversible board
- Features white magnetic marker board on one side and grey fabric panel on the other



Model No.	Overall Dimensions		
	W"	x	H"
FI050	24	x	30
FI051	30	x	30
FI052	36	x	30
FI053	48	x	30

### STEEL PEGBOARD PANELS

- Accepts all standard pegging devices
- Holes are 1/4" in diameter



Model No.	Overall Dimensions		
	W"	x	H"
FI042	24	x	18
FI043	30	x	18
FI044	36	x	18
FI045	48	x	18
FI046	24	x	30
FI047	30	x	30
FI048	36	x	30
FI049	48	x	30



Customise these  
products to your specs!  
See page 36

## Mobile Cabinet Benches

- Ideal for maintenance, repair and assembly departments
- Mount one, two or three cabinets from six choices of cabinets
- Heavy-duty 11-gauge steel base, 1 1/4" thick laminated hardwood top, and a push handle
- Four 5" non-marking casters with brakes for smooth, easy rolling
- Doors are reversible, can be opened either left or right side
- All locks keyed alike by pedestal model
- Cabinet frame powder coat finish with grey shell and KLETON blue on doors and drawers
- Shipped knocked down



**1200 - LB CAPACITY**  
**Evenly Distributed**



### CONFIGURE YOUR OWN UNIT BY CHOOSING:

1. The pedestal style(s) that suits your needs (to a maximum of three pedestal(s))
2. Add to that the assembly kit, whether it be single, double or triple.  
Assembly kit includes casters, base and 1 1/4" laminated hardwood top.



Assembly Kit

### 1 - PEDESTAL STYLES - Complete with Lock and two keys

Model No.	Description	Wt. lbs.
FH666	One door	51
FH667	Two half doors	52
FH668	Two small drawers and one half door	75
FI166	Two Large Drawers	66
FI167	Two small drawers and one large drawer	78
FH669	Four large drawers	97
FH670	Four small drawers and one half door	84
FH671	Four small drawers and two large drawers	98



### 2 - ASSEMBLY KITS

Model No.	Description	Wt. lbs.
FH407	Single	35
FH408	Double	65
FH409	Triple	95



FF984



MH801

## Single Pedestal Benches

- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Full extension drawers with a capacity of 100 lbs. per drawer
- Four 4" non-marking casters with brakes for smooth, easy rolling
- Comes complete with locks and two keys
- Overall dimensions 20" W x 21" D x 37" H
- Cabinet frame powder coat finish with grey shell and KLETON blue on doors and drawers

**800 - LB CAPACITY**  
**Evenly Distributed**

Model No.	Description	Wt. lbs.
FF984	4-Drawer cabinet	120
MH801	Single door cabinet	75





Customise these products to your specs! See page 36



FF993



FF994



FF995

1200 - LB CAPACITY  
Evenly Distributed

## Mobile Tool Box Benches

- A versatile unit combining tool/storage area with a work surface
- Heavy-duty 11-gauge steel top and base
- Four - 5" non-marking casters: two rigids and two swivels with brake
- Overall dimensions: 60" W x 22" D x 37" H
- Durable KLETON blue enamel finish

Model No.	Description	Wt. lbs.
FF993	5 Drawers/3 Drawers	285
FF994	3 Drawers and side Shelves	220
FF995	5 Drawers and side Shelves	235

### 3-Drawer Cabinet With Flip Top Panel

1 x drawer - 22 1/8" W x 16 3/4" D x 2" H  
2 x drawers - 22 1/8" W x 16 3/4" D x 4" H  
3 x drawers - 26 1/2" W x 18" D x 12 3/8" H  
Colour: Red

### 5-Drawer Cabinet

1 x drawer - 22 1/8" W x 16 3/4" D x 2" H  
2 x drawers - 22 1/8" W x 16 3/4" D x 4" H  
2 x drawers - 22 1/8" W x 16 3/4" D x 61/8" H  
Colour: Red



ML325



ML326



ML327



ML328

## Industrial-Duty Mobile Service Benches

1200 - LB CAPACITY  
Evenly Distributed

- 16-gauge all-welded steel construction
- Designed for moving heavy parts and tools to the job site
- Provides a strong maintenance-free surface to work on
- Laminated hardwood top
- Four - 5" non-marking casters: two rigids and two swivels with brake
- Overall dimensions: 42" W x 24" D x 37" H
- Shell durable KLETON blue enamel finish
- Cabinets are powder coat paint grey and KLETON blue
- Shipped assembled

Model No.	Description	Wt. lbs.
ML325	2 Doors	235
ML326	1 Drawer/1 Door	190
ML327	4 Drawers/1 Door	275
ML328	8 Drawers	300



1200 - LB CAPACITY  
Evenly Distributed

FF068

## Maxi-Bench Workstations

- Roll your workstation to your work area
- All-welded 14-gauge frame with 30" x 60" steel wood-filled top
- Comes with 5" nylon non-marking casters, two rigid and two swivel with brakes
- Includes: 42" H peg board panel, double drawers, swivel-out stool, lower shelf, end stops
- Model FF068 (shown) includes fluorescent lamp, 25' incandescent drop light, and 4-outlet power bar
- Durable KLETON blue enamel finish


Model No.	Description	Overall Height"	Wt. lbs.
FF068	Mobile, Complete	76	435
FF069	Mobile, No Electrical	76	415
FF071	Static, Complete	70	425
FF072	Static, No Electrical	70	405



Customise these products to your specs! See page 36

## Build Your Own Cabinet Workbench

**1000 - LB CAPACITY**  
Evenly Distributed



### A - Cabinet Shell Only

- Made of all-welded 14-gauge steel

Model No.	Dimensions L" x W" x H"	Wt. lbs.
FH165	28 x 59 x 32	105

### B - Tops

- Our complete list of tops can be found on page 48.



Steel Wood-Filled



Laminated Wood



Plastic Laminate



Shop Top



Laminated Wood Bullnose Edge



Stainless Steel Wood-Filled

Material	30" W x 60" L	30" W x 72" L	36" W x 60" L	36" W x 72" L
Steel Wood Filled (Grey)	FD033	FD034	FD035	FD036
Steel Wood Filled Blue)	FH183	FH184	FH185	FH186
Laminated Wood	FI733	FI734	FD026	FD027
Laminated Plastic	FD011	FD012	FD013	FD014
Shop Top	FD004	FD005	FD006	FD007
Wood Bullnose Edge	FI528	FI529	FH752	FH753
Stainless Wood-Filled	FI271	FI272	-	-

### C - Shelf

- Made of 14-gauge steel
- Maximum two per cabinet
- Capacity: 300 lbs.



Model No.	Dimensions L" x W"	Wt. lbs.
FH164	27 3/4 x 58 3/4	15

### D - Door

- Made of 18-gauge steel on rollers
- Recessed handles
- Includes: Plunger lock and two keys



Model No.	Dimensions	Wt. lbs.
FH163	Door Set, Lock Included	40

### E - Drawers

- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism
- All locks keyed alike by drawer model
- Includes: Locks and two keys
- Aluminum extrusion handles with grey end caps
- Capacity: 100 lbs. per drawer evenly distributed



FH938



FH939

Model No.	Drawer Dimensions L" x W" x H"	Wt. lbs.
FH938	15 3/8 x 20 x 5 5/8	30
FH939	15 3/8 x 20 x 2 3/4	35



Customise these products to your specs! See page 36



FH269

## Heavy-Duty Machine Stands

- All-welded construction
- Designed for use as a machinery stand or work table when full workbench is not necessary
- 14-gauge steel lip-down shelves, with bolt down foot plates on 3/16" x 1 1/2" angle leg
- Overall Height: 32"
- Durable KLETON blue enamel finish

**1200-LB. CAPACITY**

Model No.	Dimensions W" x D" x H"	Shelf Clearance"	Capacity lbs.	Wt. lbs.
FH268	30 x 18 x 32	14	1000	60
FH269	36 x 24 x 32	14	1000	70
FH270	48 x 24 x 32	14	1000	85




FF494

**3500 - 5000 LB. CAPACITY**  
Evenly Distributed

## Extra Heavy-Duty Workbenches

- Our most solid workbench available with 11-gauge steel legs and stringers
- All-welded construction features a wood-filled 3/16" steel top
- Standard bolt-down foot plates
- Mobile unit has 6" phenolic casters, two swivel w/brake and two rigid
- Overall height: 34"
- Durable KLETON blue enamel finish

Model No.	Style	Dimensions W" x D" x H"	Capacity lbs.	Wt. lbs.
FF494	Static	72 x 30 x 34	5000	290
FF495	Static	72 x 36 x 34	5000	360
FH465	Mobile	72 x 30 x 34	3500	290
FH466	Mobile	72 x 36 x 34	3500	360



*Please see page 17 for Louvered Bin Racks that can be added to Heavy-Duty Work Benches or Pedestal Benches*



FF120

## Pedestal Benches

- Designed for workshop applications
- 1 3/4" thick solid laminated hard wood top mounted on two all-welded pedestals with two shelves each
- Pedestals are 18" W x 24" D x 32" H
- Overall height: 34"
- Durable KLETON blue enamel finish

**2500-LB. CAPACITY**

Model No.	Dimensions W" x D" x H"	Wt. lbs.
FF120	60x 30 x 34	158
FF121	72 x 30x 34	175
FF122	84 x 30 x 34	192
FF119	120 x 30 x 34	245

### INDIVIDUAL PEDESTALS

FF127	18 x 24 x 32	42
-------	--------------	----



## Wall-Mounted Shop Desks

- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four-compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34" W x 28" D x 31" H
- Weight: 74 lbs.
- Grey enamel finish

**Model No. FI518**



## Open Floor Style Shop Desks

- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Four-compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34" W x 30" D x 53" H
- Weight: 93 lbs.
- Grey enamel finish

**Model No. FI519**

**OPTIONAL CASTER KIT**

**Model No. FI521**




## Cabinet Style Shop Desks

- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Four-compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34" W x 30" D x 53" H
- Weight: 146 lbs.
- Grey enamel finish

**Model No. FI520**

**OPTIONAL CASTER KIT**

**Model No. FI521**



**FB002**



**RL871**

## Locker Room Benches

- 16 gauge steel all-welded
- Wood top benches feature black powder coated legs that can be used free-standing or bolted to the floor
- Necessary for any locker room
- 9 1/4" wide rounded hardwood top



Model No.	Type	Dimensions L" x W" x H"	Wt. lbs.
FB002	Steel	72 x 12 x 17	35
RL871	Wood	48 x 9 1/4 x 16 1/2	23
RL872	Wood	60 x 9 1/4 x 16 1/2	29
RL873	Wood	72 x 9 1/4 x 16 1/2	31
RL874	Wood	96 x 9 1/4 x 16 1/2	39





## Polyethylene Folding Tables

- Blow molded polyethylene top
- Lightweight with folding legs for easy storage
- 29" fixed table height with locking steel legs
- Easy to clean
- Folding legs automatically lock by use of gravity activated mechanism when opened
- Capacity: 500 lbs.

Model No.	Dimensions L" x W" x H"	Wt. lbs.
ON598	48 x 24 x 29	22
ON599	72 x 30 x 29	35
ON600	96 x 30 x 29	50



## Polyethylene Fold-in-Half Tables

- Blow-molded polyethylene top
- Lightweight with ability to fold the table in half to 3 1/2" thick for easy storage
- 29" fixed table height with locking steel legs
- Folding legs automatically lock by use of gravity activated mechanism when opened
- Easy to clean
- Dimensions: 72" L x 30" W x 29" H
- Capacity: 350 lbs.

**Model No. ON601**



## Polypropylene Folding Benches

- Durable high-density polypropylene construction
- Steel framing and folding legs for extra strength
- Dimensions: 72" L x 12" W x 17" H
- Folded dimensions: 36" L x 12" W x 4" H
- Weight: 20 lbs.

**Model No. ON699**



## Polypropylene Folding Chairs

- Durable contoured back and seat for all day comfort
- Steel framing and folding legs for extra strength
- Easy to clean
- Dimensions: 15 1/2" W x 16 1/2" D x 33 1/2" H
- Capacity : 350 lbs.

**Model No. ON602**



## Heavy-Duty Steel Step Stools

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Weight: 10 lbs.
- Colour: Black

**Model No. ON528**

**REPLACEMENT CASTER KIT**

**Model No. ON617**





## Cork Boards



- Ideal for office or warehouse environments
- Sturdy aluminum frame
- Plastic-molded corners protect the board and wall from damage
- Double-sided cork for added durability

Model No.	Dimensions"	Wt. lbs.
ON593	18 x 24	3.5
ON594	24 x 36	6
ON595	36 x 48	10.5
ON596	48 x 72	18
ON597	48 x 96	30

## Corkboard Push Pins

Plastic head, assorted colours. 100/pkg.  
Price per package

**Model No. OJ472**



## White Boards



### NON-MAGNETIC

- White writing surface provides clean, colorful display
- Effortless erasing, wipes clean with cloth or felt brush
- Aluminum frame
- Plastic corners for board and wall protection

Model No.	Dimensions H" x W"	Wt. lbs.
ON530	18 x 24	3.25
ON531	24 x 36	6
ON532	36 x 48	10.5
ON533	48 x 72	18
ON534	48 x 96	30

### MAGNETIC

- White magnetic writing surface provides clean, colorful display
- Effortless erasing, wipes clean with cloth or felt brush
- Aluminum frame
- Plastic corners for board and wall protection

Model No.	Dimensions H" x W"	Wt. lbs.
ON535	24 x 36	6
ON536	36 x 48	10.5
ON537	48 x 72	18

## Dura-Ink® Dry Erase Ink Markers


- Industrial strength felt-tip ink markers for temporary marking applications
- Mark can be removed quickly and easily with dry rag, towel, or eraser
- No residue or ghosting after mark is removed on most industrial surfaces
- Suitable for any non-porous surfaces
- Will not scratch painted surfaces
- Suitable for surfaces that require a low-chloride /low halogen specification
- 1/8" bullet felt-tip makes solid, opaque, visible mark



**Markal®**  
High Performance Industrial Markers

Model No.	Description
PE773	Red
PE774	Black
PE775	Blue
PE776	Green

# MATERIAL HANDLING EQUIPMENT



Hand Trucks .....	60 - 62
Gas Cylinder Carts.....	61
Specialized Hand Trucks.....	63
Appliance Trucks.....	63
Aluminum Hand Trucks .....	63 - 65
Metal Box & Stock Trucks .....	66 - 68
Shelf Trucks.....	69 - 73
Ergonomic Trucks .....	74
Plastic Shelf Trucks .....	75
Platform Trucks .....	75 - 83
Specialized Dollies .....	84 - 85
Specialized Carts.....	86 - 88
Casters .....	89 - 91
Dump Trucks.....	92
Box Trucks .....	93
Hydraulic Scissor Lift Tables .....	94
Pallet Trucks .....	95 - 98
Pallet Handling Equipment .....	99
Vehicle Service Equipment .....	100 - 101
Hoists & Adjustable Trolleys .....	102 - 103



# HAND TRUCKS

60



Customise these products to your specs! See page 36

## CAUTION

For worker safety and in order to protect your equipment please be advised that all hand trucks on this page are not meant for use on stairs or steps. Please see our Appliance Trucks on Page 63 or Aluminum Hand Trucks on Page 64 and 65.



MK728

MK729

MN103

## Rubber Wheel Hand Trucks

- Constructed of 1" 16-gauge steel tube
- Nose plate 7-gauge steel
- Overall width: 19 1/2"
- Wheel dimensions: 8" x 2"
- Powder coated

**600-LB.  
CAPACITY**

Model No.	Description	Height"	Nose Plate Dim. W" x D"	Wt. lbs.
MK728	Continuous Handle	46	14 x 8 1/2	24
MK729	Dual Handle	46	14 x 8 1/2	24
MN103	P-Handle	51	14 x 9	24

### Replacement Parts

Model No. ML812, Rubber Wheel

Model No. MK993, Hand Grip



MH301

MH300

MH302

## Pneumatic Wheel Hand Trucks

- Constructed of 1" 16-gauge steel tube
- Nose plate 8 gauge steel
- Overall width: 21 1/2"
- Wheel dimensions: 10" x 3"
- Powder coated

**600-LB.  
CAPACITY**

Model No.	Description	Height"	Nose Plate Dim. W" x D"	Wt. lbs.
MH300	Dual Handle	46	14 x 9	23
MH301	Continuous Handle	48	14 x 9	26
MH302	P- Handle	51	14 x 9	23

### Replacement Parts

Model No. ML810, Pneumatic Wheel

Model No. MK993, Hand Grip



MN389

MN390

MN391

## Flat Free Wheel Hand Trucks

- Constructed of 1" 16-gauge steel tube
- Nose plate 8-gauge steel
- Overall width: 22"
- Wheel dimensions: 10" x 3 1/2"
- Powder coated

**600-LB.  
CAPACITY**

Model No.	Description	Height"	Nose Plate Dim. W" x D"	Wt. lbs.
MN389	Dual Handle	46	14 x 9	20
MN390	Continuous Handle	48	14 x 9	22
MN391	P-Handle	51	14 x 9	22

### Replacement Parts

Model No. MN378, Flat Free Wheel

Model No. MK993, Hand Grip





Customise these products to your specs! See page 36

## Heavy-Duty Dual Handle Hand Trucks

- Constructed of 1 1/4" 14-gauge steel tube
- Nose plate 6 gauge steel
- Overall width: 20"
- Powder coated

Model No.	Description	Height"	Wheel Size"	Nose Plate Dim. W" x D"	Capacity lbs.	Wt. lbs.
<b>MK730</b>	Rubber Wheel	46	8 x 2	14 x 8	1000	36
<b>MK731</b>	Pneumatic Wheel	46	10 x 3	14 x 8	800	36
<b>MA376</b>	Rubber Wheel	48	10 x 2	12 x 8	1000	40

### Replacement Parts

**Model No. ML813**, Rubber Wheel for MK730  
**Model No. MH298**, Rubber Wheel for MA376  
**Model No. ML811**, Pneumatic Wheel  
**Model No. ML030**, Hand Grip

800 - 1000 LB.  
CAPACITY




MK730

MK731

MA376

## Gas Cylinder Carts

- Choice of carts for a wide range of cylinder sizes and terrains.



Model No.	Wt. lbs.	Base W " x D"	Wheels	Capacity
<b>ML413</b>	55	25 x 13	16" Dia. Pneumatic	224 cu. ft. Oxygen, 300 cu.ft Acetylene Cylinders
<b>ML414</b>	22	12 x 10	10" Dia. Semi-Pneumatic	300 cu. ft. 9" Dia. Cylinder
<b>ML415</b>	55	25 x 13	14" Dia. x 3" Rubber	244 cu. ft. Oxygen, 300 cu. ft. Acetylene Cylinders
<b>ML416</b>	27	12 x 16	10" Dia. Semi-Pneumatic	144 cu. ft. or 244 cu. ft. Oxygen, 130 cu. ft. Acetylene Cylinders
<b>ML417</b>	30	19 x 10	10" Dia. Semi-Pneumatic	144 cu. ft. or 244 cu.ft. Oxygen, 130 cu. ft. Acetylene Cylinders

## Load Retention Hand Trucks

- Constructed of 1" round 14-gauge steel tubing
- 18 1/2" x 53" load retention grill to safely handle wide and awkward loads
- 7-gauge steel nose plate
- 18 1/2" x 9 3/4" nose plate
- Two 10" full pneumatic wheels
- Capacity: 600 lbs.
- Durable KLETON blue enamel finish

**Model No. MN412**



## Mini-MIG Welding Carts

### MM-8 Series Cylinder Cart

- Designed to carry a variety of Mini-MIG, Inverters, and Plasma machines
- Dimensions: 18" W x 36" D x 17" H
- Weight: 48 lbs.
- Cylinder Capacity: 9.5"

**Model No. ML419**





Customise these products to your specs! See page 36




ML320

## Convertible Deluxe Steel Hand Trucks

- Constructed of 1" round 14-gauge steel tubing
- Quickly converts from a two-wheel hand truck to a four-wheel platform truck
- Comes with two welded-on stair glides
- 46" high
- 8" x 14" nose plate
- Two 10" full pneumatic wheels and two 3" bolted-on casters
- Durable KLETON blue enamel finish

**600-LB. CAPACITY**

Model No	Overall Dimensions W" x D" x H"	Wt. lbs.
ML320	14 x 43 x 46	75



ML321

ML322

Model ML323  
Nose Extension

## Deluxe 12" Nose Plate Hand Trucks

- Constructed of 1" round 14-gauge steel tubing
- Transport short to tall loads easily
- P handle ideal for one hand control
- Strong 12" x 14" x 3/16" thick nose plate
- Double welded 3/16" x 1 1/2" cross bars
- Add a folding nose extension to be able to transport larger loads
- Two 10" full pneumatic wheels
- Durable KLETON blue enamel finish

**700-LB. CAPACITY**

Model No	Description	Overall Dimensions W" x H"	Wt. lbs.
ML321	Lo-Boy	23 x 50	40
ML322	Hi-Boy	23 x 72	46
ML323	Nose extension	12 x 22" Nose Length	8



ML324

**1200-LB. CAPACITY**

## Heavy-Duty Spade Trucks

- Constructed of double-welded 1 1/4" round 14-gauge steel tubing
- Oversized nose plate and easy grip frame helps with the balancing of larger items
- Tapered 22" x 1/4" x 13" deep thick nose plate
- Two 10" Mold-on rubber wheels
- Durable KLETON blue enamel finish

Model No	Dimensions W" x H"	Wt. lbs.
ML324	22" x 53"	92



MA385

MA378

MA385

## Hand Truck Attachments

- Allows extra versatility to adapt to changing material handling requirements without the extra cost
- Constructed of 1" 14-gauge steel tubing
- Easy to install
- Designed to fit most hand trucks with a 14" frame width
- Durable KLETON blue enamel finish

Model No.	Description	Wt. lbs.
MA378	Chair Mover Attachment	15
MA385	Table Mover Attachment	25



## Convertible Hand Trucks

- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- Lightweight aluminum construction
- 5" polyurethane casters and 10" flat free wheels
- Shipped assembled

Model No.	Nose Plate W" x D"	Hand Truck Cap. lbs.	Hand Truck Ht."	Platform Truck Cap. lbs.	Platform Truck L" x W"	Wt. lbs.
ML621	18 x 10	600	52	1250	12 x 43	46.5



## Appliance Trucks


- Move large appliances easily
- Heavy-duty all welded industrial construction
- Vinyl bumpers on face of truck to prevent damage to appliances
- Heavy-duty continuous stair climbers for easy climbing/descending
- 8" solid rubber wheels
- Ratchet mechanism for easy fastening of loads
- Overall dimensions: 14 1/2"L x 24"W x 59"H
- Weight: 46 lbs.
- Capacity: 550 lbs.

**Model No. ML616**

## Vending Machine Appliance Trucks

- Move large appliances easily
- Heavy-duty all welded industrial construction
- Vinyl bumpers on face of truck to prevent damage to appliances
- Heavy-duty continuous stair climbers for easy climbing/descending
- Fold out rear legs with two 4" swivel casters
- 8" solid rubber front wheels
- Ratchet mechanism for easy fastening of loads
- Overall dimensions: 14 1/2"L x 24"W x 66"H
- Weight: 65 lbs.
- Capacity: 850 lbs.

**Model No. ML617**



## Folding Aluminum Hand Trucks

- Lightweight and durable aluminum construction
- Convenient folding design permits storage in small spaces
- Comfortable ergonomic handle
- Elastic straps help to secure load
- Non-marking and shock-absorbing rubber wheels
- Extended Dimensions: 39 5/8" L x 15 1/2" W x 16 1/2" H
- Folded Dimensions: 25" L x 15" W x 2 3/8" H

Model No.	Nose Plate W" x D"	Wheel Size"	Wt. lbs.
ML447	15 1/4 x 11	5 x 1 1/4	8.75





## Aluminum Hand Trucks

- Strong lightweight hand truck provides exceptional durability and versatility
- Weld-free design for easy maintenance
- Shipped knocked down

**500-LB.  
CAPACITY**

Model No.	Nose Plate W" x D"	Overall Height"	Wheels	Wt. lbs.
<b>MN024</b>	14 x 7 1/2	48	8" Mold-On	17 1/2
<b>MN025</b>	18 x 7 1/2	48	8" Mold-On	20 1/2
<b>MN026</b>	14 x 7 1/2	52	10" Pneumatic	21 1/2
<b>MN027</b>	18 x 7 1/2	48	8" Mold-On	20
<b>MN028</b>	18 x 7 1/2	52	10" Pneumatic	23
<b>MN029</b>	18 x 7 1/2	52	10" Flat-Free	20
<b>MN030</b>	14 x 7 1/2	52	10" Pneumatic	52
<b>MN031</b>	18 x 10	52	10" Pneumatic	52
<b>MN032</b>	18 x 10	52	10" Flat-Free	52
<b>MN033</b>	18 x 7 1/2	52	10" Pneumatic	52
<b>MN034</b>	14 x 7 1/2	48	10" Flat-Free	48

## HAND TRUCK ACCESSORIES

### FRAME EXTENSIONS

Size: 17"

**Model No. MN021**

Size: 23"

**Model No. MN022**



### STAIR CLIMBERS

**Model No. MN015**



### NOSE EXTENSIONS

Compatible only with cast nose plates  
Size: 20"

**Model No. MN019**

Size: 27"

**Model No. MN020**



## REPLACEMENT WHEELS



10" Pneumatic  
**Model No. MN012**



8" Mold-on rubber  
**Model No. MN013**



10" Flat-free  
**Model No. MN014**



**MN024**



**MN025**



**MN026**



**MN027**



**MN028**



**MN029**



**MN030**



**MN031**



**MN032**



**MN033**



**MN034**





## BUILD YOUR OWN ALUMINUM HAND TRUCK IN 4 EASY STEPS

### STEP 1: SELECT YOUR HANDLE




• Standard loop with rubber sleeve  
**Model No. ML997**



• Standard loop  
**Model No. ML998**



• Vertical loop  
• Not for use with MN006 and MN007  
**Model No. ML999**



• Double grip  
**Model No. MN001**



• Single grip  
**Model No. MN002**



• Double "P"  
**Model No. MN003**

### STEP 2: SELECT YOUR FRAME



• Straight frame  
**Model No. MN004**



• Straight frame with large cross bar  
**Model No. MN005**



• Curved back frame  
**Model No. MN006**



• Lattice back frame  
**Model No. MN007**

### STEP 3: SELECT YOUR NOSE PLATE



• Cast nose plate  
• Size: 14" x 7 1/2"  
**Model No. MN008**



• Cast nose plate  
• Size: 18" x 7 1/2"  
**Model No. MN009**



• Extrude nose plate  
• Size: 18" x 7 1/2"  
**Model No. MN010**



• Extrude nose plate  
• Size: 18" x 10"  
**Model No. MN011**

### STEP 4: SELECT YOUR WHEEL ASSEMBLY

Assembly Includes 2 wheels, 2 axle brackets and 1 axle



• 8" Mold-on rubber  
**Model No. MN035**



• 10" Pneumatic  
**Model No. MN036**



• 10" Flat-free  
**Model No. MN037**



Customise these products to your specs! See page 36

## Two-Sided Wire Mesh Shelf Trucks

- Rugged all-welded steel construction ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Durable KLETON blue enamel finish

**1200 - 2400 LB. CAPACITY**  
Evenly Distributed



ML163

### 2 SHELVES

5" Non-Marking Rubber 1200-lb. Capacity Model No.	6" Polyurethane 2400-lb. Capacity Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
ML162	ML168	24 x 36	55	42	26	24 x 39 x 63	95
ML163	ML169	24 x 48	55	42	26	24 x 51 x 63	112
ML164	ML170	24 x 60	55	42	26	24 x 63 x 63	127
ML165	ML171	30 x 48	55	42	26	30 x 51 x 63	129
ML166	ML172	30 x 60	55	42	26	30 x 63 x 63	144
ML167	ML173	30 x 72	55	42	26	30 x 75 x 63	167



ML175

### 3 SHELVES

5" Non-Marking Rubber 1200-lb. Capacity Model No.	6" Polyurethane 2400-lb. Capacity Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
ML174	ML180	24 x 36	55	42	16 1/2	24 x 39 x 63	120
ML175	ML181	24 x 48	55	42	16 1/2	24 x 51 x 63	137
ML176	ML182	24 x 60	55	42	16 1/2	24 x 63 x 63	152
ML177	ML183	30 x 48	55	42	16 1/2	30 x 51 x 63	154
ML178	ML184	30 x 60	55	42	16 1/2	30 x 63 x 63	169
ML179	ML185	30 x 72	55	42	16 1/2	30 x 75 x 63	192

### Replacement Parts

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. ML400**, 6" Rigid Polyurethane Caster

**Model No. ML399**, 6" Swivel Polyurethane Caster

**1200- LB CAPACITY**  
Evenly Distributed



MB672

## Box Trucks

- Rugged all-welded 1 1/2" angle iron construction and 2" x 2" wire mesh
- Contains and transports small bulk parts or materials in your plant or warehouse
- Includes: two rigid and two swivel 5" non-marking bolted-on rubber casters
- Durable KLETON blue enamel finish

Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Overall Dimensions W" x L" x H"	Wt. lbs.
MB672	24 x 36	24	30	24 x 39 x 31.5	62
ML186	24 x 48	24	30	24 x 51 x 31.5	75
ML187	24 x 60	24	30	24 x 63 x 31.5	85
ML188	30 x 48	24	30	30 x 51 x 31.5	86
MB680	30 x 60	24	30	30 x 63 x 31.5	95
ML189	30 x 72	24	30	30 x 75 x 31.5	107



Customise these products to your specs! See page 36



## 3-Sided Wire Mesh Shelf Trucks

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Durable KLETON blue enamel finish

**1200 - 2400 LB.  
CAPACITY  
Evenly Distributed**



ML221

### 1 SHELF

5" Non-Marking Rubber 1200-lb. Capacity Model No.	6" Polyurethane 2400-lb. Capacity Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Overall Dimensions W" x L" x H"	Wt. lbs.
ML220	ML190	24 x 36	55	42	24 x 39 x 63	102
ML221	ML191	24 x 48	55	42	24 x 51 x 63	110
ML222	ML192	24 x 60	55	42	24 x 63 x 63	120
ML223	ML193	30 x 48	55	42	30 x 51 x 63	135
ML224	ML194	30 x 60	55	42	30 x 63 x 63	145
ML225	ML195	30 x 72	55	42	30 x 75 x 63	155



ML200

### 2 SHELVES

5" Non-Marking Rubber 1200-lb. Capacity Model No.	6" Polyurethane 2400-lb. Capacity Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
ML196	ML202	24 x 36	55	42	26	24 x 39 x 63	127
ML197	ML203	24 x 48	55	42	26	24 x 51 x 63	142
ML198	ML204	24 x 60	55	42	26	24 x 63 x 63	159
ML199	ML205	30 x 48	55	42	26	30 x 51 x 63	182
ML200	ML206	30 x 60	55	42	26	30 x 63 x 63	192
ML201	ML207	30 x 72	55	42	26	30 x 75 x 63	211



ML209

### 3 SHELVES

5" Non-Marking Rubber 1200-lb. Capacity Model No.	6" Polyurethane 2400-lb. Capacity Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
ML208	ML214	24 x 36	55	42	16 1/2	24 x 39 x 63	152
ML209	ML215	24 x 48	55	42	16 1/2	24 x 51 x 63	174
ML210	ML216	24 x 60	55	42	16 1/2	24 x 63 x 63	198
ML211	ML217	30 x 48	55	42	16 1/2	30 x 51 x 63	229
ML212	ML218	30 x 60	55	42	16 1/2	30 x 63 x 63	239
ML213	ML219	30 x 72	55	42	16 1/2	30 x 75 x 63	267

### Replacement Parts

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. ML400**, 6" Rigid Polyurethane Caster

**Model No. ML399**, 6" Swivel Polyurethane Caster



Customise these products to your specs! See page 36

## Security Trucks

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14 gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Comes with hasp for padlock
- Durable KLETON blue enamel finish

**1200 - 2400 LB.  
CAPACITY**  
Evenly Distributed



ML242

### 2 SHELVES

5" Non-Marking Rubber 1200-lb. Cap. Model No.	6" Polyurethane 2400-lb. Cap. Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
ML238	ML244	24 x 36	55	42	25	26 x 39 x 62.5	157
ML239	ML245	24 x 48	55	42	25	26 x 51 x 62.5	172
ML240	ML246	24 x 60	55	42	25	26 x 63 x 62.5	189
ML241	ML247	30 x 48	55	42	25	32 x 51 x 62.5	212
ML242	ML248	30 x 60	55	42	25	32 x 63 x 62.5	222
ML243	ML249	30 x 72	55	42	25	32 x 75 x 62.5	241



ML254

### 3 SHELVES

5" Non-Marking Rubber 1200-lb. Cap. Model No.	6" Polyurethane 2400-lb. Cap. Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
ML250	ML256	24 x 36	55	42	16	26 x 39 x 62.5	182
ML251	ML257	24 x 48	55	42	16	26 x 51 x 62.5	204
ML252	ML258	24 x 60	55	42	16	26 x 63 x 62.5	228
ML253	ML259	30 x 48	55	42	16	32 x 51 x 62.5	259
ML254	ML260	30 x 60	55	42	16	32 x 63 x 62.5	269
ML255	ML261	30 x 72	55	42	16	32 x 75 x 62.5	297

### Replacement Parts

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. ML400**, 6" Rigid Polyurethane Caster

**Model No. ML399**, 6" Swivel Polyurethane Caster



**Tough, durable with  
a smooth performance...  
casters that do the work for you!**

**KLETON**

See pages  
89 to 91





Customise these  
products to your specs!  
See page 36

## Heavy-Duty All-Welded Shelf Trucks

*Versatile for  
all material  
transport*

1" round tube handle  
for added comfort

Two rigid and two swivel  
5" non-marking double  
raceway casters for easy  
manoeuvrability  
with heavy loads

Double-fold 1 1/2" lip for safety and  
added strength configured up or down

All-welded 14-gauge steel  
for extra strength. Welded  
to 1 1/2" x 12 1/2" x 1/8"  
steel angle posts.

Sealed bearings  
for longer life

Durable KLETON blue  
enamel finish

**1200 - LB.  
CAPACITY**  
Evenly Distributed



Lip Up Model No.	Lip Down Model No.	Shelf Size W" x D"	No. of Shelves	Clearance Between Shelves	Handle Height"	Overall Dim. W" x D" x H"	Wt. lbs.
---------------------	-----------------------	-----------------------	-------------------	------------------------------	-------------------	------------------------------	-------------

### 36" OVERALL HEIGHT - 14 GAUGE STEEL

MB445	MB444	18 x 30	2	27	36	18 x 33 x 36	60
MB447	MB446	24 x 36	2	27	36	24 x 39 x 36	65
MB449	MB448	24 x 48	2	27	36	24 x 51 x 36	100
MB456	MB455	18 x 30	3	12	36	18 x 33 x 36	75
MB459	MB458	24 x 36	3	12	36	24 x 39 x 36	85
MB461	MB460	24 x 48	3	12	36	24 x 51 x 36	110

### 48" OVERALL HEIGHT - 14 GAUGE STEEL

ML084	ML083	18 x 30	3	18	42	18 x 33 x 48	80
ML086	ML085	24 x 36	3	18	42	24 x 39 x 48	90
ML088	ML087	24 x 48	3	18	42	24 x 51 x 48	115
ML090	ML089	18 x 30	4	12	42	18 x 33 x 48	110
ML092	ML091	24 x 36	4	12	42	24 x 39 x 48	135
ML094	ML093	24 x 48	4	12	42	24 x 51 x 48	160

### 61" OVERALL HEIGHT - 14 GAUGE STEEL

MB468	MB467	18 x 30	4	16	42	18 x 33 x 61	115
MB470	MB469	24 x 36	4	16	42	24 x 39 x 61	140
MB472	MB471	24 x 48	4	16	42	24 x 51 x 61	165
MB474	MB473	18 x 30	5	11	42	18 x 33 x 61	125
MB476	MB475	24 x 36	5	11	42	24 x 39 x 61	155
MB478	MB477	24 x 48	5	11	42	24 x 51 x 61	184



ML337



ML338



ML627



ML626



ML395



ML396



MC043



### CUSTOM OPTIONS

**Model No. ML337**, 5" Swivel Non Marking Rubber Caster

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. MN222**, 8" Swivel Pneumatic Caster

**Model No. MN221**, 8" Rigid Pneumatic Caster

**Model No. ML395**, 5" Swivel Polyolefin Caster

**Model No. ML396**, 5" Rigid Polyolefin Caster

**Model No. MC043**, Corner Bumper



## Knocked-Down Shelf Trucks

### QUICK AND EASY ASSEMBLY

Seamed fold for smooth edges

Durable KLETON blue enamel finish

Top and middle shelves can be installed lip up or down

Slotted caster holes to allow virtually any caster to be installed



1 1/4" diameter tubular steel, one piece handle for added comfort

16-gauge steel shelves with 2 1/2" high lip

1 1/2" x 1 1/2" 12-gauge steel posts with pre-punched holes for added strength

2 rigid and 2 swivel bolted-on casters

900 - LB.  
CAPACITY  
Evenly Distributed



MB489



MB496


### CHOOSE FROM 3 CASTER TYPES



5" Polyolefin



5" Blue Elastic Rubber



8" Pneumatic

### 2 SHELF UTILITY TRUCKS

Model No.	Shelf Dimensions W" x D"	Shelf Clearance"	Post Height"	Overall Dim W" x D" x H"	Weight lbs.
5" POLYOLEFIN CASTERS					
MB482	18 x 30	25	30	18 x 33 x 36	42
MB483	24 x 36	25	30	24 x 39 x 36	53
MB484	24 x 48	25	30	24 x 51 x 36	68
5" BLUE ELASTIC RUBBER CASTERS					
MB492	18 x 30	25	30	18 x 33 x 36	43
MB493	24 x 36	25	30	24 x 39 x 36	54
MB494	24 x 48	25	30	24 x 51 x 36	69
8" PNEUMATIC CASTERS					
MB488	24 x 36	25	30	24 x 39 x 40	60
MB489	24 x 48	25	30	24 x 51 x 40	75

### 3 SHELF UTILITY TRUCKS

Model No.	Shelf Dimensions W" x D"	Shelf Clearance"	Post Height"	Overall Dim W" x D" x H"	Weight lbs.
5" POLYOLEFIN CASTERS					
MB485	18 x 30	11	30	18 x 33 x 36	53
MB486	24 x 36	11	30	24 x 39 x 36	69
MB487	24 x 48	11	30	24 x 51 x 36	92
MN143	18 x 30	17	42	18 x 33 x 48	55
MN144	24 x 36	17	42	24 x 39 x 48	71
MN145	24 x 48	17	42	24 x 51 x 48	94
5" BLUE ELASTIC RUBBER CASTERS					
MB495	18 x 30	11	30	18 x 33 x 36	54
MB496	24 x 36	11	30	24 x 39 x 36	70
MB497	24 x 48	11	30	24 x 51 x 36	93
ML142	18 x 30	17	42	18 x 33 x 48	56
ML143	24 x 36	17	42	24 x 39 x 48	72
ML144	24 x 48	17	42	24 x 51 x 48	95
8" PNEUMATIC CASTERS					
MB490	24 x 36	11	30	24 x 39 x 40	77
MB491	24 x 48	11	30	24 x 51 x 40	100
MN146	24 x 36	17	42	24 x 39 x 52	79
MN147	24 x 48	17	42	24 x 51 x 52	102



ML146



ML152

## 4 SHELF UTILITY TRUCKS

Model No.	Shelf Dimensions W" x D"	Shelf Clearance"	Post Height"	Overall Dim W" x D" x H"	Weight lbs.
<b>5" POLYOLEFIN CASTERS</b>					
MN148	18 x 30	10	42	18 x 33 x 48	65
MN149	24 x 36	10	42	24 x 39 x 48	84
MN150	24 x 48	10	42	24 x 51 x 48	114
MN151	18 x 30	15	55	18 x 33 x 61	67
MN152	24 x 36	15	55	24 x 39 x 61	86
MN153	24 x 48	15	55	24 x 51 x 61	116
<b>5" BLUE ELASTIC RUBBER CASTERS</b>					
ML145	18 x 30	10	42	18 x 33 x 48	66
ML146	24 x 36	10	42	24 x 39 x 48	85
ML147	24 x 48	10	42	24 x 51 x 48	115
ML148	18 x 30	15	55	18 x 33 x 61	68
ML149	24 x 36	15	55	24 x 39 x 61	87
ML150	24 x 48	15	55	24 x 51 x 61	117
<b>8" PNEUMATIC CASTERS</b>					
MN154	24 x 36	10	42	24 x 39 x 52	90
MN155	24 x 48	10	42	24 x 51 x 52	120
MN156	24 x 36	15	55	24 x 39 x 65	92
MN157	24 x 48	15	55	24 x 51 x 65	122

## 5 SHELF UTILITY TRUCKS

Model No.	Shelf Dimensions W" x D"	Shelf Clearance"	Post Height"	Overall Dim W" x D" x H"	Weight lbs.
<b>5" POLYOLEFIN CASTERS</b>					
MN158	18 x 30	10	55	18 x 33 x 61	79
MN159	24 x 36	10	55	24 x 39 x 61	99
MN160	24 x 48	10	55	24 x 51 x 61	134
<b>5" BLUE ELASTIC RUBBER CASTERS</b>					
ML151	18 x 30	10	55	18 x 33 x 61	80
ML152	24 x 36	10	55	24 x 39 x 61	100
ML153	24 x 48	10	55	24 x 51 x 61	135
<b>8" PNEUMATIC CASTERS</b>					
MN161	24 x 36	10	55	24 x 39 x 65	105
MN162	24 x 48	10	55	24 x 51 x 65	140



ML337

ML338

ML627



ML626



ML395



ML396



MC043

## Replacement Parts

**Model No. ML337**, 5" Swivel Non Marking Rubber Caster

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. MN222**, 8" Swivel Pneumatic Caster

**Model No. MN221**, 8" Rigid Pneumatic Caster

**Model No. ML395**, 5" Swivel Polyolefin Caster

**Model No. ML396**, 5" Rigid Polyolefin Caster

**Model No. MC043**, Corner Bumper



Customise these  
products to your specs!  
See page 36

- All-welded cart with low shelf means less distance to lift heavy objects
- Two 14-gauge steel shelves with a = 1 1/2" lip down
- 1 1/4" diameter tubular steel handle
- 2 rigid and 2 swivel bolted-on casters
- Durable KLETON blue enamel finish

**1200 - LB.  
CAPACITY**  
Evenly Distributed



MB425

**2400 - LB.  
CAPACITY**  
Evenly Distributed



MB426

**1300 - LB.  
CAPACITY**  
Evenly Distributed



MB391

## Heavy-Duty Low Profile Shop Trucks with 5" Rubber Casters

- Non-marking casters are quiet rolling and ideal for both institutional and industrial applications
- Casters are resistant to wet and corrosive chemical conditions

Model No.	Shelf Size"	Clearance Between Shelves"	Handle Height"	Top Shelf Height"	Overall Dimensions W" x L" x H"	Wt. lbs.
MB421	18 x 30	16	40	26	18 x 34 x 40	90
MB425	24 x 36	16	40	26	24 x 40 x 40	110
MB429	24 x 48	16	40	26	24 x 52 x 40	125
ML097	24 x 60	16	40	26	24 x 64 x 40	155
ML098	30 x 48	16	40	26	30 x 52 x 40	155
MB434	30 x 60	16	40	26	30 x 64 x 40	165
ML099	30 x 72	16	40	26	30 x 76 x 40	175

### Replacement Parts

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. MC043**, Corner Bumpers

## Heavy-Duty Low Profile Shop Trucks with 6" High Temp or Polyurethane Casters

- Solid black high-temp nylon casters handle heavy loads easily
- Solid polyurethane casters are non-marking and are highly resistant to wear
- Best choice in uneven floor applications • Handle height: 41"

6" Hi-Temp		Clearance		Top Shelf Height"	Overall Dim. W" x L" x H"	Wt. lbs.
Nylon Model No.	6" Polyurethane Model No.	Shelf Size"	Between Shelves"			
MB422	ML103	18 x 30	16	27	18 x 34 x 41	100
MB426	ML104	24 x 36	16	27	24 x 40 x 41	130
MB430	ML105	24 x 48	16	27	24 x 52 x 41	145
ML100	ML106	24 x 60	16	27	24 x 64 x 41	155
ML101	ML107	30 x 48	16	27	30 x 52 x 41	155
MB435	ML108	30 x 60	16	27	30 x 64 x 41	165
ML102	ML109	30 x 72	16	27	30 x 76 x 41	175

### Replacement Parts

**Model No. ML400**, 6" Rigid Polyurethane Caster

**Model No. ML399**, 6" Swivel Polyurethane Caster

**Model No. ML862**, 6" Rigid Hi-Temp Nylon Caster

**Model No. ML861**, 6" Swivel Hi-Temp Nylon Caster

**Model No. MC043**, Corner Bumper

## Shelf/Platform Trucks

- An efficient 2-in-1 shelf and platform truck design
- Features 2 front corner bumpers and a removable 11-gauge top shelf to convert to a platform truck
- 2 rigid and 2 swivel bolted-on 5" non-marking rubber casters
- Top shelf capacity: 500 lbs. evenly distributed
- Bottom shelf capacity: 800 lbs. evenly distributed
- Durable KLETON blue enamel finish

Model No.	Shelf Size"	Top Shelf Height"	Shelf Clearance"	Handle Height"	Overall Dim. W" x L" x H"	Wt. lbs.
MB391	24 x 36	32	24	40	26 x 38 x 40	105

### Replacement Parts

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. MC043**, Corner Bumpers





Customise these  
products to your specs!  
See page 36

All products on this page  
come in our durable KLETON  
blue enamel finish



MB507

## Stock Picking Trucks

- All-welded design for durability and long life
- Pick and transport stock without the need for a separate ladder
- Slip-resistant steps and positive locking engagement for safety
- 14-gauge steel shelves with 1 1/2" lip, configured up
- 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 2 rigid and 2 swivel bolted-on non-marking rubber casters

1200 - LB.  
CAPACITY  
Evenly Distributed

Model No.	Shelf Size"	Number of Shelves	Clearance Between Shelves"	Number of Steps	Step Size W" x D"	Step Rise"	Overall Dimensions W" x L" x H"	Wt. lbs.
MD441	24 x 36	3	12	3	22 x 4	9 1/2	24 x 52 x 61	135
MB507	24 x 48	3	12	3	22 x 4	9 1/2	24 x 64 x 61	140
MD442	24 x 36	3	12	5	22 x 4	9 1/2	24 x 52 x 78	145
MB508	24 x 48	3	12	5	22 x 4	9 1/2	24 x 64 x 78	150



MB442

## Order Picking Trucks

- All-welded design for durability and long life
- Picking list holder eliminates the need to handle loose papers
- 14-gauge steel shelves with 1 1/2" lip, configured up
- 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 2 rigid and 2 swivel bolted 5" non-marking rubber casters

1200 - LB.  
CAPACITY  
Evenly Distributed

Model No.	Shelf Size"	Number of Shelves	Clearance Between Shelves"	Handle Height"	Overall Dimensions W" x L" x H"	Wt. lbs.
MB440	18 x 30	2	27	36	18 x 46 x 36	70
MB441	24 x 36	2	27	36	24 x 52 x 36	80
ML095	24 x 48	2	27	36	24 x 64 x 36	110
MB442	18 x 30	3	12	36	18 x 46 x 36	85
MB443	24 x 36	3	12	36	24 x 52 x 36	100
ML096	24 x 48	3	12	36	24 x 64 x 36	120



MH255

## Heavy-Duty Shelf Trucks with Drawer

- All-welded design ready for durability and long life
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Drawer dimensions: 15 1/4" W x 20" L x 6" H, 100-lb. capacity
- Available in models with 2 or 3 shelves with 1 1/2" lip configured up
- 2 rigid and 2 swivel bolted-on 5" non-marking casters

1200 - LB.  
CAPACITY  
Evenly Distributed

Model No.	Shelf Size"	No. Shelves	Clearance Between Shelves"	Drawer to Shelf Clearance"	Handle Height"	Overall Dimensions W" x L" x H"	Wt. lbs.
MH255	24 x 36	2	27	18	36	24 x 39 x 36	75
MH256	24 x 36	3	12	3	36	24 x 39 x 36	95
ML081	24 x 48	2	27	18	36	24 x 51 x 36	110
ML082	24 x 48	3	12	3	36	24 x 51 x 36	120

## Replacement Parts

Model No. ML338, 5" Rigid Non-Marking Rubber Caster

Model No. ML337, 5" Swivel Non-Marking Rubber Caster

Model No. MC043, Corner Bumpers



MN396

## Moible Service Trucks

- All-welded design, ready-to-use
- Louvered panel for small parts bins and lockable drawer for supplies
- Two 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel posts
- 1" diameter tubular handle
- 2 rigid and 2 swivel with brake bolted-on 5" non-marking rubber casters

1200 - LB.  
CAPACITY  
Evenly Distributed

Model No.	Shelf Size"	No. Shelves	Clearance Between Shelves"	Drawer to Shelf Clearance"	Handle Height"	Overall Dimensions W" x L" x H"	Wt. lbs.
MN396	24 x 36	2	27	18	36	24 x 40 x 37	88



Customise these products to your specs! See page 36

**800 - LB.  
CAPACITY  
Evenly Distributed**



**ML561**

## Ergonomic Shelf Trucks

- All-welded 16-gauge construction
- All-welded ergonomic handle placed at a comfortable working height
- Two rigid and two swivel 5" casters
- Durable KLETON blue enamel finish

Model No.	Number of Shelves	Caster Type	Overall Dimensions W" x D" x H"	Wt. lbs.
ML561	2	Blue Rubber	20 x 32 x 37	53
MN056	2	Blue Rubber	26 x 38 x 37	67
ML562	3	Blue Rubber	20 x 32 x 37	65
MN055	3	Blue Rubber	26 x 38 x 37	93
ML563	2	Polyolefin	20 x 32 x 37	49
ML883	2	Polyolefin	26 x 38 x 37	63
ML564	3	Polyolefin	20 x 32 x 37	61
ML884	3	Polyolefin	26 x 38 x 37	89

### Replacement Parts

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. ML396**, Rigid Polyolefin Caster

**Model No. ML395**, Swivel Polyolefin Caster



**1200 - LB.  
CAPACITY  
Evenly Distributed**

## Ergonomic Platform Trucks

- Ergonomic handle is placed at a comfortable working height to alleviate back strains
- Picking list holder eliminates the need to handle loose papers
- Deck is constructed from 14-gauge all welded steel with a turned down lip and reinforced channels
- Two rigid and two swivel casters 8" mold-on rubber casters
- Dimensions: 48"L x 24"W
- Weight: 90 lbs.
- KLETON powder coat finish

**Model No. ML892**

### Replacement Parts

**Model No. ML853**, 8" Rigid Mold-On Rubber

**Model No. ML852**, 8" Swivel Mold-On Rubber



**1200 - LB.  
CAPACITY  
Evenly Distributed**

## Deep Lipped Service Trucks

- All welded design, ready to use
- Deep shelf lips for retention
- Two 14 gauge steel shelves welded to 1-1/2" x 1-1/2" x 1/8" steel posts
- 1" diameter tubular ergonomic handle
- Two rigid and two swivel 5" non-marking rubber casters
- Durable KLETON blue enamel finish

Model No.	Shelf Size W" x D"	Shelf Lip Depth	Clearance Between Shelves "	Overall Dimensions W" x D" x H"	Wt. lbs.
MN393	24 x 36	Top 6" / Bottom 1-1/2"	22 1/2	24 x 42 x 47	85
MN394	24 x 36	Top 12" / Bottom 1-1/2"	16	24 x 42 x 47	90
MN395	24 x 36	Top 6" / Bottom 6"	18	24 x 42 x 47	90



## Plastic Utility Service Trucks

- Durable structural foam construction will not dent, rust or bend
- Non-marking 4" casters
- Overall size: 17 1/2" W x 34 1/2" D x 32 1/2" H

**Model No. ML618**

- Durable structural foam construction will not dent, rust or bend
- Non-marking 4" casters
- Overall size: 25 1/2" W x 40 1/2" D x 32 1/2" H

**Model No. ML619**

**500 - LB.  
CAPACITY  
Evenly Distributed**



## Plastic Flat Shelf Utility Trucks

- Durable structural foam construction will not dent, rust or bend
- Non-marking 4" casters
- Flat top shelf makes loading and unloading of heavy boxes easy
- Overall size: 25 1/2" W x 40 1/2" D x 32 1/2" H

**Model No. ML620**

### Replacement Parts

**Model No. MN093**, 4" Rigid Non-marking Rubber Caster

**Model No. MN094**, 4" Swivel Non-marking Rubber Caster



## Plastic Platform Trucks

- HDPE-molded structural plastic for strength and long-term durability
- Lightweight, easy to clean, chemical resistant, and resists damage from long-term exposure to weather conditions
- Non-skid deck surface
- Removable steel handle
- Other caster options and capacities available upon request

**900 - 2500 - LB.  
CAPACITY  
Evenly Distributed**



Model No.	Caster Type	Platform Size W" x L"	Deck Height"	Handle Height"	Capacity lbs.	Wt. lbs.
MN428	8" Mold-on Rubber	24 x 48	11	39	2000	90
MN429	8" Mold-on Rubber	30 x 60	11	39	2000	117
MN430	8" Polyurethane	24 x 48	11	39	2500	79
MN431	8" Polyurethane	30 x 60	11	39	2500	106
MN432	10" Pneumatic	24 x 48	13	41	1200	84
MN433	10" Pneumatic	30 x 60	13	41	1200	111
MN434	10" Flat-Free	24 x 48	13	41	1000	85
MN435	10" Flat-Free	30 x 60	13	41	1000	117
MN436	8" Pneumatic	24 x 48	11	39	1000	79
MN437	8" Pneumatic	30 x 60	11	39	1000	106
MN438	8" Flat-Free	24 x 48	11	39	900	80
MN439	8" Flat-Free	30 x 60	11	39	900	107



Customise these products to your specs! See page 36

**900 - LB.  
CAPACITY  
Evenly Distributed**



Plastic wheel with high impact strength and non-chipping properties. Resistant to oil, grease, and most chemicals.

**MB246**

- All-welded design 14-gauge steel base
- 2" turned down lip and reinforced channels underneath
- Double welded sockets
- Removable 1 1/4" chrome handle can be inserted in either end
- Two swivel and two rigid bolted-on casters
- KLETON blue powder coat finish
- Shipped knocked-down



## Steel Decks - 5" Polyolefin Casters

Model No.	Platform Size			Deck Height"	Handle Height"	Wt. lbs.
	W"	x	L"			
MB238	24	x	36	8	36	61
MB246	24	x	48	8	36	74
MD427	30	x	48	8	36	80
MB254	30	x	60	8	36	94

### Replacement Parts

**Model No. ML396**, 5" Rigid Polyolefin Caster

**Model No. ML337**, 5" Swivel Polyolefin Caster

**Model No. MB218**, 24" Chrome Handle

**Model No. MB221**, 30" Chrome Handle

**1200 - LB.  
CAPACITY  
Evenly Distributed**



Great for uneven surfaces and carpeted areas. Quiet rolling casters make it ideal for institutional and industrial applications. Resists wet and corrosive chemical environments.

**MB237**

## Steel Decks - 5" Non-Marking Rubber Casters

Model No.	Platform Size			Deck Height"	Handle Height"	Wt. lbs.
	W"	x	L"			
MB237	24	x	36	8	36	63
MB245	24	x	48	8	36	76
MD426	30	x	48	8	36	82
MB253	30	x	60	8	36	96

### Replacement Parts

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. MB218**, 24" Chrome Handle

**Model No. MB221**, 30" Chrome Handle

**1300 - LB.  
CAPACITY  
Evenly Distributed**



Solid black hi-temp nylon caster will not crush under heavy loads. It is good for use on all sorts of surfaces from wood to concrete. Will tolerate temperatures from -28°C to 230°C and is not affected by most corrosive chemicals.

**MB240**

## Steel Decks - 6" Hi-Temp Nylon Casters

Model No.	Platform Size			Deck Height"	Handle Height"	Wt. lbs.
	W"	x	L"			
MB232	24	x	36	9	37	77
MB240	24	x	48	9	37	90
MD421	30	x	48	9	37	96
MB248	30	x	60	9	37	110

### Replacement Parts

**Model No. ML862**, 6" Rigid Hi-Temp Nylon Caster

**Model No. ML861**, 6" Swivel Hi-Temp Nylon Caster

**Model No. MB218**, 24" Chrome Handle

**Model No. MB221**, 30" Chrome Handle





Customise these products to your specs! See page 36

**1400 - LB. CAPACITY**  
**Evenly Distributed**



**MB241**

Solid black hi-temp nylon caster will not crush under heavy loads. It is good for use on all sorts of surfaces from wood to concrete. Will tolerate temperatures from -28°C to 230°C and is not affected by most corrosive chemicals.

**1400 - LB. CAPACITY**  
**Evenly Distributed**



**MB244**

Molded rubber wheel bonded to a cast iron core. Iron core gives this caster strength while the rubber provides smooth and quiet rolling over multiple types of surfaces.

**1000 - LB. CAPACITY**  
**Evenly Distributed**



**MB242**

Air filled black rubber tire offers excellent shock absorbing properties. Smooth, quiet rolling over rough terrain and uneven surfaces. Not recommend for floors with corrosive chemicals or sharp objects.

- All-welded design 14-gauge steel base
- 2" turned down lip and reinforced channels underneath
- Double welded sockets
- Removable 1 1/4" chrome handle can be inserted in either end
- Two swivel and two rigid bolted-on casters
- KLETON blue powder coat finish
- Shipped knocked-down



## Steel Decks - 8" Hi-Temp Nylon Casters

Model No.	Platform Size			Deck Height"	Handle Height"	Wt. lbs.
	W"	x	L"			
MB233	24	x	36	11	39	87
MB241	24	x	48	11	39	100
MD422	30	x	48	11	39	106
MB249	30	x	60	11	39	120

### Replacement Parts

**Model No. ML865**, 8" Rigid Hi-Temp Nylon Caster

**Model No. ML864**, 8" Swivel Hi-Temp Nylon Caster

**Model No. MB218**, 24" Chrome Handle

**Model No. MB221**, 30" Chrome Handle

## Steel Decks - 8" Mold-On Rubber Casters

Model No.	Platform Size			Deck Height"	Handle Height"	Wt. lbs.
	W"	x	L"			
MB236	24	x	36	11	39	96
MB244	24	x	48	11	39	109
MD425	30	x	48	11	39	115
MB252	30	x	60	11	39	129

### Replacement Parts

**Model No. ML853**, 8" Rigid Mold-On Rubber Caster

**Model No. ML852**, 8" Swivel Mold-On Rubber Caster

**Model No. MB218**, 24" Chrome Handle

**Model No. MB221**, 30" Chrome Handle

## Steel Decks - 8" Full Pneumatic Casters

Model No.	Platform Size			Deck Height"	Handle Height"	Wt. lbs.
	W"	x	L"			
MB234	24	x	36	11	39	79
MB242	24	x	48	11	39	92
MD423	30	x	48	11	39	98
MB250	30	x	60	11	39	112

### Replacement Parts

**Model No. MN221**, 8" Rigid Pneumatic Caster

**Model No. MN222**, 8" Swivel Pneumatic Caster

**Model No. MB218**, 24" Chrome Handle

**Model No. MB221**, 30" Chrome Handle



Customise these products to your specs! See page 36

- Steel deck made of a heavy-duty all-welded 11-gauge steel with reinforced channel formed deck
- Wood deck features a sturdy 2" x 2" angle iron frame with quality hardwood decking
- Removable 1 1/4" chrome handle can be placed at either end
- Double-welded sockets
- Available in standard caster or diamond tilt placement
- Various casters are available to meet your specific application
- Two rigid and two swivel bolted-on casters
- Durable KLETON blue enamel finish



## Platform Trucks - 8" Mold-on Rubber Casters

**Molded rubber casters** bonded to cast iron core. Iron core gives increased caster strength while the rubber provides smooth and quiet rolling over multiple types of surfaces.

2000 - LB.  
CAPACITY  
Evenly Distributed



MB295



MB296

Platform Size"	Deck Height"	Handle Height"	Wt. lbs.
24 x 48	11	40	110
30 x 48	11	40	130
30 x 60	11	40	140
36 x 72	11	40	175
48 x 96	11	40	240

STEEL DECK	
Standard Corner	Diamond Tilt
MB295	MB297
MB303	MD331
MB307	MB309
MB319	MB321
MB323	MB325

WOOD DECK	
Standard Corner	Diamond Tilt
MB296	MB298
MB304	MB306
MB308	MD332
MB320	MB322
MB324	MB326

## Platform Trucks - 8" Hi-Temp Nylon Casters

**Solid black hi-temp nylon casters** will not crush under heavy loads. Good for use on all sorts of surfaces from wood to concrete. Will tolerate temperatures from -28°C to 230°C and is not affected by most corrosive chemicals

2500 - LB.  
CAPACITY  
Evenly Distributed



MB143



MB130

Platform Size"	Deck Height"	Handle Height"	Wt. lbs.
24 x 48	11	40	110
30 x 48	11	40	130
30 x 60	11	40	140
36 x 72	11	40	175
48 x 96	11	40	240

STEEL DECK	
Standard Corner	Diamond Tilt
MB131	MB132
MB139	MB140
MB143	MB144
MB154	MB156
MB167	MB168

WOOD DECK	
Standard Corner	Diamond Tilt
MB130	MB133
MB138	MB141
MB142	MB145
MB155	MB157
MB166	MB169



Customise these  
products to your specs!  
See page 36

- Steel deck made of a heavy-duty all-welded 11-gauge steel with reinforced channel formed deck
- Wood deck features a sturdy 2" x 2" angle iron frame with quality hardwood decking
- Removable 1 1/4" chrome handle can be placed at either end

- Double-welded sockets
- Available in standard caster or diamond tilt placement
- Various casters are available to meet your specific application
- Two rigid and two swivel bolted-on casters
- Durable KLETON blue enamel finish

## Platform Trucks - 10" Full Pneumatic Casters

- Pneumatic casters offer excellent shock absorbing properties
- Rides smoothly over rough terrain and uneven surfaces
- Not recommend for floors with corrosive chemicals or sharp objects




Platform Size"	Deck Height"	Handle Height"	Wt. lbs.
24 x 48	13	42	110
30 x 48	13	42	130
30 x 60	13	42	140
36 x 72	13	42	175
48 x 96	13	42	240

STEEL DECK	
Standard Corner	Diamond Tilt
MB255	MB257
MB263	MB265
MB268	MB269
MB280	MB281
MB283	MB285


WOOD DECK	
Standard Corner	Diamond Tilt
MB256	MB258
MB264	MB266
MB267	MB270
MB279	MB282
MB284	MB286

### CASTER PLACEMENT



#### STANDARD

**Standard** corner pattern is two swivel wheels in the back and two rigid wheels in the front of the platform truck



#### DIAMOND

**Diamond** tilt pattern allows the truck to tilt-balance slightly on the centre side wheels, allowing the truck to turn in its own length

### Replacement Casters

Model No.	Description
ML853	8" Mold-on Rubber Rigid
ML852	8" Mold-on Rubber Swivel
ML865	8" Hi-Temp Nylon Rigid
ML864	8" Hi-Temp Nylon Swivel
MN223	10" Pneumatic Rigid
MN224	10" Pneumatic Swivel

### Replacement Handles

Model No.	Description
MB218	24" Chrome Handle
MB221	30" Chrome Handle
MB224	36" Chrome Handle
MB226	48" Chrome Handle





Customise these products to your specs! See page 36



**3000 - LB.  
CAPACITY**  
Evenly Distributed

MB122

## All Wood Deck Platform Trucks

- Made of quality 7/8" hardwood with 5"x 1 5/8" hardwood sidewall
- Hardwood surface will not mar or scratch loads
- Removable 1 1/4" tubular chrome handle
- Mounted on two 12" wheels and two 6" swivel hi-temp nylon casters

Model No.	Platform Size			Deck Height"	Handle Height"	Wt. lbs.
	W"	x	L"			
MB122	24	x	48	15	44	150
MB123	30	x	48	15	44	170
MB124	30	x	60	15	44	195
MB125	36	x	60	15	44	210
MB126	36	x	72	15	44	230

### Replacement Parts

**Model No. MC340**, 12" Phenolic Wheel

**Model No. ML861**, 6" Swivel Hi-Temp Nylon Caster

**Model No. MB218**, 24" Chrome Handle

**Model No. MB221**, 30" Chrome Handle

**Model No. MB224**, 36" Chrome Handle



MD186

MD189

## Platform Wagon Trucks

- Flush deck allows for easy loading/unloading of cargo
- Steel deck made of an all-welded 11-gauge steel
- Wood deck features a 2" x 2" angle iron frame with quality hardwood decking
- Ergonomic handle can be raised up to 45"
- Fifth wheel design allows for easier maneuvering
- T-handle with vinyl handgrips
- Rolls on four 10" pneumatic wheels
- Durable KLETON blue enamel finish

**1000 - LB.  
CAPACITY**  
Evenly Distributed

Steel Deck		Wood Deck		Platform Size			Deck Height"
Model No.	Wt. lbs.	Model No.	Wt. lbs.	W"	x	L"	
MD187	130	MD186	120	24	x	48	14 1/4
MD189	170	MD188	150	30	x	60	14 1/4
MD193	210	MD192	190	36	x	72	14 1/4

### Replacement Parts

**Model No. MA382**, Hand Grip

**Model No. ML069**, 10" Pneumatic Wheel

## Elevated Platform Trucks

- All-welded steel construction, ready-to-use
- 11-gauge steel deck with 2" square tube frames
- 1 1/4" round tube handle extends 14" above deck
- Removable handle
- Durable KLETON blue enamel finish



Model No.	Platform Size			Deck Height"	Wheel Type	Capacity lbs.
	W"	x	L"			
MN413	24	x	48	28	8" Hi-Temp Nylon	2000
MN414	30	x	60	28	8" Hi-Temp Nylon	2000
MN415	24	x	48	28	8" Mold-On Rubber	1800
MN416	30	x	60	28	8" Mold-On Rubber	1800
MN417	24	x	48	31	10" Pneumatic	1000
MN418	30	x	60	31	10" Pneumatic	1000



# SPECIALIZED PLATFORM TRUCKS



Customise these  
products to your specs!  
See page 36

**2000 - LB.  
CAPACITY**  
Evenly Distributed



## Semi Live Skids

- Ideal solution for removable temporary storage
- Heavy 11-gauge steel deck with reinforced channels
- 3/16" x 2" x 2" angle frame with hardwood deck
- 52" jack handle (sold separately) engages skids and converts them to portable truck
- Skids and handle roll on 8" Mold-on rubber wheels
- Can be stacked away when not in use
- Durable KLETON blue enamel finish

Model No.	Deck Size W" x L"	Deck Type	Deck Height"	Wt. lbs.
MB327	24 x 48	Steel	12	110
MB328	24 x 48	Wood	12	115
MB329	30 x 48	Steel	12	130
MB330	30 x 48	Wood	12	135
MB331	30 x 60	Steel	12	140
MB332	30 x 60	Wood	12	145
MB337	36 x 72	Steel	12	175
MB338	36 x 72	Wood	12	180
MB348	51" Jack Handle			30

## Replacement Parts

**Model No. ML853**, 8" Rigid Mold-On Rubber Wheel

**Model No. ML069**, 10" Pneumatic Wheel

**2500 - LB.  
CAPACITY**  
Evenly Distributed



## Dead Skids

- Tough and durable platforms for temporary storage and handling of material
- Heavy 11-gauge steel deck with reinforced channels
- 3/16" x 2" x 2" angle frame with hardwood deck
- Available with steel or hardwood decks
- Four sturdy steel legs keep loads off the floor
- Can be stacked when not in use
- Durable KLETON blue enamel finish

Model No.	Deck Size W" x L"	Platform Type	Deck Height"	Wt. lbs.
ML071	24 x 48	Steel	6	110
ML072	24 x 48	Wood	6	115
ML073	30 x 48	Steel	6	130
ML074	30 x 48	Wood	6	135
ML075	30 x 60	Steel	6	140
ML076	30 x 60	Wood	6	145
ML077	36 x 72	Steel	6	175
ML078	36 x 72	Wood	6	180



Customise these products to your specs! See page 36

**1200 - LB.  
CAPACITY  
Evenly Distributed**



**MB190**

## Institutional Platform Trucks

- All-welded 14-gauge steel platform
- Ideal for hospitals, restaurants, offices and any application where a professional appearance is required
- Double-welded sockets
- 2" turned down lip and reinforced channels underneath
- 1 1/4" tubular chrome handle with end panel
- Non-skid rubber mat surface prevents items from shifting and protects against scratches
- Rubber corner bumpers protect furniture and walls
- Two rigid and two swivel 5" bolted-on non-marking rubber casters
- KLETON blue powder coat finish
- Shipped knocked down

Model No.	Platform Size					Handle Height"	Overall Dimensions					Wt. lbs.
	W"	x	L"	x	H"		W"	x	L"	x	H"	
<b>MB190</b>	24	x	36	x	8	36	26	x	38	x	36	64
<b>MB208</b>	24	x	48	x	8	36	26	x	50	x	36	70
<b>MB207</b>	30	x	48	x	8	36	32	x	50	x	36	88
<b>MB209</b>	30	x	60	x	8	36	32	x	62	x	36	100

### Replacement Parts

**Model No. MB220**, 24" Chrome Handle with Plate

**Model No. MB223**, 30" Chrome Handle with Plate

**Model No. MC043**, Corner Bumper

**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**440 - 660 - LB.  
CAPACITY  
Evenly Distributed**



**MK989**

## Folding Handle Platform Trucks

- Ideal for moving supplies, forms and light equipment
- Heavy 16-gauge steel construction with non skid vinyl coated deck
- Entire platform is wrapped with a vinyl bumper to protect walls and furniture
- Quick-release handle folds flat for easy storage
- Two swivel and two rigid bolted-on rubber casters

Model No.	Platform Size			Handle Height"	Caster Size	Folded Height"	Wt. lbs.
	W"	x	L"				
<b>MK988</b>	19	x	29	33 1/2	5"	8	28
<b>MK989</b>	23	x	35	34 1/2	5"	9	45

### Replacement Parts

**Model No. MN121**, 5" Rigid Rubber Caster

**Model No. MN122**, 5" Swivel Rubber Caster

## Foldable Aluminum Platform Trucks

- Designed for situations that call for a solid, yet portable platform truck
- Interlocking aluminum frame has dual length platform: 20" L x 16" W or 28" L x 16" W
- Rubber corner bumpers to protect walls and furniture
- Folds down to a compact 20" L x 16" W x 9 1/2" H
- Comfortable 32" handle height
- Two swivel and two rigid bolted-on 5" rubber casters
- Weight: 19 lbs.

**300 - LB.  
CAPACITY  
Evenly Distributed**



**Model No. MK990**

### Replacement Parts

**Model No. MN121**, 5" Rigid Rubber Caster

**Model No. MN122**, 5" Swivel Rubber Caster



## Aluminum Platform Trucks

- 40% lighter on average, than steel or wood-and-steel platform trucks
- Corrosion resistant for extra long life
- Box frame made of high strength all-welded aluminum channel
- Corner sockets at both ends allow handles to be used on either end of the truck
- Rubber corner bumpers prevent damage to walls and furniture
- Wide variety of casters to suit any application



### SMOOTH DECK TREAD PLATE DECK

Platform Size"	Capacity Lbs.	Model No.	Wt. lbs.	Model No.	Wt. lbs.
<b>8" PNEUMATIC CASTERS</b>					
24x36	1400	ML901	51	ML904	52
24x48	1400	ML902	55	ML905	57
30x60	1400	ML903	66	ML906	68

### 10" PNEUMATIC CASTERS

24x36	1850	ML907	56	ML910	57
24x48	1850	ML908	60	ML911	62
30x60	1850	ML909	71	ML912	73

### 8" FLAT-FREE CASTERS

24x36	1100	ML913	54	ML916	55
24x48	1100	ML914	58	ML917	60
30x60	1100	ML915	69	ML918	71

### 10" FLAT-FREE CASTERS

24x36	1200	ML919	58	ML922	59
24x48	1200	ML920	62	ML923	64
30x60	1200	ML921	73	ML924	75

### 8" MOLD-ON RUBBER CASTERS

24x36	2000	ML925	64	ML928	65
24x48	2000	ML926	68	ML929	70
30x60	2000	ML927	79	ML930	71

### 6" POLYURETHANE CASTERS

24x36	3400	ML931	48	ML934	49
24x48	3400	ML932	52	ML935	54
30x60	3400	ML933	63	ML936	65

### 8" POLYURETHANE CASTERS

24x36	4000	ML937	53	ML940	54
24x48	4000	ML938	57	ML941	59
30x60	4000	ML939	68	ML942	70



Customise these products to your specs! See page 36

**1200 - LB.  
CAPACITY  
Evenly Distributed**



MA382

## Steel Deck Dollies

- Rugged dolly ideal for moving heavy loads
- 14-gauge steel construction
- Optional T-handle facilitates movement with heavy loads
- Four bolted-on 4" swivel non-marking rubber casters
- Durable KLETON blue enamel finish

Model No.	Overall Dimensions W" x L" x H"	Wt. lbs.
MA242	18 x 18 x 7	23
MA243	18 x 24 x 7	25
MA244	24 x 24 x 7	27
MA199	37" Length T-handle	5

### Replacement Parts


**Model No. ML333**

4" Swivel Non-Marking Rubber Caster

**Model No. MA382**

Replacement Handgrip for T-Handle

**1200 - LB.  
CAPACITY  
Evenly Distributed**



## Angle Frame Dollies

- Heavy-duty all-welded 1/2" x 1/2" x 1/8" angle frame construction
- Built to withstand tough factory and warehouse environments
- Four bolted-on 4" swivel non-marking rubber casters
- Durable KLETON blue enamel finish

Model No.	Overall Dimensions W" x L" x H"	Wt. lbs.
MA190	18 x 18 x 7	23
MA191	18 x 24 x 7	25
MA192	24 x 24 x 7	27
MA193	24 x 36 x 7	30

### Replacement Parts

**Model No. ML333**

4" Swivel Non-Marking Rubber Caster

**1200 - LB.  
CAPACITY  
Evenly Distributed**



## Aluminum Deck Dollies

- Ideal for a variety of transport applications
- 3/8" corrosion-resistant aluminum checker plate construction
- Tread plate design provides non-slip load surface
- Four bolted-on 4" swivel non-marking rubber casters
- Natural aluminum finish

Model No.	Overall Dimensions W" x L" x H"	Wt. lbs.
MA196	18 x 18 x 6	25
MA197	18 x 24 x 6	27
MA198	24 x 24 x 6	30

### Replacement Parts

**Model No. ML333**

4" Swivel Non-Marking Rubber Caster

**900 - LB.  
CAPACITY  
Evenly Distributed**



## Premium Medium-Duty 100% Maple Wood Dollies

- 7/8" wood top; countersunk bolts
- Carpeted dolly will prevent marks and scratches on equipment being moved
- 3" polyolefin casters
- Shipped knocked down

Model No.	Dimensions W" x D"	Platform Type	Wt. lbs.
MA186	18 x 24	Standard	26
MA187	18 x 24	Carpeted	28
MD515	18 x 30	Standard	32
MD516	18 x 30	Carpeted	34

**1400 - LB.  
CAPACITY  
Evenly Distributed**



## Premium Heavy-Duty 100% Maple Wood Dollies

- 1 3/4" wood top (2 x 7/8" pieces); countersunk bolts
- Carpeted dolly will prevent marks and scratches on equipment
- 4" resilient non-marking casters
- Shipped knocked down


Model No.	Dimensions W" x D"	Platform Type	Wt. lbs.
MA188	18 x 24	Standard	30
MA189	18 x 24	Carpeted	32
MD517	18 x 30	Standard	40
MD518	18 x 30	Carpeted	48



## Hardwood Dollies

- Kiln dried
- Countersunk bolts prevent scratches
- Wood thickness: 7/8"
- Rounded edges and handles facilitate storage and movability
- Non-Marking casters
- Shipped knocked down


CHOOSE  
FROM 3  
CASTER  
TYPES



MN204



MN217



MN200



\* Dolly not included

## Wood Dolly Racks

- Converts a basic wood dolly into a multi-purpose panel caddy
- All-welded 1" tube design for durability
- Tubular steel rack is padded to prevent scratching or marring
- Durable KLETON blue enamel finish



Model No.	Size W" x D"	Caster Type	Caster Size"	Capacity lbs.*
<b>ALL-WOOD</b>				
MN189	18x24	Polyolefin	3	900
MN195	18x24	Polyurethane	3	900
MN201	18x24	Polyolefin	4	1000
MN207	18x24	Polyurethane	4	1600
MN213	18x24	Blue Elastic	4	1400
MN192	18x30	Polyolefin	3	900
MN198	18x30	Polyurethane	3	900
MN204	18x30	Polyolefin	4	1000
MN210	18x30	Polyurethane	4	1600
MN216	18x30	Blue Elastic	4	1400

<b>CARPETED ENDS</b>				
MN190	18x24	Polyolefin	3	900
MN196	18x24	Polyurethane	3	900
MN202	18x24	Polyolefin	4	1000
MN208	18x24	Polyurethane	4	1600
MN214	18x24	Blue Elastic	4	1400
MN193	18x30	Polyolefin	3	900
MN199	18x30	Polyurethane	3	900
MN205	18x30	Polyolefin	4	1000
MN211	18x30	Polyurethane	4	1600
MN217	18x30	Blue Elastic	4	1400

<b>RUBBER ENDS</b>				
MN191	18x24	Polyolefin	3	900
MN197	18x24	Polyurethane	3	900
MN203	18x24	Polyolefin	4	1000
MN209	18x24	Polyurethane	4	1600
MN215	18x24	Blue Elastic	4	1400
MN194	18x30	Polyolefin	3	900
MN200	18x30	Polyurethane	3	900
MN206	18x30	Polyolefin	4	1000
MN212	18x30	Polyurethane	4	1600
MN218	18x30	Blue Elastic	4	1400

\* Evenly distributed

## Replacement Casters

**Model No. ML391**, 3" Swivel Polyolefin

**Model No. ML393**, 4" Swivel Polyolefin

**Model No. ML044**, 3" Swivel Polyurethane

**Model No. ML045**, 4" Swivel Polyurethane

**Model No. ML333**, 4" Swivel Blue Elastic

Model No.	For Use with Wood Dollies	Overall Dimensions W" x D" x H"	Between Rail Clearance"	Wt. lbs.
MD549	24" D	18 x 24 x 43	16	12
MD550	30" D	18 x 30 x 43	16	15



Customise these products to your specs! See page 36



ML064

MD217

## Frame Sheet/Panel Carts

- Frame is constructed of all-welded 2" angle steel
- Ideal for handling long, flat, awkward loads
- Available with open or closed base
- Four bolted-on 5" non-marking rubber swivel casters
- Durable KLETON blue enamel finish

**1200 - LB.  
CAPACITY**  
Evenly Distributed

Model No.	Overall Dimensions W" x D" x H"	Base Type	Wt. lbs.
MD216	24 x 36 x 55	Open	50
ML063	24 x 36 x 55	Closed	60
MD217	30 x 42 x 55	Open	60
ML064	30 x 42 x 55	Closed	75
MD218	36 x 72 x 55	Open	85
ML065	36 x 72 x 55	Closed	110

### Replacement Parts

Model No. **ML337**, 5" Swivel Non-Marking Rubber



MK970

## High End Platform Carts

- Tilt design allows truck to turn within its own radius
- 11-gauge steel deck is only 10" off the ground for easy loading
- Removable end racks constructed of 1 1/4" round steel tube
- Two 8" x 2" bolted-on rigid casters and four 5" swivel casters
- Durable KLETON blue enamel finish

**1500 - LB.  
CAPACITY**  
Evenly Distributed

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
MK970	18 x 48 x 72	115
MK971	18 x 60 x 72	125

### Replacement Parts

Model No. **ML853**, 8" Rigid Mold-On Rubber

Model No. **ML846**, 5" Swivel Mold-On Rubber

\*Note: Casters are bolted-on



ML128

## Bar Cradle Carts

- Designed for efficient handling of long material
- Tilt design allows truck to turn within its own radius
- Cradle design facilitates loading and unloading
- Two 12" phenolic wheels and two 6" swivel hi-temp nylon casters
- Durable KLETON blue enamel finish

**5000-LB.  
CAPACITY**

Model No.	Overall Dimensions W" x D" x H"	No. of cradles	Wt. lbs.
ML128	28 x 60 x 29	4	215
ML130	28 x 96 x 29	4	300
ML131	28 x 120 x 29	4	365

### Replacement Parts

Model No. **MC340**, 12" Phenolic Wheel

Model No. **ML861**, 6" Hi-Temp Nylon Swivel Caster



Customise these  
products to your specs!  
See page 36



### Drywall Carts

- All-welded multi-purpose cart is ideal for transporting drywall, wood or metal sheets
- 1 1/4" tubular rail handle and thick 11-gauge steel platform
- Two rigid and two swivel 8" bolted-on casters
- KLETON blue enamel finish

**2000-3500 - LB.  
CAPACITY  
Evenly Distributed**

Model No.	Deck Dim. W" x L" x H"	Deck Angle °	Overall Dim. W" x L" x H"	Cap. lbs.	Caster Type	Wt. lbs.
ML139	15 x 44 x 14	80	24 x 44 x 44	2000	8" Mold-on Rubber	115
MD214	15 x 44 x 14	80	24 x 44 x 44	3500	8" Polyurethane	110

#### Replacement Parts

**Model No. ML402**, 8" Rigid Polyurethane

**Model No. ML401**, 8" Swivel Polyurethane

**Model No. ML853**, 8" Rigid Mold-On Rubber

**Model No. ML852**, 8" Swivel Mold-On Rubber



### Lumber Carts

- All-welded cart is ideal for transporting long and bulky items
- Welded 14-gauge 12" x 38" steel shelf
- Grey rubber bumpers protect walls and equipment
- Two rigid and two swivel bolted-on casters
- KLETON blue enamel finish

**1200 - LB.  
CAPACITY  
Evenly Distributed**

Model No.	Deck Dim. W" x L" x H"	Shelf Height"	Overall Dim. W" x L" x H"	Caster Type	Wt. lbs
MB729	24 x 36 x 8	34	26 x 39 x 42	5" Rubber	80
ML140	24 x 36 x 10	36	26 x 39 x 45	6" Rubber	100

#### Replacement Parts


**Model No. ML338**, 5" Rigid Non-Marking Rubber Caster

**Model No. ML337**, 5" Swivel Non-Marking Rubber Caster

**Model No. ML850**, 6" Rigid Mold-On Rubber Caster

**Model No. ML849**, 6" Swivel Mold-On Rubber Caster

**Model No. MC043**, Grey Rubber Corner Bumper



### Flat Bed Lumber Carts

- All-welded cart is ideal for transporting large panel or sheets in a horizontal position
- Four 6" swivel and two 6" rigid bolted-on non-marking polyurethane casters
- KLETON blue enamel finish

**2500 - LB.  
CAPACITY  
Evenly Distributed**

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs
ML141	30 x 60 x 33	160

#### Replacement Parts

**Model No. ML400**, 6" Rigid Polyurethane

**Model No. ML399**, 6" Swivel Polyurethane



Customise these products to your specs! See page 36



ML360

## Heavy-Duty Panel and Lumber Mover Carts

- All-welded truck ideal for transporting large sheets and long parts
- Constructed from 1 1/4" round tubing and an 11-gauge deck
- Uprights extend 21" and 33" above deck
- Deck is 12" off the floor
- 8" clear space between tubes
- Two rigid and two swivel 8" casters
- Durable KLETON blue enamel finish

**2000-2500 - LB. CAPACITY**  
Evenly Distributed

Model No.	Dimensions W" x L" x H"	Caster Type	Cap.lbs.	Wt. lbs.
ML360	30 x 48 x 45	Mold-on Rubber	2000	160
ML361	30 x 48 x 45	Polyurethane	2500	175
ML362	30 x 60 x 45	Mold-on Rubber	2000	160
ML363	30 x 60 x 45	Polyurethane	2500	175

### Replacement Parts

**Model No. ML401**, 8" Swivel Polyurethane

**Model No. ML852**, 8" Swivel Mold-On Rubber




ML549

## Single Level Rails Heavy-Duty Panel Mover Carts

- All-welded truck ideal for transporting large sheets and long parts
- Constructed from 1 1/4" round tubing and an 11-gauge deck
- Uprights extend 33" above deck
- Deck is 12" off the floor
- Overall height is 45"
- 8" clear space between tubes
- Two rigid and two swivel 8" casters
- Durable KLETON blue enamel finish

**2000-2500 - LB. CAPACITY**  
Evenly Distributed

Model No.	Dimensions W" x L" x H"	Caster Type	Cap.lbs.	Wt. lbs.
ML549	30 x 48 x 45	8" Mold-on Rubber	2000	139
ML550	30 x 48 x 45	8" Polyurethane	2500	139
ML551	30 x 60 x 45	8" Mold-on Rubber	2000	161
ML552	30 x 60 x 45	8" Polyurethane	2500	161



VC158

VC157

## Heavy-Duty Workhorses

- Overbuilt to be the last sawhorse you'll ever need
- Powder coated finish safety yellow

**2000 - LB. CAPACITY**  
Evenly Distributed

Model No.	Height"	Width"	Depth"	Wt. lbs.
VC157	24	36	20	43
VC158	36	48	20	60



## Polyolefin Casters

- Rolls easily on most floors
- Lightweight and economical
- Non-marking, easy to maintain, steam cleanable
- High impact strength
- Superior resistance to most oils, chemicals, grease and acids

### Surface Applications:

Concrete, brick, carpet and steel

**Plate size:** 2 5/8" x 3 3/4"  
**Bolt hole centres:** 1 3/4" x 2 7/8"  
**Bolt hole size:** 5/16"

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"
ML391	3	Swivel	250	1 1/4	4 1/2
ML392	3	Rigid	250	1 1/4	4 1/2
ML393	4	Swivel	250	1 1/4	5 1/4
ML394	4	Rigid	250	1 1/4	5 1/4
ML395	5	Swivel	250	1 1/4	6 1/8
ML396	5	Rigid	250	1 1/4	6 1/8



ML391

ML394

## Blue Elastic Rubber Casters

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chromed plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Sealed double ball raceway
- Thread guards • Ball bearing

### Surface Applications:

Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

**Plate size:** 3 3/8" x 4"  
**Bolt hole centres:** 2 3/8" x 3 1/8"  
**Bolt hole size:** 5/16"

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"
ML333	4	Swivel	350	1 3/8	5
ML334	4	Rigid	350	1 3/8	5
ML342	4	Total locking brake	350	1 3/8	5
ML337	5	Swivel	400	1 3/8	6
ML338	5	Rigid	400	1 3/8	6
ML345	5	Total locking brake	400	1 3/8	6



ML333

ML342

ML334

## Polyurethane Casters

- Smooth rolling, low noise operation
- Non-marking, cut & tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway • Annular ball bearing

### Surface Applications:

Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"
ML044	3	Swivel	230	1 1/4	4 1/4
ML043	3	Rigid	230	1 1/4	4 1/4
ML045	4	Swivel	440	1 1/2	5 3/8
ML046	4	Rigid	440	1 1/2	5 3/8
ML441	4HD	Swivel	550	1 5/8	5 5/8
ML442	4HD	Rigid	550	1 5/8	5 5/8
MN264	4HD	Total locking brake	550	1 5/8	5 5/8
ML397	5	Swivel	650	1 1/2	6 1/2
ML398	5	Rigid	650	1 1/2	6 1/2
MN265	5	Total locking brake	650	1 1/2	6 1/2
ML399	6	Swivel	850	1 1/2	7 1/2
ML400	6	Rigid	850	1 1/2	7 1/2
MN266	6	Total locking brake	850	1 1/2	7 1/2
MN449	6	Butterfly side brake	850	1 1/2	7 1/2
ML401	8	Swivel	1000	1 5/8	9 1/2
ML402	8	Rigid	1000	1 5/8	9 1/2
MN267	8	Total locking brake	1000	1 5/8	9 1/2
MN450	8	Butterfly side brake	1000	1 5/8	9 1/2

### Plate size:

3 = 2 5/8" x 3 3/4"  
 4 = 3 1/8" x 4 1/8"  
 4 HD = 4" x 4 1/2"  
 5 = 4" x 4 1/2"  
 6 = 4" x 4 1/2"  
 8 = 4" x 4 1/2"

### Bolt hole centres:

3 = 1 3/4" x 2 3/4"  
 4 = 2 3/8" x 3 1/16"  
 4 HD = 3 1/4" x 2 3/4"  
 5 = 3 1/4" x 2 3/4"  
 6 = 3 1/4" x 2 3/4"  
 8 = 3 1/4" x 2 3/4"

### Bolt hole size:

3 = 5/16"  
 4 = 5/16"  
 4 HD = 3/8"  
 5 = 3/8"  
 6 = 3/8"  
 8 = 3/8"



ML043

ML044

MN264

MN449



## Hi-Temp Nylon Casters

- Smooth rolling, non-marking
- Zinc chrome plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals, and grease
- Double ball raceway
- Ball bearing

**Surface Applications:**  
Concrete, brick, carpet  
and steel

**Plate Size:** 4" x 4 1/2"  
**Bolt hole centers:** 3" x 3 1/3"  
**Bolt hole size:** 7/16"

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"
ML861	6	Swivel	800	1 3/4	7 5/8
ML862	6	Rigid	800	1 3/4	7 5/8
ML863	6	Total locking brake	800	1 3/4	7 5/8
MN453	6	Butterfly side brake	800	1 3/4	7 5/8
ML864	8	Swivel	850	1 3/4	9 1/2
ML865	8	Rigid	850	1 3/4	9 1/2
ML866	8	Total locking brake	850	1 3/4	9 1/2
MN454	8	Butterfly side brake	850	1 3/4	9 1/2



## Nylon Sandwich Casters

- Non-marking white nylon elastic rubber cushion ring layer reduces noise and vibration
- Chrome zinc-finish for corrosion resistance
- Double raceway
- Ball bearing

**Surface Applications:**  
Concrete, brick, carpet  
and steel

**Plate Size:** 3 1/3" x 4 1/8"  
**Bolt hole centers:** 3 1/8" x 2 1/3"  
**Bolt hole size:** 5/16"

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"
MN441	4	Swivel	440	1 3/8	5 1/8
MN442	4	Rigid	440	1 3/8	5 1/8
MN443	4	Total locking brake	440	1 3/8	5 1/8
MN444	5	Swivel	440	1 3/8	6 1/8
MN445	5	Rigid	440	1 3/8	6 1/8
MN446	5	Total locking brake	440	1 3/8	6 1/8



## Mold-On Rubber Casters

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the Molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors

**Surface Applications:**  
Concrete, brick, carpet,  
steel, tile, asphalt, wood  
and linoleum

**Plate Size:** 4" x 4 1/2"  
**Bolt hole centers:** 2 7/8" x 3 1/3"  
**Bolt hole size:** 7/16"

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Bearing Type
ML846	5	Swivel	400	2	Roller
ML847	5	Rigid	400	2	Roller
ML849	6	Swivel	500	2	Roller
ML850	6	Rigid	500	2	Roller
ML851	6	Total locking brake	500	2	Roller
MN451	6	Butterfly side brake	500	2	Roller
ML852	8	Swivel	600	2	Roller
ML853	8	Rigid	600	2	Roller
ML854	8	Total locking brake	600	2	Roller
MN452	8	Butterfly side brake	600	2	Roller



## Pneumatic Casters

- Four ply pneumatic casters offer smooth and quiet rolling over the roughest surfaces and outdoor terrain
- Shock absorbing properties give the greatest possible protection to both the load and floor
- The "Air cushion" feature will transport the most fragile material and instruments without damage
- Not recommended for floors with metal shavings or corrosive chemicals

### Surface Applications:

Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

**Plate Size:** 4" x 4 1/2"

**Bolt hole centers:** 2 3/4" x 3 3/8"

**Bolt hole size:** 13/32"

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"
MN222	8	Swivel	350	2	10
MN221	8	Rigid	350	2	10
MN224	10	Swivel	400	3	12
MN223	10	Rigid	400	3	12

**Note:** For optimum use pneumatic wheels must be properly inflated

### Replacement Parts

**Model No. MN372,** Inner tube for MN221 & MN222

**Model No. MN373,** Inner tube for MN223 & MN224



MN221

MN222

## Flat-Free Casters

- Solid polyurethane wheel never runs flat
- Same bounce feel and weight of a pneumatic caster
- Smooth and quiet rolling over rough terrain and surfaces
- Less costly than traditional foam-filled tires
- Ball bearing

### Surface Applications:

Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

**Plate Size:** 4" x 4 1/2"

**Bolt hole centers:** 2 3/4" x 3 3/8"

**Bolt hole size:** 13/32"

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"
MN226	8	Swivel	275	2	10
MN225	8	Rigid	275	2	10
MN228	10	Swivel	300	3	12
MN227	10	Rigid	300	3	12



MN227

MN228

## Corner Bumpers

- Protects a wide variety of mobile equipment and the surrounding environment from bumps and scrapes
- Non-marking rubber construction
- Comes equipped with a steel insert and 4 self tapping screws allowing bumper to be mounted on any flat surface
- Thickness: 7/8"
- Dimensions: 4" L x 4" W x 1" H

**Model No. MC043**





## Polyethylene Dump Trucks

- Manoeuvrable and easy to load and dump
- Speed the handling of waste, scrap shavings or any other bulk materials that require efficient disposal
- Standard and heavy-duty units are contained in an all-welded steel chassis
- All units feature two large fixed front wheels, and smaller swivel casters at the rear
- Durable KLETON blue enamel finish

Model No.	Description	Cap. Cu. yards	Cap. lbs.	Overall Dim. L" x W" x H"	Wt. lbs.
MN084	Light-duty	5/8	500	59 x 31 3/8 x 36	61
NA982	Standard	5/8	850	59 x 28 x 39	97
NA984	Standard	1.1	1250	72 x 34 x 40	162
NI261	Heavy-duty	1.1	2000	72 x 34 x 40	175
NA981	Optional Hinged Cover for Standard 5/8 Cu. Yard Truck				20

### Replacement Parts for NA984 and NI261

**Model No. ML846**, 5" Mold-on Rubber Swivel Caster

**Model No. MC324**, 12" Mold-on Rubber Wheel

### Replacement Parts for NA982 and MN084

**Model No. ML337**, 5" Non-Marking Rubber Swivel Caster

**Model No. MH298**, 10" Mold-on Rubber Wheel

### Replacement Polyethylene Bins

**Model No. NC423**, Light / Standard Duty, Bin 5/8 cu.yd.

**Model No. NC424**, Heavy-Duty, Bin 1.1 cu.yd.




## Polyethylene Box Trucks

- Boxes are constructed of recycled polyethylene material and have tapered walls
- Four bolted-on 3" swivel polyolefin casters
- Trucks with plywood bases are stackable for storage
- Trucks with steel bases are painted a durable KLETON blue enamel finish
- Available with 3/4" BC fir plywood base or an all-welded steel chassis

Model No.	Base	Capacity Cu. ft.	Cap. lbs.	Box Size L" x W" x H"	Overall Dimensions L" x W" x H"	Wt. lbs.
NE839	Plywood	9	500	36 x 25 x 23	36 x 25 x 29	40
NE840	Steel	9	800	36 x 25 x 23	36 x 25 x 30	58
NE841	Plywood	11	500	39 x 27 x 25	39 x 27 x 31	45
NE842	Steel	11	800	39 x 27 x 25	39 x 27 x 32	65
NE843	Plywood	14	500	39 x 29 x 28	39 x 29 x 34	55
NE844	Steel	14	800	39 x 29 x 28	39 x 29 x 35	80
NE845	Plywood	16	500	43 x 31 x 28	43 x 31 x 34	65
NE846	Steel	16	800	43 x 31 x 28	43 x 31 x 35	100

### Replacement Parts

**Model No. ML391**, 3" Swivel Polyolefin Caster



## Elevated Box Trucks

- All-welded poly box trucks elevate contents to comfortable working height
- Bin is food-approved natural white polyethylene
- Four 4" non-marking bolted casters
- Steel base painted with a durable KLETON blue enamel finish

Model No.	Capacity Cu. ft.	Box Size L" x W" x H"	Overall Dim. L" x W" x H"	Capacity lbs.	Wt. lbs.
NA038	5	38 x 27 x 10	38 x 27 x 34 1/2	600	60
NA055	8	48 x 25 x 17 1/2	48 x 25 x 36	600	72
CA064	5	Optional Cover for NA038			7
CA072	8	Optional Cover for NA055			13

### Replacement Parts

**Model No. ML334**, 4" Rigid Non-Marking Rubber Caster

**Model No. ML333**, 4" Swivel Non-Marking Rubber Caster







NA041

## Replacement Casters

Model No.	Description
ML334	4" Rigid Non-Marking Rubber Caster
ML333	4" Swivel Non-Marking Rubber Caster

## General Purpose Tapered Wall Poly Box Trucks

- Leakproof, easy to clean, food-approved natural white polyethylene
- Available with 3/4" BC fir plywood base or all-welded steel chassis with a durable KLETON blue enamel finish steel chassis
- Four 4" non-marking bolted-on rubber casters, two swivel and two rigid
- Stackable for storage

Model No.	Base	Capacity Cu. ft.	Capacity lbs.	Box Size L" x W" x H"	Overall Dim. L" x W" x H"	Wt. lbs.
NA039	Plywood	7	600	31 x 21 x 19	31 x 21 x 24	28
ML133	Steel Chassis	7	1000	31 x 21 x 19	31 x 21 x 24	46
NA040	Plywood	9	600	36 x 25 x 24	36 x 25 x 29	38
ML134	Steel Chassis	9	1000	36 x 25 x 24	36 x 25 x 29	56
NA041	Plywood	11	600	39 x 27 x 26	39 x 27 x 31	42
NA056	Steel Chassis	11	1000	39 x 27 x 26	39 x 27 x 31	60
NA042	Plywood	14	600	39 x 29 x 29	39 x 29 x 34	57
ML135	Steel Chassis	14	1000	39 x 29 x 29	39 x 29 x 34	75
NA043	Plywood	16	600	43 x 31 x 29	43 x 31 x 34	61
ML136	Steel Chassis	16	1000	43 x 31 x 29	43 x 31 x 34	79



NA027



ML333

MN444

## Replacement Casters

Model No.	Swivel Type	Caster Type
ML334	Rigid	4" Non-Marking Rubber
ML333	Swivel	4" Non-Marking Rubber
ML338	Rigid	5" Non-Marking Rubber
ML337	Swivel	5" Non-Marking Rubber
MN445	Rigid	5" Sandwich
MN444	Swivel	5" Sandwich
ML862	Rigid	6" Hi-Temp Nylon
ML861	Swivel	6" Hi-Temp Nylon

Please see **pages 89-91** to determine which caster best suits your specific needs.

## General Purpose Straight Wall Poly Box Trucks

- Leakproof, easy to clean, food-approved natural white polyethylene
- Two bolted-on swivel and two rigid casters
- Optional covers are available for many units
- Available with 3/4" BC fir plywood base or an all-welded steel chassis with a durable KLETON blue enamel finish

## 4" NON-MARKING RUBBER CASTERS

Model No.	Base	Capacity Cu. ft.	Box Size L" x W" x H"	Overall Dim. L" x W" x H"	Capacity lbs.	Wt. lbs.
NA023	Plywood	8	28 x 28 x 27	28 x 28 x 32	600	45
NA024	Steel Chassis	8	28 x 28 x 27	28 x 28 x 32	1000	65
NA044	Plywood	11	39 x 27 x 24	39 x 27 x 29	600	57
NA045	Steel Chassis	11	39 x 27 x 24	39 x 27 x 29	1000	80
NA027	Plywood	14	46 x 29 x 26	46 x 29 x 31	600	64
NA058	Steel Chassis	14	46 x 29 x 26	46 x 29 x 31	1000	95
NA047	Plywood	16	41 x 31 x 32	41" x 31 x 37	600	77
NA048	Steel Chassis	16	41 x 31 x 32	41 x 31 x 37	1000	110

## 5" NON-MARKING RUBBER CASTERS

Model No.	Base	Capacity Cu. ft.	Box Size L" x W" x H"	Overall Dim. L" x W" x H"	Capacity lbs.	Wt. lbs.
NA030	Plywood	22	58 x 34 x 27	58 x 34 x 33	1000	102
NA025	Plywood	25	51 x 34 x 33	51 x 34 x 39	1000	109

## 5" SANDWICH CASTERS

Model No.	Base	Capacity Cu. ft.	Box Size L" x W" x H"	Overall Dim. L" x W" x H"	Capacity lbs.	Wt. lbs.
NA031	Steel Chassis	22	58 x 34 x 27	58 x 34 x 33	1500	150
NA989	Steel Chassis	25	51 x 34 x 33	51 x 34 x 39	1500	160
NA051	Steel Chassis	30	66 x 36 x 32	66 x 36 x 38	1500	180
NA050	Plywood	30	66 x 36 x 32	66 x 36 x 38	1500	114
NA034	Plywood	45	77 x 40 x 37	77 x 40 x 44	1500	165

## 6" HI-TEMP NYLON CASTERS

Model No.	Base	Capacity Cu. ft.	Box Size L" x W" x H"	Overall Dim. L" x W" x H"	Capacity lbs.	Wt. lbs.
NA035	Steel Chassis	45	77 x 40 x 37	77 x 40 x 44	2000	210

KLETON tables are available in various capacities and travels to satisfy a wide variety of applications. All tables have an integrated hydraulic pump/cylinder assembly. The KLETON scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and manoeuvrability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.

## Applications


KLETON tables are used in a wide variety of applications, from stocking shelves to lifting and moving materials in warehouses, machine shops and manufacturing operations.

## Operation

The KLETON design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, KLETON tables increase productivity and decrease workplace injuries.

## Standard Features

- Heavy-duty construction with captured scissor rollers for maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- High-quality casters and wheels for exceptional roll ability (two fixed, two swivel)
- Ergonomic push handle with convenient lowering control
- Lowering control automatically stops when released for added safety
- Convenient maintenance pins secure the scissor legs for inspection and maintenance on Model MJ525
- Quality powder-coat finish provides exceptional durability and corrosion resistance
- Colour: KLETON Blue



**You Tube**

For details and "HOW TO"  
on this and other KLETON  
products please visit us at:  
[www.youtube.com/user/KletonInd](http://www.youtube.com/user/KletonInd)



MJ518 Collapsible Handle



MJ519 & MJ521 Collapsible Handle



MJ520



MJ522



MJ523



MJ524



MJ525



MJ526

Model No.	Load Cap lbs.	Platform Height Lowered"	Platform Height Raised"	Platform Size Width"	Platform Size Length"	Handle Height"	Pedal Strokes To Max	Wt. lbs.
MJ518	330	8 5/8	29	17 3/4	27 1/2	37 3/8	28	95
MJ519	660	11 1/4	34 5/8	19 3/4	32	39	27	151
MJ520	770	14	51 1/4	19 3/4	35 3/4	38 3/8	53	215
MJ521	1100	11 1/4	34 5/8	19 3/4	32	39	27	173
MJ522	1100	11 1/4	36	31 7/8	63	39	55	341
MJ523	1650	16 1/2	35 3/8	20 1/8	39 3/8	39 3/8	45	264
MJ524	2200	15	39	20 1/8	40	38 5/8	82	272
MJ525	2200	15	53 1/2	29 1/2	80 1/8	39 3/8	200	682
MJ526	1760	17 1/2	59 1/8	24	48	40	97	430

**Note:** Platform height lowered and raised includes the casters



For details and "HOW TO" on this and other KLETON products please visit us at:  
[www.youtube.com/user/KletonInd](http://www.youtube.com/user/KletonInd)

*Rugged construction makes this pallet truck the best value for your material handling needs. Forks feature entry rollers and tapered design for easy pallet entry and are reinforced for heavy-duty loads.*

*The 3-function hand control (raise, neutral and lower) and the spring loaded self-righting safety loop handle enhance comfort and ease of operation. Hardened chrome piston with protective dust cover for dependable performance. Durable powder coat finish.*



*3-function hand control (raise, neutral and lower) and spring-loaded self-righting safety loop handle.*

**5500-LB.  
CAPACITY**



## Hydraulic Pallet Trucks

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Heavy-duty plastic roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3 1/4"
- Raised pallet truck height: 7 3/4"
- Colour: High visibility yellow
- 1-year limited warranty

Model No.	Overall Fork Dim.	
	Width"	Length"
ML966	20 1/2	36
ML967	20 1/2	42
ML968	20 1/2	48
ML969	27	36
ML970	27	42
ML971	27	48
ML972*	27	48

\* All nylon core steering wheels and rollers



## Heavy-Duty Series Hydraulic Pallet Trucks

- Heavy-duty polyurethane thread bonded to cast iron core and rollers provide superior performance
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 2 7/8"
- Raised pallet truck height: 7 3/4"
- Colour: High visibility orange
- 2-year limited warranty

Model No.	Overall Fork Dim.	
	Width"	Length"
MJ484	20 1/2	36
MJ485	20 1/2	42
MJ486	20 1/2	48
MJ487	27	36
MJ488	27	42
MJ489	27	48
ML372*	27	48

\* All nylon core steering wheels and rollers



**5500-LB.  
CAPACITY**

## Heavy-Duty Series Hydraulic Pallet Trucks

- Heavy-duty polyurethane thread bonded to cast iron core and rollers provide superior performance
- Double rollers for easy moving of extra heavy loads
- Reinforced fork channels deliver exceptional durability
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 2 7/8"
- Raised pallet truck height: 7 3/4"
- Colour: KLETON blue
- 2-year limited warranty

Model No.	Overall Fork Dim.	
	Width"	Length"
MJ490	20 1/2	36
MJ491	20 1/2	42
MJ492	20 1/2	48
MJ493	27	36
MJ494	27	42
MJ495	27	48
ML373*	27	48

\* All nylon core steering wheels and rollers



**6600-LB.  
CAPACITY**

## Super Heavy-Duty Hydraulic Pallet Trucks

- Extra heavy-duty all steel steering wheels and rollers provide maximum mobility and performance
- Double rollers for easy moving of extra heavy loads
- Heavy-duty plastic exit rollers facilitate entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 3/8"
- Colour: Dark blue
- 2-year limited warranty

Model No.	Overall Fork Dim.	
	Width"	Length"
ML994	27	48



**11000-LB.  
CAPACITY**





**3300 LB - 5500 LB  
CAPACITY**

## 6' Long Fork Hydraulic Pallet Trucks

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 5/8"
- Colour: High visibility yellow
- 2-year limited warranty

Model No.	Overall Fork Dim. Width"	Length"	Capacity lbs.
MN723	27	72	3300
MN459	27	72	5500



**5500-LB.  
CAPACITY**

## Galvanized Hydraulic Pallet Trucks

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 1/16"
- Galvanized finish offers corrosion resistance and is ideal for wet and cold conditions
- 2-year limited warranty

Model No.	Overall Fork Dim. Width"	Length"
MN648	27	42
MN059	27	48



**5500-LB.  
CAPACITY**

## Stainless Steel Hydraulic Pallet Trucks

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 1/16"
- High grade 304 Stainless steel is ideal for medical, food, sanitary, pharmaceutical, wet and cold applications
- 2-year limited warranty

Model No.	Overall Fork Dim. Width"	Length"
MN060	27	48



Low Profile Hydraulic Pallet Trucks

- Permits the handling of pallets and containers that are lower than the standard height
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and all steel rollers provide superior performance
- 1.5" exit ramp facilitates exit of pallets
- 6" (152 mm) wide forks
- Lowered pallet truck height: 2"
- Raised pallet truck height: 5 1/2"
- Colour: High visibility orange
- 2-year limited warranty

Model No.	Overall Fork Dim.	
	Width"	Length"
MN061	27	48



5500-LB.  
CAPACITY

Multi-Directional Hydraulic Pallet Trucks

- *Transrollers* permit lateral movement in addition to forward/backward
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels provide superior performance
- Double load rollers, one polyurethane tread bonded to cast iron core and one nylon for easy moving of extra heavy loads
- 2 1/5" exit ramp facilitates exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 1/2"
- Capacity: Up to 5500 lbs. in standard mode, and up to 3300 lbs. in lateral mode
- Colour: High visibility orange
- 2-year limited warranty

Model No.	Overall Fork Dim.	
	Width"	Length"
MN062	27	48



5500-LB.  
CAPACITY

Digital Scale Hydraulic Pallet Trucks

- Permits the weighing of skids and containers while handling them
- *Mettler Toledo* digital cUL approved scale offers maximum precision on load weights
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon roller facilitates entry and exit of pallets
- 6 5/8" (168 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 11/16"
- Colour: High visibility orange
- 2-year limited warranty

Model No.	Overall Fork Dim.	
	Width"	Length"
MN063	27	44 1/2



4400-LB.  
CAPACITY



## Hydraulic Shop Lifters

- Allow workers to manoeuvre and lift heavy loads safely to comfortable needed height
- Foot pedal folds safely out of the way
- Front 5" polyurethane casters and rear 3" polyurethane wheels allow loads to move easily
- Capacity: 880 lbs



Model No.	Overall Dimensions W" x D" x H"	Platform Dimensions L" x W"	Lowered Platform Height"	Raised Platform Height"	Wt. lbs.
MN397	22 1/2 x 39 x 67 3/4	25 3/4 x 22 3/4	4	60	174

## Pallet Pullers

- Efficient way to unload pallets from trucks
- Hardened teeth give positive grip in any pallet
- One-person operation
- Pulls pallets straight or sideways to get out of tight spots

Model No.	Description	Wt. lbs.
KH863	Pallet Puller	16
ML319	20' Hook and Chain	21



Model ML319  
OPTIONAL 20' HOOK  
AND CHAIN



5000-LB.  
CAPACITY

KH863

## Fork Extensions

- Handle large and odd shaped loads with increased stability
- Easy to use slide-on design
- Steel retaining strap prevents extensions from sliding off during use
- Fork extension not to exceed 50% more than existing fork length
- Available in 4" and 5" fork widths, with lengths of 72" and 96"



Model No.	Accommodates Fork Width"	Fork Extension Overall Width"	Length"	Wt. lbs.
ML346	4	5	72	105
ML347	5	6	72	116
ML348	4	5	96	140

## Wall Brackets

- All welded heavy-duty
- To keep fork extensions out of the way when not in use
- One wall bracket required for each pair of forks
- KLETON safety yellow




Model No.	Dimensions W" x H"	Wt. lbs.
ML282	6 x 8	5

Hardware not included



## PREVENT ACCIDENTS!

Chocks are designed to provide maximum gripping power on almost any surface, wet or dry. They are resistant to sun, moisture, salt, oil and meet OSHA requirements.



### Rubber Chocks

- Fabricated of a tough rubber compound, reinforced for maximum wearability and strength

Model No.	Type	Approx. Size W" x L" x H"	Wt. lbs.
KH600	Handle	8 x 9 x 6	10
KH601	Eye Bolt	8 x 9 x 6	10



### Urethane Wheel Chocks

- Safety orange colour for greater visibility
- Molded-in hole through width of chock for attaching security chain (chain sold separately)
- Overall size:  
11" L x 8" W x 8" H
- Weight: 4 lbs.

**Model No. KH897**



### Laminated Rubber Chocks

- Designed to fit curvature of tire for a strong grip
- Extra heavy duty laminated rubber and steel construction for use with heavy utility trucks and equipment
- Load capacity: Up to 40 000 lbs.


Model No.	Construction	Approx. Size W" x L" x H"	Wt. lbs.
KH603	Laminated	8 x 8 x 8	14



### Rubber Wheel Chocks

- Highly resistant to abrasion, impacts, corrosion, sun, salt, ozone and oil
- Steel ring on back
- 6 1/2" W x 9 1/2" L x 7 1/2" H
- Weight: 12.5 lbs.

**Model No. KH032**



### Rubber Wheel Chocks

- Highly resistant to abrasion, impacts, corrosion, sun, salt, ozone and oil
- Back handle
- 6 1/2" W x 9 1/2" L x 7 1/2" H
- Weight: 12.5 lbs.

**Model No. KH893**





## Ice Chocks

- Formed steel
- "Tooth" like bottom assures reliable grip
- Lightweight and dependable
- Maximum holding power for snow and ice
- Overall dimensions: 10 1/2" L x 8" W x 9 1/4" H
- Powder-coated safety yellow finish for high visibility
- Weight: 9 lbs.

**Model No. KH964**



## Wheel Chock Wall Brackets

- Sturdy yellow metal construction
- Fits most sizes of wheel chocks (e.g. KH032, KH603)
- Prevents loss of chock

**Model No. KH963**



## Molded Dock Bumpers

- Protects building and dock areas
- Shockproof, tear and freeze resistant

Model No.	Type	Face size W" x H"	Overall Projection"	Wt. lbs.
KH005	Rectangular	13 x 10	4	16
KH009	Rectangular	18 x 10	4	32



## Trailer Stabilizing Jacks

- Keeps tractorless trailers leveled while being loaded or unloaded
- Prevents accidents if wheel support collapses
- Stabilizes vehicle against load shifts
- Lowered height: 39 1/2"
- Raised height: 51"
- Removeable 37 1/2" positioning and ratcheting handle
- 8" dia support pad
- 8" wheels
- 100 000 lbs. supporting capacity each and 40 000 lbs. lifting capacity each
- 1 year warranty
- Recommended use in pairs


**Model No. KH777**





## Chain Hoists

- Lightweight steel construction
- Triple-spur geared for easy lifting
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability for added security
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation




Model No. 10' Lift	Model No. 20' Lift	Capacity			Net Weight		No. of Falls Chain	Load Chain Dia.		Headroom	
		tons	lbs.	kg.	lbs.	kg.		in.	mm	in.	mm
LS534	LS540	1/2	1000	450	22	10	1	1/4	6	10 1/2	270
LS535	LS541	1	2000	900	26.4	12	1	1/4	6	12 1/2	317
LS536	LS542	1 1/2	3000	1360	40.7	18.5	1	5/16	8	15 3/4	399
LS537	LS543	2	4000	1800	44	20	1	5/16	8	16 1/4	414
LS538	LS544	3	6000	2720	63.8	29	2	5/16	8	18 1/4	465
LS539	LS545	5	10000	4530	100	45.5	2	7/16	10	25	636

Model No. 10' Lift	Model No. 20' Lift	A		B		C		D		K	
		in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
LS534	LS540	5 1/4	131	5	127	10 1/2	270	1 3/8	36	1 3/16	30
LS535	LS541	5 1/2	140	6 1/4	158	12 1/2	317	1 5/8	40	1 1/4	34
LS536	LS542	6 1/4	161	7 1/4	187	15 3/4	399	1 3/4	45	1 1/2	38
LS537	LS543	6 1/4	161	7 1/4	187	16 1/4	414	2	50	1 5/8	41
LS538	LS544	6 1/4	161	8 1/4	210	18 1/4	465	2 1/4	58	1 7/8	48
LS539	LS545	7 1/4	186	10	253	25	636	2 1/2	64	2	52

\* Dimensions are approximate and should be confirmed if important to your application

## Lever Hoists

- Lightweight steel construction
- Short steel handle rotates 360° to allow operation in any position
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation



Model No. 5' Lift	Capacity			Net Weight		No. of Falls Chain	Load Chain Dia.	
	tons	lbs.	kg.	lbs.	kg.		in.	mm
LS546	3/4	1500	680	15.5	7	1	1/4	6
LS547	1	2000	900	17.6	8	1	1/4	6
LS548	1 1/2	3000	1360	24	11	1	5/16	8
LS549	3	6000	2720	46	21	1	7/16	10
LS550	6	12000	5440	68	31	2	7/16	10


Model No. 5' Lift	A		B		C		D		H		L		K	
	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
LS546	5 3/4	148	3 1/2	90	5 1/4	136	1 1/2	40	12 3/4	325	11	280	1 5/16	34
LS547	5 3/4	148	3 1/2	90	5 1/4	136	1 1/2	40	12 3/4	325	11	280	1 5/16	34
LS548	6 3/4	172	3 3/4	98	6 1/4	160	1 3/4	45	15	380	16	410	1 7/16	38
LS549	7 3/4	200	4 1/2	115	7	180	2 1/4	58	18 3/4	480	16	410	1 7/8	48
LS550	7 3/4	200	4 1/2	115	9 1/4	235	2 1/2	64	24 1/2	620	16	410	2 1/16	52

\* Dimensions are approximate and should be confirmed if important to your application



- Easily adjusts to fit various flanges and I-beams
- Use on straight or curved track
- Can be installed or removed at any position on the beam
- Heavy-duty cast iron wheels


- Deep width flange provides superior contact with the beam
- Geared trolleys include 2 geared wheels operated by hand chain
- Safety plate included



## Plain Trolleys

Model No.	Capacity			I-Beam Flange Width		Min. Curve Radius		Net Weight	
	tons	lbs.	kg	in.	mm	in.	mm	lbs.	kg
LS551	1/2	1000	450	2 11/16 - 5 3/8	68-136	35 7/16	900	10	4.4
LS552	1	2000	900	3 1/8 - 6 1/4	80-158	39 3/8	1000	17	7.5
LS553	2	4000	1800	3 1/8 - 6 1/4	80-158	43 5/16	1100	28	12.5
LS554	3	6000	2720	3 7/16 - 7 3/8	88-188	51 3/16	1300	46	20.6
LS555	5	10000	4530	4 13/16 - 9 9/16	122-243	66 15/16	1700	73	33

\* Dimensions are approximate and should be confirmed if important to your application



## Geared Trolleys

Model No.	Capacity			I-Beam Flange Width		Min. Curve Radius		Net Weight	
	tons	lbs.	kg	in.	mm	in.	mm	lbs.	kg
LS556	1/2	1000	450	2 11/16 - 5 1/4	68-134	35 7/16	900	18	8
LS557	1	2000	900	3 1/8 - 5 15/16	80-150	39 3/8	1000	25	11.5
LS558	2	4000	1800	3 1/8 - 7 1/16	80-180	43 5/16	1100	36	16.5
LS559	3	6000	2720	3 7/16 - 7 3/8	88-188	51 3/16	1300	54	24.5
LS560	5	10000	4530	4 3/4 - 7 3/4	120-196	55 1/8	1400	81	36.6

\* Dimensions are approximate and should be confirmed if important to your application


Model No.	Capacity Tons	A		B		C		H	
		in.	mm	in.	mm	in.	mm	in.	mm
LS556	1/2	9 3/4	248	8	202.5	7 13/32	188	4 59/64	125
LS557	1	11	280	9 1/4	235	7 3/4	197	4 31/32	126
LS558	2	12 1/2	318	10 5/32	258	9 3/8	238	5 29/32	150
LS559	3	13 3/8	340	11 1/2	293	11 3/4	298	7 31/64	190
LS560	5	14 3/8	365	13 3/4	350	13 11/32	339	8 5/8	219

# DRUM HANDLING EQUIPMENT



- Drum Stacking Racks..... 105
- Drum Grabbers ..... 106
- Drum Rockers..... 106
- Drum Lifting Hooks ..... 106
- Can Tippers ..... 106
- Drum Trucks ..... 107
- Hand Trucks for Plastic & Fibre Drums..... 107
- Low Profile Drum Trucks..... 108
- Drum Dollies..... 108





DC262




## Drum Stacking Racks

- Rack holds two or three 45 imp. gal./55-US gal. drums
- Can be stacked up to three high
- Conveniently stacks drums horizontally increasing space efficiency
- Forklift access from all four sides
- Durable KLETON blue enamel finish
- Shipped knocked down

Model No.	Drum Cap.	Overall Dimensions W" x D" x H"	Max Capacity lbs. *	Wt. lbs
DC262	2	45 1/2 x 30 x 12 1/2	1600	48
DC263	3	71 1/2 x 30 x 12 1/2	2400	75

\* The total weight capacity for all drums and racks being stacked.



DC393

## Drum Stacking Rack Dollies

- All welded, ready to use
- Dolly allows stacking racks to be mobile
- Two rigid and two swivel casters
- Durable KLETON blue enamel finish
- Caster assembly required

Model No.	Wheel Type	Overall Dimensions W" x D" x H"	Capacity lbs.
DC392	6" Hi-Temp Nylon	46 x 30 x 9	1600
DC393	6" Polyurethane	46 x 30 x 9	1600

### Replacement Parts

**Model No. ML861**, 6" Hi-Temp Nylon Swivel Caster

**Model No. ML862**, 6" Hi-Temp Nylon Rigid Caster

**Model No. ML399**, 6" Polyurethane Swivel Caster

**Model No. ML400**, 6" Polyurethane Rigid Caster



DC386

Drip Pan and Faucet  
Not Included

## Drum Stacking Rack and Dolly Kits

Model No.	Wheel Type	Overall Dimensions W" x D" x H"	Capacity lbs.
DC386	6" Hi-Temp Nylon	46 x 30 x 21 1/2	1600
DC387	6" Polyurethane	46 x 30 x 21 1/2	1600



## Steel Drum Grabbers

- Lift and transport one 45 imp./55 US gal. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws

**1000-LB.  
CAPACITY**



Model No.	Description	Fork Pocket Inner Dim. W" x H"	Capacity lbs. /Drum
DC424	Single Drum Grabber	5 1/2 x 2	1000

## All-Welded Drum Rockers

- All-welded heavy-gauge 1 1/4" steel tubing construction
- Safe method of upending up to 45 imp. gal./55-US gal. drums for moving, draining or storing
- No lifting, straining or danger of drum tipping backwards
- Load drum into the draining position in seconds
- Removable handle
- Durable KLETON blue enamel finish

Model No.	Description	Overall Dimensions W" x D" x H"	Wt. lbs.
DC442	Drum rocker with two 3" swivel casters & two 3" rigid wheels	33 x 22 x 20	38



**1000-LB.  
CAPACITY**

DC442

## Knocked-Down Drum Rockers

- Safe method for moving, draining and storing 45 imp. gal./55-US gal. drums
- Removable handle
- Powder coat finish
- Shipped knocked down

Model No.	Description	Overall Dimensions W" x D" x H"	Wt. lbs.
DC443	Drum rocker with two 3" non-sparking wheels and two 3" non-sparking swivel casters	33 x 22 x 20	34

**CAUTION: Clamping bracket on handle must be used when maneuvering unit.**

**700-LB.  
CAPACITY**



DC443

## Replacement Parts

**Model No. DC464**, 3" Polyolefin Wheel

**Model No. DC463**, 3" Polyolefin Swivel Caster

**Model No. DC473**, Handle & Black Plastic Handle Grip



## Drum Lifting Hooks

- Horizontally lifts 45 imp. gal./ 55 US gal. steel drums, 34" - 36" long
- Alloy steel lifting ring, steel rods, malleable iron hooks
- Capacity: 1000 lbs.
- Weight: 5 lbs.

**Model DC449**



## Can Tippers

- Handles 5-gallon round pails
- Safety lever holds container in place
- Dispensing height of 11 1/2"
- Capacity: 75 lbs.
- Weight: 10 lbs.

**Model DC472**





Customise these products to your specs! See page 36



DC266

## All-In-One Drum Trucks

- All-welded, 1 1/4" round tubular steel frame
- Can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck
- Easy to load and unload on skids
- Handles plastic steel or fibre drums
- Loop handle models provides added leverage while dual handle models provide side body comfort
- Four wheel design for added support and easy manoeuvrability
- Durable KLETON blue enamel finish

1200-LB.  
CAPACITY

Model No.	Handle Type	Wheel Type	Wt. lbs.
DC266	Loop	10" Mold-On Rubber	64
DC267	Loop	10" Pneumatic	58
DC256	Dual	10" Mold-On Rubber	62
DC257	Dual	10" Pneumatic	56

### Replacement Parts

**Model No. ML069**, 10" Pneumatic Wheel

**Model No. MN694**, 10" Mold-on Rubber Wheel

**Model No. PC512**, Pull Strap



DA595

## Hand Trucks for Plastic and Fibre Drums

- All-welded, 1 1/4" round tubular steel frame
- Handles plastic and fibre drums from 18" to 25" in diameter and 24" to 41" in height
- 2" ratchet strap secures drum in place
- Rolls on 10" front and 6" rear rubber-tired wheels
- Durable KLETON blue enamel finish

1000-LB.  
CAPACITY

Model No.	Description	Overall Dimensions W" x D" x H"	Wt. lbs.
DA595	Truck for plastic and fibre drums	24 x 22 x 58	56

### Replacement Parts

**Model No. MH296**, 6" Mold-on Rubber Wheel

**Model No. MN694**, 10" Mold-on Rubber Wheel

**Model No. MA382**, Black Plastic Handle Grip

**Model No. PC512**, 2" Pull Strap



DA594



## Drum Hand Trucks

- All-welded 1 1/4" round tubular steel frame
- Handles containers from as small as 18" in diameter to large 55-gallon steel drums
- Ideal for loading drums onto pallets, or for going over curbs or uneven docks
- Free standing when loaded
- Durable KLETON blue enamel finish

1000-LB.  
CAPACITY

Model No.	Description	Overall Dimensions W" x D" x H"	Wt. lbs.
DA593	Truck with 10" front rubber wheels only	24 x 19 x 58	44
DA594	Truck with 10" front and 6" rear rubber wheels	24 x 22 x 58	50

### Replacement Parts

**Model No. MH296**, 6" Mold-on Rubber Wheel

**Model No. MN694**, 10" Mold-on Rubber Wheel

**Model No. MA382**, Black Plastic Handle Grip

## Low Profile Drum Trucks

- All-welded steel construction with 8" x 2" rubber wheels and 4" non-marking rubber swivel casters for smooth movement and easy manoeuvrability
- Ideal for moving full, open top 45 imp. gal./55-US gal. drums without spilling contents
- With a low-level frame, only 1" from the ground, this truck allows for easy loading of drums
- Hinged handle moves forward and backward for easy pushing or pulling
- Quality powder coat finish
- Shipped knocked down



**1000-LB.  
CAPACITY**



Model No.	Overall Dimensions W" x D" x H"	Overall Handle Length"	Wt. lbs.
DC500	30 x 24 x 46	39	44

### Replacement Parts

**Model No. ML333**, 4" Non-Marking Rubber Swivel Caster

**Model No. ML813**, 8" Mold-on Rubber Wheel

**Model No. DC502**, Black Plastic Handle Grip

## Steel Drum Dollies

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Quality powder coat finish
- Shipped knocked down



### ROUND FRAMES


Model No.	Caster Type	Caster Size"	Height"	Capacity lbs.	Wt. lbs.
DC202	Polyolefin	3	4 1/2	750	21
DC199	Polyurethane	3	4 1/2	1000	24
DC200	Polyurethane	4	5 1/2	1500	27
DC070	Frame Only	(Fits caster hole spacings of 1 5/8" x 3" to 2 3/4" x 3 1/4")			16



DC202

### X-FRAMES

Model No.	Caster Type	Caster Size"	Height"	Capacity lbs.	Wt. lbs.
DC206	Polyolefin	3	4 1/2	750	13
DC203	Polyurethane	3	4 1/2	1000	16
DC204	Polyurethane	4	5 1/2	1500	19
DC071	Frame Only	(Fits caster hole spacings of 1 5/8" x 3" to 2 3/4" x 3 1/4")			8



DC206

### Replacement Parts

**Model No. ML391**, 3" Polyolefin Swivel Caster

**Model No. ML044**, 3" Polyurethane Swivel Caster

**Model No. ML045**, 4" Polyurethane Swivel Caster



# DRUM PUMPS & ACCESSORIES

Faucets & Valves ..... 110

Bung Nut Wrenches..... 110

Vents ..... 110

Pull Type Drum Pumps ..... 111-112

Diaphragm Hand Pumps ..... 111

Rotary Lobe Type Pumps ..... 113

Lever Type Pumps..... 113

Siphon Type Pumps ..... 113

Pail Type Pumps..... 113

Rotary Type Pumps ..... 114-115



## WARNING! Chemical compatibility of a drum accessory should be checked for

### EACH LIQUID BY CHEMICAL NAME! Please contact your KLETON representative for chemical compatibility.

No single drum accessory can be universally chemical resistant. Some blends of chemicals may not be suitable for any of these drum accessories. Remember to have your MSDS for each chemical that will be dispensed when calling your KLETON representative. We will be able to help you select the right accessories for your application.



### Self-Closing Gate Valves

- For use with viscous non-corrosive fluids heavier than SAE30 motor oil
- Heavy-duty brass construction
- Self-closing PTFE blade has fast, positive shut off when handle is released
- 4 1/2" wide handle
- Wide opening permits maximum flow
- Fits 2" bung in steel or plastic drums
- Weight: 7 lbs.

**Model No. PE363**



### Self-Closing Faucets With Screen

- For use with flammable and non-flammable liquids
- Flame arrestor safety faucet
- Standard 3/4" tapered pipe thread
- Can be padlocked closed
- Natural zinc die cast finish
- Weight: 1 lbs.

**Model No. PE364**



### Self-Closing Faucets

- For non-flammable liquids only
- No flame arrestor
- 3/4" pipe thread
- Can be padlocked closed
- Natural zinc die cast finish
- Weight: 0.5 lbs.

**Model No. PE365**

### Bung Nut Wrenches

- Fits almost any metal or plastic, male or female bung nuts or plugs
- Offset handle
- 13" overall length
- Weight: 4 lbs.




**Model No. DA638**

Annealed ductile iron

**Model No. DA637**

Non-sparking, manganese bronze alloy



### Deluxe Plug Wrenches

- Non-sparking brass alloy wrench fits virtually all industrial drums including those with square or hex plugs, male or female bung nuts or plugs and fittings with lugs and crossbars
- Built-in 1 1/4" wrench for tightening faucets into drums; eliminates the need for extra tools
- Weight: 2 lbs.

**Model No. PE359**



### Horizontal Brass Vents

- Horizontal vents are for use with drums in the horizontal pouring position
- Automatically relieves pressure at 5 PSI
- Flame arrestor prevents sparks and flame from igniting contents
- Manual vacuum relief by lifting and rotating the valve stem
- Maximum flow of 220 CFM at 20 PSI
- Fits 2" NPS bung in steel or plastic drums
- Weight: 1 lbs.

**Model No. PE362**





**WARNING! Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME! Please contact your KLETON representative for chemical compatibility.**

No single drum pump can be universally chemical resistant. Some blends of chemicals may not be suitable for any of these drum pumps. Remember to have your MSDS for each chemical that will be pumping when calling your KLETON representative. We will be able to help you select the right pump for your application.

## Stainless Steel Pull Type Drum Pumps

### Wetted components:

304 stainless steel, brass, polyethylene and steel.

- Use with certain acids and alkalis
- Fits 5 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

**Model No. DA530**



### Wetted components:

304 stainless steel, 316 stainless steel, brass and PTFE.

- For most acids and corrosives
- Fits 5 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

**Model No. DA531**



### Wetted components:

304 stainless steel, polyethylene and PTFE.

- For fast transfer of most acids and corrosives
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

**Model No. DA529**



### Wetted components:

304 stainless steel, 316 stainless steel and PTFE.

- For fast transfer of most acids and corrosives
- Fits 55-gallon drum with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

**Model No. DB845**



## Steel Pull Type Drum Pumps

### Wetted components:

Brass, steel and polyethylene.

- For most non-corrosive and non-flammable liquids
- Fits 5 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

**Model No. DA527**



### Wetted components:

Buna-N, polyethylene, leather and steel.

- For most water-soluble inorganic acids, waxes, detergents
- Fits 5-gallon pails with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

**Model No. DC113**



### Wetted components:

Polyethylene, steel and zinc.

- Use with most non-corrosive, light to medium viscosity liquids
- Fits 55-gallon drum with a 2" bung adaptor
- 3/4" diameter spout can be rotated to 180° and removed to expose garden hose thread
- Transfer rate: 22 oz. per stroke

**Model No. DC114**



## Diaphragm Hand Pumps

**Wetted components:** Aluminum, Buna-N, Delrin®, 304 stainless steel and steel.

- For use with most motor oil and other light petroleum products
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer Rate: 25.5 oz. per stroke
- Includes a safety locking latch

**Model No. DC068**



**WARNING! Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME!**

Please contact your KLETON representative for chemical compatibility.

## Pull Type Drum Pumps

### Polypropylene

**Wetted components:** Polyethylene, polypropylene, silicone and steel.

- For use with most corrosive chemicals and non-flammable solvents
- Fits 5 to 55-gallon drums with 3/4" or 2" bung adaptor
- 360° discharge spout orientation
- Transfer rate: 16 oz. per stroke

**Model No. DC115**



**Wetted components:**

Polypropylene, steel and Viton®.

- For use with most antifreeze, detergents, windshield fluids, glycerin, and mild acids
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer rate: 14 oz. per stroke

**Model No. DC127**



**Wetted components:**

Polyethylene, polypropylene and nylon.

- For use with most corrosive chemicals, water, and non-flammable solvents
- Good insulation from spark and fire
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

**Model No. DC117**



**Wetted components:**

Polypropylene, polyethylene, silicone and steel.

- For use with most corrosive chemicals and non-flammable solvents
- Adapts to 3/4" or 2" bung adaptor for 5 to 55-gallon drums
- 360° discharge spout orientation
- Transfer rate: 8 oz. per stroke

**Model No. DA532**



### PVC

**Wetted components:**

Polypropylene, nylon, PVC and Viton®.

- For use with most mild acids, detergents, water and solvents
- Good insulation from spark and fire
- Adapts to 3/4" or 2" for 5 to 55-gallon drums
- Transfer rate: 8 oz. per stroke

**Model No. DC116**



**Wetted components:**

PVC, nylon and Viton®.

- For use with most mild acids, detergents, water and solvents
- Good insulation from spark and fire
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

**Model No. DC118**



### Nylon

**Wetted components:**

Polypropylene, nylon, 304 stainless steel and PTFE.

- For use with most lacquer thinners, mild acids, detergents, water and light viscosity petroleum liquids
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer rate: 14 oz. per stroke

**Model No. DC128**





**WARNING! Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME!**

Please contact your KLETON representative for chemical compatibility.

## Rotary Lobe Pump Overview

Lobe pumps are popular in diverse industries because they offer superb sanitary qualities, high efficiency, reliability, corrosion resistance and good clean-in-place and sterilize-in-place characteristics.

Rotary lobe pumps are non-contacting and have large pumping chambers. If wetted, they offer self-priming performance. A gentle pumping action minimizes product degradation. They also offer reversible flows and can operate dry for long periods of time.

### Advantages:

- Pass medium solids
- No metal-to-metal contact
- Superior CIP/SIP capabilities
- Long term dry run (with lubrication to seals)
- Non-pulsating discharge

### Wetted components:

Aluminum, Buna-N, cast iron, chrome plated, polypropylene, steel and zinc.

- For use with most low viscosity and non-corrosive petroleum based fluids
- Dual directional operation for rapid discharge
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 1 liter per revolution

**Model No. DC111**



## Lever Type Drum Pumps

### Wetted components:

304 stainless steel, chrome plated, polyethylene, polypropylene and Viton®.

- Use with certain water-based solvents, mild acids and light viscosity petroleum liquids
- Adapts to 1-1/2" or 2" bung adaptor for 5 to 55-gallon drums
- Transfer rate: 14 oz. per stroke

**Model No. DC121**



### Wetted components:

316 stainless steel and PTFE.

- Use with certain water-based solvents, strongest acids or alkaline solutions
- Adapts to 1-1/2" or 2" bung adaptor for 5 to 55-gallon drums
- Transfer rate: 14 oz. per stroke

**Model No. DC123**



**Wetted components:** 316 stainless steel, polypropylene, polyphenylene sulfide and PTFE.

- Use with most water-based solvents, strong acids or alkalis and light viscosity petroleum liquids
- Adapts to 1-1/2" or 2" bung adaptor for 5 to 55-gallon drums
- Transfer rate: 14 oz. per stroke

**Model No. DC122**



**Wetted components:** Brass, Buna-N, polyethylene, steel and zinc.

- Use with most dispensing and transferring non-corrosive and petroleum based fluids
- Cushioned vinyl grip handle
- Discharge spout can be rotated 180° and removed to expose garden hose threaded outlet
- Adapts to 1-1/2" or 2" bung adaptor for 30 to 55-gallon drums
- Transfer rate: 11 oz. per stroke

**Model No. DC124**



## Polyethylene Siphon Pumps

### Wetted components:

Polyethylene.

- Use for most water based liquids, light oils and detergents
- Air vent in handle controls flow
- Fits 5-gallon pails
- Transfer rate: 2 gallons/minute

**Model No. DC120**




### Wetted components:

Polyethylene.

- Use with water based liquids, light oils and detergents
- Air vent in handle controls flow
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer rate: 7 gallons/minute

**Model No. DC119**



## Pail Type Pumps

### Wetted components:

Delrin®, polyethylene, PVC and steel.

- For use with most engine oils, gear oils and antifreeze
- Fits 5 gallon pails
- Includes a 48" discharge hose fitted with curved metal spout at discharge end
- Transfer rate: 2 oz. per stroke

**Model No. DC129**



**WARNING! Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME!**

Please contact your KLETON representative for chemical compatibility.

## Rotary Type Drum Pumps

### Rotary vane pump overview

While vane pumps can handle moderate viscosity liquids, they excel at handling low viscosity liquids such as LP gas (propane), ammonia, solvents, alcohol, fuel oils, gasoline and refrigerants. Vane pumps have no internal metal-to-metal contact and self-compensate for wear, enabling them to maintain peak performance on these non-lubricating liquids. Vane pumps are noted for their dry priming, ease of maintenance, and good suction characteristics over the life of the pump.

### Aluminum

#### Wetted components:

Aluminum, Buna-N, PVC nitrile, steel and zinc.

- For use with most low viscosity, non-corrosive petroleum based fluids and lubricating oils up to SAE30
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 6-3/4 oz. per revolution
- Includes a safety locking latch
- 3/4" dia. x 1.8 m long PVC nitrile discharge hose included



**Model No. DC126**

#### Wetted components:

Aluminum, Buna-N, polypropylene and steel.

- For use with most medium viscosity petroleum fluid, and non-corrosive fluids
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per revolution



**Model No. DC112**


### Steel and Cast Iron

#### Wetted components:

Buna-N, cast iron, polyethylene, polypropylene and steel.

- For use with most medium viscosity petroleum fluid, light non-flammable and non-combustible fluids
- Dual directional operation allows pump to both empty and refill containers
- Fits 30 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per revolution
- Steel discharge spout and polyethylene discharge hose of 1" diameter and 55" long included

**Model No. DA528**



#### Advantages

- Handles thin liquids at relatively higher pressures
- Compensates for wear through vane extension
- Sometimes preferred for solvents, LP
- Can run dry for short periods
- Can be equipped with a gasket or a stuffing box
- Develops good vacuum

### Polypropylene

#### Wetted components:

304 stainless steel, polypropylene, PTFE and Viton®.

- For water-soluble inorganic acids, waxes, detergents
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per revolution

**Model No. DB998**



### Polyphenylene Sulfide and Stainless Steel

**Wetted components:** 304 stainless steel, polypropylene, polyphenylene sulfide and PTFE.

- Use with most aggressive chemicals such as hydrocarbons and ketones
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 12 oz. per revolution

**Model No. DC335**





## PTFE

**Wetted components:** Hastelloy®, PVDE and PTFE.

- For most aggressive chemicals such as acids and alkalines
- Fits 30 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 12 oz. per revolution

**Model No. DC334**



## Stainless Steel

**Wetted components:**  
304 stainless steel, PVDF and PTFE.

- For most organic acids, alcohols and solvents
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 12 oz. per revolution

**Model No. DB759**




## Aluminum and Cast Iron

**Wetted components:** Cast iron, steel, graphite, polypropylene, aluminum, EPDM rubber and Buna-N

- FM approved pump with 8' antistatic hose, nozzle, flame arrestor and vacuum breaker
- For use with class 1 and class 2 flammable and combustible liquids such as gasoline, alcohols, and other solvents
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 10 gallons per minute

**Model No. DC505**



### PUMP SPECIFICATIONS

Inlet / Outlet	3/4" NPT (F)
Flow	38LPM (10 GPM) @120 RPM
Maximum Fluid temperature	250°F/ 120°C
Mounting	2" MNPT Bung Adapter
Maximum Viscosity	2000 SSU
Suction Tube Length	18.2" (460mm) to 34.5"(875mm)



# LADDERS, STANDS & PLATFORMS

- Step Stands & Platforms ..... 117
- Rolling Step Ladders ..... 118
- Rolling Ladders ..... 119 - 120
- Tilt-N-Roll Ladders ..... 120
- Mechanics Ladders..... 120
- Portable Folding Ladders..... 120
- Maintenance Platforms..... 121





Customise these  
products to your specs!  
See page 36

## Work Platforms

- Frame is welded 1" round steel tubing
- Elevate workers to comfortable working heights
- Provides solid footing around machinery and other work areas
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish
- Meets ANSI standard A14.7

Model No.	Top Step W" x D"	Top Step Height"	Wt. lbs.
VC127	24 x 32	6	28
VC128	32 x 32	6	34
VC129	24 x 32	12	32
VC130	32 x 32	12	38

300-LB.  
CAPACITY

VC129

VC127



### Replacement Parts

Model No. VC055, Rubber Foot Tip

## Step Stands

- Frame is welded 1" round steel tubing
- Rolling stand comes with 3" spring-loaded casters
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish
- Meets ANSI standard A14.7

300-LB.  
CAPACITY

### Static Stands

Model No.	Overall Dim. W" x D" x H"	Top Step W" x D"	Wt. lbs.
MH228	20 x 16 x 12	18 x 16	11
MH229	24 x 16 x 12	22 x 16	13
MH230	32 x 16 x 12	30 x 16	16

### Rolling Stands

Model No.	Overall Dim. W" x D" x H"	Top Step W" x D"	Wt. lbs.
MH225	20 x 16 x 12	18 x 16	17
MH226	24 x 16 x 12	22 x 16	19
MH227	32 x 16 x 12	30 x 16	22

### Replacement Parts

Model No. MA790, Spring Loaded 3" Swivel Caster

Model No. VC055, Rubber Foot Tip

MH228

MH225



## Tilt-N-Roll Step Stands

- Frame is welded 1" round steel tubing
- Handle allows step stand to move easily on two 4" casters
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish
- Meets ANSI standard A14.7

300-LB.  
CAPACITY

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Wt. lbs.	Base Dim. W" x D"
VC335	1	22 x 8	12	22 x 16	24	29 x 16
VC336	2	22 x 8	19	22 x 16	33	29 x 24

VC336





Customise these products to your specs! See page 36

## 24" Wide Rolling Step Ladders



MA613



- Frame is welded 1" round steel tubing
- For use in record storage rooms, offices, warehouses and confined spaces
- Rolls into position and locks firmly to the floor
- Casters retract under operator's weight while rubber feet drop down
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish
- CSA certified to the ANSI standard A14.7

**300-LB.  
CAPACITY**

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Base Dimensions W" x D"	Wt. lbs.
MA612	2	22 x 8	19	22 x 16	24 x 26	32
MA613	3	22 x 8	28	22 x 16	24 x 30	42
MH279	4	22 x 8	37	22 x 16	24 x 37	52
MA615	5	22 x 8	46	22 x 16	24 x 41	61

### Replacement Parts

**Model No. MA790**, Spring Loaded 3" Swivel Caster

**Model No. VC055**, Rubber Foot Tip

## 20" Wide Rolling Step Ladders



VC131

- Frame is welded 1" round steel tubing
- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- Operate on spring-loaded casters
- Casters retract under operator's weight while rubber feet drop down
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish
- Meets ANSI standard A14.7

**300-LB.  
CAPACITY**

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Base Dimensions W" x D"	Wt. lbs.
VC131	2	18 x 8	19	18 x 16	20 x 26	28
VC132	3	18 x 8	28	18 x 16	20 x 30	38
VC133	4	18 x 8	37	18 x 16	20 x 37	48
VC134	5	18 x 8	46	18 x 16	20 x 41	57

### Replacement Parts

**Model No. MA790**, Spring Loaded 3" Swivel Caster

**Model No. VC055**, Rubber Foot Tip



VC134



Customise these  
products to your specs!  
See page 36

## Rolling Ladders With Spring Loaded Front Casters

- Frame is welded 1" round steel tubing
- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- 2 to 6-step ladders operate on spring-loaded casters
- Casters retract under operators weight while rubber feet drop down
- First step on all 8 to 16-step ladders activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish
- CSA certified to the ANSI standard A14.7

**300-LB.  
CAPACITY**

### WITH SPRING-LOADED FRONT CASTERS

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Overall Base Dimensions W" x D" x H"	Wt. lbs.
MA614	4	22 x 8	37	22 x 16	30 x 36 x 78	78
MA616	5	22 x 8	46	22 x 16	30 x 46 x 87	89
MA617	6	22 x 8	55	22 x 16	30 x 51 x 95	100

### Replacement Parts

**Model No. MA790**, Spring Loaded 3" Swivel Caster

**Model No. VC055**, Rubber Foot Tip

**Model No. MH297**, Replacement Rubber 8" Wheel



MA617



## Rolling Ladders With Locking Step

**300-LB.  
CAPACITY**

### WITH LOCKING STEP

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Overall Base Dimensions W" x D" x H"	Wt. lbs.
*MA622	8	30 x 8	72	30 x 16	38 x 60 x 113	180
*MA623	10	30 x 8	89	30 x 16	38 x 72 x 130	230
*MA624	12	30 x 8	109	30 x 16	38 x 80 x 149	250
*MA625	14	30 x 8	128	30 x 16	38 x 93 x 167	275
*MA626	16	30 x 8	144	30 x 16	38 x 104 x 185	305


\* Shipped knocked down, easy assembly

### Replacement Parts

**Model No. MC305**, 4" Swivel Rubber Caster for Ladders 8-Step and up

**Model No. VC055**, Rubber Foot Tip

**Model No. MH297**, Replacement Rubber 8" Wheel



MA622





Customise these products to your specs! See page 36



MD603

## Tilt-N-Roll Ladders


- Frame is welded 1" round steel tubing
- Balanced design allows ladder to tilt into the rolling position
- 30" high rails with 24" wide non-clogging slip resistant steps
- Oversize 24" x 24" top step for easier worker movement
- Legs have rubber tips that hold ladder secure during use
- Ladder moves easily on two 4" casters
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish • Meets ANSI standard A14.7

**300-LB. CAPACITY**

Model No.	Number of Steps	Step W" x D"	Rise Height"	Top Step Height"	Top Step W" x D"	Height Top Rail"	Overall Dimensions W" x D" x H"	Wt. lbs.
MD603	3	22 x 8	9	27	22 x 24	30	25 x 44 x 57	70
MD604	4	22 x 8	9	38	22 x 24	30	25 x 50 x 68	81
MD605	5	22 x 8	9	47	22 x 24	30	25 x 56 x 77	93
MD606	6	22 x 8	9	56	22 x 24	30	25 x 62 x 86	105

### Replacement Parts

**Model No. MH242**, Tool Tray (optional)  
**Model No. VC055**, Rubber Foot Tip  
**Model No. ML334**, 4" Rigid Rubber Caster



Optional Tool Tray



MH213

## Mechanics/Maintenance Rolling Ladders


- Frame is welded 1" round steel tubing
- Double-straddle base puts worker in close proximity for hard-to-reach jobs
- Tilt and roll wheelbarrow style mobility allows easy movement over rough surfaces
- Oversize 22" x 24" top step for easier worker movement
- Removable 10" D x 24" W tool tray fits on front or side railing included
- Non-clogging slip-resistant steel steps
- Durable KLETON blue enamel finish • Meets ANSI standard A14.7

**300-LB. CAPACITY**

Model No.	Number of Steps	Step W" x D"	Rise Height"	Top Step Height"	Top Step W" x D"	Height Top Rail"	Overall Dimensions W" x D" x H"	Wt. lbs.
MH212	3	22 x 8	9	28	22 x 24	30	24 x 44 x 58	85
MH213	4	22 x 8	9	38	22" x 24	30	24 x 50 x 68	98
MH214	5	22 x 8	9	47	22 x 24	30	24 x 56 x 77	112
MH215	6	22 x 8	9	57	22 x 24	30	24 x 68 x 87	125

### Replacement Parts

**Model No. MH242**, Tool Tray  
**Model No. VC055**, Rubber Foot Tip  
**Model No. ML334**, 4" Rigid Rubber Caster



Includes removable 10"D x 24"W tool tray. Fits on front or side railing.



## Portable Folding Ladders

- Foldable locking design saves on storage space when not in use
- Welded construction
- Easy to maneuver
- 58° slope, 7" deep steps for easy climbing
- Non-clogging slip-resistant steel steps
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage

**350-LB. CAPACITY**

Model No.	Number of Steps	Top Step Height"	Open W" x L"	Folded Dimensions W" x D" x H"	Wt. lbs.
VC436	2	20	24 x 17	24 x 10 x 41	30
VC437	3	30	24 x 23	24 x 10 x 52	35
VC438	4	40	24 x 30	24 x 10 x 65	42

### Replacement Parts

**Model No. VC439**, 4" Polyurethane Wheel  
**Model No. VC440**, Rubber Foot Tip





MD444




**KLETON High Work Maintenance Platform exceeds ASME B56.1 safety standard when a safety harness and lanyard are worn.**

**1000-LB. CAPACITY**

- All-welded design with a 14-gauge non-skid steel platform and 1 1/4" tubular steel frame
- Converts forklift trucks into a safe and efficient work platform
- Forks enter easily into channels and safety chains secure platform to fork carriage
- Welded safety gate is hinged to the platform
- 72" safety mesh back screen protects user from lift mechanism
- Durable KLETON blue enamel finish


Model No.	Side Rails Height"	Fork Channel Openings"	Channels (Centre to Centre) "	Overall Dimensions W" x D" x H"	Wt. lbs.
MD444	42	7 x 3	26	36 x 36 x 75	230
MH800	42	7 x 3	26	48 x 48 x 75	300



**MI787**  
Optional Tool Tray

## OPTIONAL TOOL TRAYS

Model No.	Overall Dimensions W" x D" x H"	For Use with Model	Wt. lbs.
MI787	36 x 4 x 3	MD444	6
MI788	46 x 4 x 3	MH800	7



**MD948**  
Optional Light Bulb Caddy

## OPTIONAL LIGHT BULB CADDY

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
MD948	15 x 15 x 43	25

## OPTIONAL CASTER KIT

Model No.	Description	Wt. lbs.
MD338	Two rigid 6" phenolic and two swivel 6" phenolic casters	22

- Caster kit allows a person to move the platform around without the use of a forklift truck
- Compatible with both **MD444** and **MH800**



# PACKAGING TOOLS

Utility Knives..... 123

Bag Sealers ..... 124

Carton Sizers..... 124

Tape Dispensers ..... 124

Strapping & Steel Seals..... 125

Stretch Wrap Dispensers ..... 125

Strapping Sealers .....126-127

Strapping Cutters ..... 126

Strapping Tensioners..... 127


Glue Guns ..... 128

Cable Ties..... 128

Staple Guns..... 129

**Heavy-Duty Utility Knives**

- Auto-reload blade change
- Auto-lock blade
- Thumb operated screw-lock for heavy-duty operation
- Rubber handle insert for superior grip
- Snap-off blades
- Attached blade snapper
- Includes 4 heavy-duty blades
- **Replacement blades: PF205, 10/pkg**

**Model No. PE812****Professional Utility Knives**

- Blade screw lock
- Snap-off blades
- Comes with blade snapper
- **Replacement blades: PF205, 10/pkg**

**Model No. PE813****Professional Utility Knives**

- Auto-lock blade
- Snap-off blades
- Attached blade snapper
- **Replacement blades: PF205, 10/pkg**

**Model No. PE814****Standard-Duty Utility Knives**

- Auto-lock blade
- Durable ABS plastic body
- Snap-off blades
- Attached blade snapper
- Lightweight design
- **Replacement blades: PF205, 10/pkg**

**Model No. PE549****Standard-Duty Utility Knives**

- Snap-off blades
- Attached blade snapper
- Includes one extra blade
- **Replacement blades: PE407, 10/pkg**

**Model No. PE345****Stainless Steel Utility Knives**

- Auto-lock blade
- Snap-off blades
- Attached blade snapper
- Built-in belt clip
- **Replacement blades: PE407, 10/pkg**

**Model No. PE815****Heavy-Duty Utility Knives**

- Blade screw lock
- Snap-off blades
- Rubber handle insert for superior grip
- **Replacement blades: PE410, 10/pkg**

**Model No. PE349****aurora tools®**




## Bag Sealers

- Heavy-duty bag sealer with tape cutter
- Easy to use: just twist bag shut and move through slot

**Model No. PE356**

Replacement Parts

**Model No. PE383,**  
Replacement Blade



## Heat Impulse Sealers

- Used for sealing polyethylene, polypropylene, and PVC bags
- Compact design
- Lightweight
- Easy to operate
- 110 V



Model No.	Size	Power
PF464	8"	260 W
PF465	12"	380 W

## Filament Tape Dispensers

- Hand filament tape dispenser
- For up to 1" wide rolls
- Metal construction

**Model No. PE355**



## Carton Sizers

- Ideal for cutting boxes down to the desired depth
- Lowers cost on shipping and packaging fill materials
- 12" ruler allows for precise measuring
- Replacement blade: PF346

**Model No. PF345**



## Tape Dispensers

- Retractable safety blade protects operator from injury
- Industrial quality tape guns constructed of steel and high impact plastic frame
- Adjustable brake lets you choose the desired release tension



**PE321**



**PE322**



**PE323**

Model No.	Description	Replacement Blade	Replacement Window
PE321	2" Standard-Duty Plastic	PE325	PE327
PE322	2" Heavy-Duty Steel	PE325	PE327
PE323	3" Heavy-Duty Steel	PE326	PE329



## Steel Strapping

- Strongest material for a wide range of strapping requirements
- Ideal for heavy shipments that require stronger protection over polypropylene and polyester
- Black painted and waxed finish


Model No.	Strap Width"	Core Dimensions"	Strength lbs.	Feet Coil
PF404	1/2 X 0.020	16 x 3	1200	2940
PF405	5/8 X 0.020	16 x 3	1500	2360
PF406	3/4 X 0.020	16 x 3	1800	1960
PF407	1 1/4 X 0.031	16 x 1 1/4	5500	760



PF404

## Steel Seals

- All fully galvanized steel
- **Open (snap-on) type:** Used on flat and smooth surfaces
- **Fully closed (push) type:** Used on curved and irregular surfaces



### OPEN (SNAP-ON)

Model No.	Strap Width"	Qty/ Box
PF408	1/2	2000
PF409	5/8	2000
PF410	3/4	2000
PF411	1/2	5000
PF412	5/8	5000
PF413	3/4	5000
PF414	1 1/4	1000



### FULLY CLOSED (PUSH)

Model No.	Strap Width"	Qty/ Box
PF415	1/2	2000
PF416	5/8	2000
PF417	3/4	2000
PF418	1/2	5000
PF419	5/8	5000
PF420	3/4	5000
PF421	1 1/4	1000

## Stretch Wrap Dispensers

- For a smooth, tight application of stretch wrap
- Needle bearings at the top and bottom of the unit increase tension control
- Tension control knob on top ensures a tight, smooth wrap
- Tension knob also provides a second hand grip for added stability
- Top plate is constructed of cast aluminum for added durability
- Adjusts to hold rolls from 11" to 18" wide

Model No. PE354



PE354


## Strapping Dispensers

- Strapping cart is designed to be compatible with both polypropylene and steel strapping
- The unique multi-tier discs accommodate three core strapping sizes: 8" x 8", 16" x 3" and 16" x 6"
- Rubber rollers prevent strapping from unrolling
- Cart includes large storage tray for strapping accessories
- Heavy-duty 8" rubber wheels for easy maneuverability

Model No. PE555



PE555



PA550

## Steel Strapping Sealers

### For use with open seals

- Double notch creates a strong interlocking joint
- Heat-treated steel construction for added durability
- Ball handles provide a superior grip
- Ideal for use with feed-wheel tensioners

Model No.	Strap Width"
PA550	1/2
PA562	5/8
PA551	3/4



PE351

### For use with closed and semi-closed seals

- Single notch for use with closed and semi-closed seals
- Chrome-plated steel construction
- Ball handles provide a superior grip
- Ideal for use with push-bar style tensioners

Model No.	Strap Width"
PE351	1/2
PE352	5/8
PE353	3/4




PB016

### For use with closed and semi-closed seals

- Single notch for use with closed and semi-closed seals
- Heat-treated steel construction for added durability
- Ideal for use with push-bar style tensioners
- For use with 1 1/4" wide steel strapping
- 28" long

**Model No. PB016**




PC446

## Safety Cutters for Steel Strapping

### Standard-Duty

- Cuts steel strapping 3/8" – 1 1/4" wide x 0.036" thick
- Safety design holds strapping in place to prevent injuries from flying ends
- Rubber pads gently release strapping when being cut

**Model No. PC446**



PC479

### Heavy-Duty

- Cuts steel strapping 3/8" – 2" wide x 0.050" thick
- Powerful drop-forged steel design
- Heavy-duty performance for industrial applications
- 24" long

**Model No. PC479**

## Steel Strapping Tensioners

### Push Bar Style

- Accepts steel strapping 0.020" thick
- Light tension
- Limited take-up
- Ideal for applications on small, round or irregular surfaces
- For use with push type seals

Model No.	Description	Strap Width"
PA567	Standard	3/8 - 1/2
PE350	Heavy-Duty	3/8 - 3/4

### Feed-Wheel Style

- Accepts steel strapping 0.035" thick
- Fast and easy operation
- Medium/heavy tension
- Unlimited take-up
- Ideal for applications on flat surfaces
- For use with open seals

Model No.	Description	Strap Width"
PC938	Standard	3/8 - 3/4
PC399	Heavy-Duty	3/4 - 1 1/4



PA567



PE350



PC938

## Polypropylene & Polyester Strapping Tensioners

- Accepts strapping 3/8 - 3/4" wide
- Superior design and performance
- Premium copper bushings
- Built-in strapping cutter
- Ideal for applications on flat surfaces
- For use with open seals or buckles

Model No. PC939



PC939

## Polypropylene Strapping Sealers

- Heat-treated steel construction for superior strength and durability
- Prevents strapping from loosening during transit
- Long 18" handle requires less effort
- Use on steel seals

Model No.	Strap Width"
PA555	1/2
PA556	5/8
PF459	3/4



PA555



## Professional Glue Guns

- Perfect for light-duty carton sealing or small manufacturing projects
- Accepts 7/16" diameter regular glue sticks
- Trigger design for better grip control
- Features precise, even adhesive distribution
- 120 V / 80 W heater
- Comes with metal wire stand

**Model No. PE339**



## Heavy-Duty Glue Guns

- Ideal for medium-heavy duty applications
- Accepts 7/16" diameter regular glue sticks
- Ergonomic trigger design for better grip and comfort
- Features precise, even adhesive distribution
- Illuminated on/off switch
- 120 V / 100 W heater
- Comes with metal wire stand

**Model No. PE340**

**aurora tools®**

## Glue Sticks



Model No.	Glue Type	Viscosity Centipoise	Melting Point		Typical Applications	Dim."	Qty /Case
			° C	F			
PE341	Clear	11000-13000	77-82	170-180	High strength, high temp, for non porous materials such as metal and plastics	7/16 x 4	2000
PE342	Clear	11000-13000	77-82	170-180	High strength, high temp, for non porous materials such as metal and plastics	7/16 x 10	803
PE343	Amber	5000	95	203	For porous materials such as corrugated boxes or wood	7/16 x 15	536
PE541	Clear	9400	80	176	All temp. all purpose for porous and non-porous materials	7/16 x 10	803

## Cable Ties

- Manufactured from nylon 6/6
- Ideal use in temperatures ranging from -20°C to 80°C
- PF174 has the added benefit of weather resistance



## Cable Tie Sets

**Model No. PF397**

**Set Includes:**

400 x PF387, 400 x PF389, 200 x PF391

**Model No. PF398**

**Set Includes:**

50 x PF393, 50 x PF395

**aurora tools®**

Model No.	Style	Length"	Bundle Dia. Min." - Max."	Tensile Strength lb	Qty /Bag
PF385	Natural	4	1/16 - 7/8	18	1000
PF386	Black	4	1/16 - 7/8	18	1000
PF387	Natural	5 1/2	1/16 - 1 1/4	40	1000
PF388	Black	5 1/2	1/16 - 1 1/4	40	1000
PF389	Natural	7 1/2	1/16 - 1 3/4	50	1000
PF390	Black	7 1/2	1/16 - 1 3/4	50	1000
PF391	Natural	11	1/16 - 3	50	1000
PF392	Black	11	1/16 - 3	50	1000
PF393	Natural	15	1/16 - 4	120	100
PF394	Black	15	1/16 - 4	120	100
PF395	Natural	24	3/16 - 7	175	100
PF396	Black	24	3/16 - 7	175	100



### Heavy-Duty Staple Guns

- All-steel construction, with rubberized handle for superior grip
- Easy squeeze, double leverage handle reduces operators fatigue
- Hand-contoured handle features Molded plastic handle stop
- Bottom loading, with jam proof mechanism
- Adjustable driving force facilitates use
- Accepts staples in 3 lengths: 5/16", 3/8" and 1/2", with a crown width of 3/8"

**Model No. PE337**



**aurora tools®**

### Heavy-Duty Hammer Tackers

- All-steel construction, with rubberized handle for superior grip
- Precision locked rear loading, with jam proof mechanism
- Retractable striking edge
- Chrome plated finish
- Accepts staples in 3 lengths: 5/16", 3/8" and 1/2", with a crown width of 3/8"

**Model No. PE338**



### Staples

Model No.	Size"	Qty/box
ON919	5/16	5000
ON920	3/8	5000
ON921	1/2	5000

**aurora tools®**



**Everything you need to  
pack & secure even your  
heaviest shipments!**

**KLETON**

See pages  
125 to 127

