

PRODUCT CATALOG

2016-2017



HARDWARE UNLIMITED

Industrial & Safety Supplies



superiorglove®



Welcome to Superior Glove's latest catalog.

Why the bare hands on the cover? Because that's what we design for. We don't design for the coolest look. We don't design to formulate the most advanced palm coatings. We don't design with technical yarn fabrication in mind. We design for your bare hands.

Your bare hands, in their purest form, are one of the world's most adept and advanced tools. With 29 bones and 123 ligaments, the human hand is unparalleled in the animal kingdom.

And we know that what you do each day, when you arrive at work, puts those hands at risk. Our job is simply to mitigate that risk.

And so we design. And we innovate. We test, adjust, and redefine what it means to wear work gloves. Safety gloves. That's what we create for you. It's your hands that do all the work – we just keep them safe.

Like the rest of the human body's moving parts, the functions of the hand are defined by muscular movements; the flexor muscles on the underside of the forearm (this is what allows you to bend the fingers and thumbs) and the extensor muscles on top of the forearm (this is what allows you to straighten out the fingers and thumbs).

This catalog showcases our finest selection of safety gloves. It also features our award-winning lineup of protective sleeves.

Arms protected, hands protected. Delivered to you in comfortable, lightweight, and ergonomically designed solutions, this armor will ensure that you have a great day at work.

(Want to know more about Superior Glove? Check out the "**About Us**" page on superiorglove.com.)

Thank you,

Tony Geng
President





customer testimonials

"A very special thank you to Superior Glove for being a true partner of ours... we look forward to working with you to raise the awareness regarding glove safety and to showcase the latest in technological advances to reduce injuries on our project sites."

David K.

Environmental Health & Safety Director, Skanska USA Building Inc.

"We are extremely pleased with the field support, training and the value Superior Glove brings to our end users."

Gloria G.

Product Manager -Safety, IDG-Industrial Distribution Group

"We have 1500 employees wearing gloves. We buy 80% of our gloves from Superior. We get called on weekly from the competition, but I stay with Superior because of the service we get from them; our rep knows our processes very well."

Carl B.

HSE Coordinator



TABLE OF CONTENTS

Product Testing, Laundering & Sizing.....	1-8	Welding Gloves	91-98
Cut-Resistant Gloves	9-36	Anti-Vibe Gloves	99-102
Impact Gloves.....	37-44	Puncture Gloves	103-106
Palm Coated Gloves	45-52	Stringknit Gloves	107-114
Heat Resistant Gloves	53-60	Disposable Gloves	115-118
Mechanics Gloves	61-64	Cleanroom Gloves	119-124
Chemical-Resistant Gloves	65-76	Winter Gloves	125-138
Leather Gloves	77-90	Protective Sleeves.....	139-144

CONTACT US

Canada - Head Office

Ph (519) 853-1920 • (800) 265-7617
Fx (519) 853-4496
36 Vimy Street, Acton ON, L7J 1S1
business.development@superiorglove.com

USA

Ph (800) 265-7617 • **Fx** (519) 853-4496
2345 Walden Avenue
Cheektowaga, New York, 14225
business.development@superiorglove.com

Europe

Mobile +44 (0) 7748 801 833
Ph +1 519 853 1920
Fx +1 519 853 4496
graham.ayers@superiorglove.com

Montreal

Ph (514) 327-6812 • **Fx** (514) 329-2080
9125 Pascal Gagnon, Suite 107
St.Léonard, Québec, H1P 1Z4
info@groupdibello.com

Mexico

Mobile (281) 795-5250
Fx (519) 853-4496
julio.coronado@superiorglove.com



superiorglove.com

PRODUCT TESTING

“On-the-job” testing is expensive, time consuming and rarely accurate due to psychological biases. In answer to these problems, Superior has developed its own In-House Glove Testing Lab. Using state-of-the-art digital testing equipment, we can provide you with objective hard numbers on the abrasion resistance, cut resistance, thermal insulation, impact and puncture resistance data for any glove. We also use this valuable information to design advanced gloves that balance the most effective combination of cut and abrasion resistance for any job.

CALL US - We'll test your gloves for you!

ASTM CUT TEST



Superior has an in-house cut-testing machine that tests according to the ASTM F1790-05 standard. We can test any glove in our line - as well as any other gloves you might be using.

IMPACT TEST



Superior Glove has developed its own in-house impact test machine. A predetermined weight is dropped onto a glove from a set height. The machine measures the force transferred through the glove. This test allows us to design and select the best glove for industries like oil extraction and mining.

ABRASION TEST



We test according to the ASTM D3389-94 standard for abrasion resistance using the Taber test machine. In this test, gloves spin while two grinding wheels abrade the surface of the glove, during which the number of rotations before wear-through are recorded. The ASTM level is then determined by the number of rotations applied before either the coating is worn through or the first loose thread appears. This test is important for determining which glove will last the longest and provide the highest value.

PUNCTURE TEST



Our lab can test against a modified version of EN388: 1994 standard. A sharp puncture probe is pushed through the palm side of a glove (or back of hand, if preferred) using a machine that measures the force required to puncture the glove. This gives customers in industries like recycling or lumber an important tool for determining which gloves are suitable protection against puncture hazards.

THERMAL TEST



Heat

Our lab test measures for ASTM F1060-87 levels of conductive heat resistance. Glove material is placed on a hot plate at a selected temperature. A sensor determines how much heat energy is transferred through the glove and this energy is translated into a 'time-to-pain' or a 'time-to-second-degree-burn' number. This test provides valuable data as to which gloves provide the best insulation against heat in applications like welding, plastic extrusion, and foundries.



Cold

Here a high tech metal hand form is wired with sensors and heated internally to 98.6°F (37°C) to mimic the human hand.

- The test replicates performance of winter gloves under humidity, wind chills, and extreme temperatures (down to -40°F)
- Tiny pores on metal hand simulate "sweating" to allow us to control flow of moisture
- Extensive testing and rating systems enable us to minimize glove thickness and maximize warmth and dexterity to protect hands against harshest conditions

GLOVE LAUNDERING

Washing gloves very often results in significant savings, especially if you are using high quality leather, Dyneema® or Kevlar® gloves. Superior will gladly assist you with any questions and provide you with information on laundering.

Contact our customer service department for tips, especially the do's and don'ts of glove laundering. We will also provide you with information you need to locate the best launderers in your area. Professional glove launderers will know how to wash any type of glove. Here is a rough guideline that may be helpful.



KEVLAR® GLOVES

Kevlar® is inherently cut-resistant, meaning that cut resistance is unchanged over the lifetime of the glove. Despite repeated laundering Kevlar® can be washed over and over, with no effect on shrinkage, weight loss or changes in tensile strength. Kevlar® is resistant to many chemicals and solvents, with the exception of strong acids, bases and oxidizers Kevlar® must never be bleached. However, oxygen 'bleach' can be used in place of chlorine bleach.

Detergent Wash

1. Use approx. 5 lbs commercial laundry soap or detergent per 100 lbs Kevlar®
2. Use hot water: 170°F/75°C
3. Wash for 20 minutes
4. Rinse with hot water
5. Repeat steps 3 and 4 if necessary
6. Rinse in cold water
7. Tumble dry for 35 minutes at 155°F/70°C

Dry Cleaning

1. Pre wash using perchloroethylene for 5 minutes
2. Drain
3. Wash for 20 minutes using perchloroethylene and 12 oz of anionic surfactant/100 lbs of Kevlar®
4. Tumble dry at 140°F/60°C or less.



DYNEEMA® GLOVES

Dyneema® can be washed, dry-cleaned, and bleached, all without affecting the specific properties of Dyneema®.

However, Dyneema® does have one limitation: temperature.

It will not withstand temperatures—wet or dry—over 291°F/144°C, so keep this in mind.

- Standard detergents, ammonium, sodium hydroxides, hydrochloric acid, etc., are not known to affect the performances of the Dyneema® fiber. This enables you to wash and re-use the gloves many times
- Use cold water only: 104°F/40°C or less
- Tumble dry low or no heat



PROBAN®

Fabrics treated to be flame retardant are limited to a set number of washes, which can sometimes lead to a delay in laundering in the hope the garment will last longer. However, not washing fabrics such as Proban® can pose an even greater danger by actually rendering them flammable due to a buildup of oils and other contaminants that hinder the flame-resistant treatment.

Do not use pure soap when laundering Proban®, as deposits left behind after washing again increase flammability. Bleach cannot be used, but oxygen-based bleaches are fine as long as temperatures do not exceed 75°F.



OTHER MATERIALS

Leather Gloves

- It is generally recommended that leather gloves be dry cleaned. Soap and water removes the natural oils present in the leather, causing them to stiffen and become brittle

Nylon Gloves

- Use warm water: 105°F/40°C
- Wash with a regular detergent
- Tumble dry at low or no heat

Wool Gloves

- Use cold water only: 70°F/20°C or less.
- Use a mild detergent and gently wash
- Tumble dry at low or no heat

Cotton/Polyester Gloves

- Use warm water: 105°F/40°C
- Wash with a regular detergent
- Tumble dry, medium heat

Coated Gloves

- Use cold water: 85°F/30°C or less
- Use a mild detergent
- Tumble dry low or no heat
- Bleach is not recommended


CUT-RESISTANT GLOVE STAMP

Going forward, coated string-knit cut-resistant gloves will feature this new and improved back of hand stamp. This design change offers all technical info at a quicker glance, each with a stamp representative of its cut level color.

OLD DESIGN



NEW DESIGN




*Information displayed on stamps will vary depending on available test results.



HAND & SLEEVE SIZE GUIDE


A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential work-place hazard.

How To Measure Your Hand



How To Measure Your Arm

To find the best fit, measure the circumference of your bicep and choose sizing according to the chart below.



2XS	9.75 inches / 250 mm
XS	10.25 inches / 260 mm
S	10.5 inches / 265 mm
M	11 inches / 280 mm
L	11.75 inches / 295 mm
XL	14.5 inches / 370 mm
2XL	11.5 inches / 450 mm



CUT GLOVES

superiorglove.com





ASTM TESTING



DEXTERITY®

#S13KGPN

5-12

- 13-gauge Kevlar®/composite filament fiber blended string knit glove
- Black Widow™ Micropore Grip nitrile coating
- 1560 grams of cut protection

APPLICATIONS:

Handling Sharp and Oily Metal Parts, Automotive, Metal Stamping, Small Parts Handling, General Maintenance



ASTM TESTING



TENACTIV™

#STAGHVPN

5-12

- 13-gauge hi-viz TenActiv™ string knit glove
- Black Widow™ Micropore Grip nitrile coating
- 1875 grams of cut protection

APPLICATIONS:

Handling Sharp Objects, Glass Plants, Construction, Automotive, Aerospace, Metal Fabrication, Metal Stamping



ASTM TESTING



EN 388 TESTING



EMERALD CX®

#S13CXPNT

6-11

- Blend of Kevlar® and stainless steel Wire-Core™
- Puncture and abrasion resistant micropore nitrile palm coating
- Touchscreen compatible
- 2119 grams of cut protection

APPLICATIONS:

Automotive, Metal Stamping, Fabrication, Assembly, Glass Handling, Sheet Metal Work



ASTM TESTING



EMERALD CX®

#SCXPNTFB

6-11

- Blend of Kevlar® and stainless steel Wire-Core™
- Full micropore nitrile palm coating
- Touchscreen compatible
- 3250 grams of cut protection

APPLICATIONS:

Metal Fabrication, Assembly, Glass Handling, Sheet Metal Work

EMERALD CX®
#SCXPNTFC

6-12

- Blend of Kevlar®, and stainless-steel Wire-Core™
- Full nitrile coating under a micropore coating renders these gloves liquid proof
- 2810 grams of cut protection

APPLICATIONS:

Metal Fabrication, Assembly, Glass Handling, Sheet Metal Work, Automotive



ASTM TESTING



EN 388 TESTING



DEXTERITY®
#S13KPNT

7-11

- 13-gauge Kevlar® knit
- Black Widow™ Micropore Grip nitrile coating
- 1375 grams of cut protection

APPLICATIONS:

Handling Sharp, Oily Metal Parts, Automotive, Metal Stamping, Small Parts Handling, General Maintenance



ASTM TESTING



EMERALD CX®
#S10NXFN

5-11

- 10-gauge blend of stainless steel/composite filament core
- Reformulated foam nitrile palm
- Touchscreen compatible
- 3975 grams of cut protection

APPLICATIONS:

Automotive, Metal Fabrication, Assembly, Sheet Metal Work, Metal Stamping, Glass Manufacturing, Window Manufacturing, Recycling Plant/Sorting



TouchScreen compatible.

ASTM TESTING



TENACTIV™
#S18TAFGN

5-11

- 18-gauge composite filament fiber knit glove
- Foam nitrile palm coating
- Touchscreen compatible
- 1617 grams of cut protection

APPLICATIONS:

Automotive, Light Metal Stamping, Fabrication, Assembly, Glass Handling, Sheet Metal Work



TouchScreen compatible.

ASTM TESTING



EN 388 TESTING





ASTM TESTING



EN 388 TESTING



DEXTERITY®

#S13KFGFNT

5-12

- 13-gauge knit, composite filament fiber wrapped with Kevlar® fiber
- Foam nitrile coating
- 1712 grams of cut protection

APPLICATIONS:

Automotive, Light Metal Stamping, Fabrication, Small Parts Handling, Assembly, Glass Handling, Sheet Metal Work



ASTM TESTING



DEXTERITY®

#SKFGFNLTC

7-11

- 13-gauge knit, composite filament fiber wrapped with Kevlar® fiber
- Foam nitrile coating
- Thumb crotch area is reinforced with leather
- 1712 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Automotive, Metal Fabrication, Metal Stamping



ASTM TESTING



SUPERIOR TOUCH®

#S13FGFNT

5-12

- 13-gauge blend of nylon, composite filament fiber and Dyneema®
- Foam nitrile palm coating
- 2500 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Glass Handling, Sharp Steel, Circuit Boards, Automotive



ASTM TESTING



EN 388 TESTING



TENACTIV™

#STAFGFNT

5-12

- Lint-free, continuous high-tenacity composite yarns
- Black foam nitrile palm coat
- 1660 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Automotive, Aerospace, Metal Fabrication, Metal Stamping

DEXTERITY®

#S18KGFN

5-11

- Ultrafine 18-gauge Kevlar®-blended knit glove
- Foam nitrile palm coating
- Touchscreen compatible
- 1145 grams of cut protection

APPLICATIONS:

General Construction & Carpentry, HVAC, Plumbing, Automotive, Metal Working & Fabrication, Appliance Manufacturing, Small Parts Assembly, Electronics, Paper, Plastics



TouchScreen compatible.

ASTM TESTING



EN 388 TESTING



DEXTERITY®

#S13KFNT

5-11

- Composite filament fiber wrapped with Kevlar® fiber
- Foam nitrile palm coating
- 1425 grams of cut protection

APPLICATIONS:

Automotive, Light Metal Stamping, Small Parts Handling, Maintenance Jobs, HVAC



ASTM TESTING



EMERALD CX®

#S13KBFT

6-12

- Combination of nylon and fine-gauge steel for cut protection
- Foam nitrile coating on palm; 3 3/4" / 9 cm knit wrists
- Touchscreen compatible
- 1125 grams of cut protection

APPLICATIONS:

HVAC, Automotive, Sharp Steel, Glass, Metal Fabrication, Light Metal Stamping



TouchScreen compatible.



ASTM TESTING



EN 388 TESTING



TENACTIV™

#S13TAFNT

5-11

- Lint-free, 13-gauge composite knit
- Black foam nitrile palm coating
- Touchscreen compatible
- 1250 grams of cut protection

APPLICATIONS:

Construction, Glass Plants, Automotive, Aerospace, Metal Fabrication, Metal Stamping



TouchScreen compatible.



ASTM TESTING





ASTM TESTING



TENACTIV™ #STAGFCFNV

7-10

- Full nitrile coating
- Made with TenActiv™ yarn
- Velcro® closure
- 1370 grams of cut protection

APPLICATIONS:

Construction, Fisheries, Cold Storage, Food Processing



TouchScreen compatible.

ASTM TESTING



DEXTERITY® #S13NGFN

5-11

- 13-gauge composite filament fiber blend
- Foam nitrile palm coating
- Touchscreen compatible
- 850 grams of cut protection

APPLICATIONS:

Automotive, Metal Fabrication, Assembly, Sheet Metal Work, Small Parts Handling



ASTM TESTING



EN 388 TESTING



SUPERIOR TOUCH® #S13SXGBFN

6-12

- 13-gauge lint-free, string knit glove made with Dyneema®
- Black foam-nitrile palm coating
- 558 grams of cut protection

APPLICATIONS:

Sharp Steel, Glass, Circuit Boards, Automotive



ASTM TESTING



Palm

Back

EMERALD CX® #SCXSMNT

S-XL

- 10-gauge blend of Kevlar®, stainless-steel Wire-Core™ and nylon
- Cut-resistant mesh layer in palm and nitrile palm coating
- 3800 grams of cut protection

APPLICATIONS:

Metal Stamping and Fabrication, Assembly, Glass Handling, Sheet Metal Work, Sharp Steel, Automotive

EMERALD CX®

#SCXNT

S-XL

- Blend of Kevlar®, stainless-steel Wire-Core™ and polyester
- Nitrile palm coating
- 3321 grams of cut protection

APPLICATIONS:

Metal Fabrication, Assembly, Glass Handling, Sheet Metal Work



ASTM TESTING



EMERALD CX®

#SNWCPNT

S-XL

- Blend of polyester, cotton and stainless-steel Wire-Core™
- Speckled blue color; nitrile palm coating
- 1675 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Automotive



ASTM TESTING



SUPERIOR TOUCH®

#S13SXGNT

5-11

- 13-gauge lint-free, string knit glove made with Dyneema®
- Black nitrile palm coating
- 590 grams of cut protection

APPLICATIONS:

Sharp Steel HVAC, Glass, Metal Fabrication, Circuit Boards, Automotive, Food Handling



CFIA

ASTM TESTING



SUPERIOR TOUCH®

#S13SXFCNT

7-10

- 13-gauge string-knit glove made with HPPE
- Fully nitrile coated, (DMF), silicone-free and lint free
- 650 grams of cut protection

APPLICATIONS:

Sharp Steel, Petrochemical, Glass, Aerospace, Circuit Boards, Metal Fabrication, Automotive



ASTM TESTING



EN 388 TESTING





ASTM TESTING



ASTM TESTING



EN 388 TESTING



ASTM TESTING



EN 388 TESTING



CFIA
ASTM TESTING



TENACTIV™

#STAGHVPU

6-12

- 13-gauge hi-viz performance filament string-knit glove
- Polyurethane-coating is non-shedding
- 1875 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Automotive, Aerospace Industry, Metal Fabrication, Metal Stamping

TENACTIV™

#STAFGPU

5-12

- 13-gauge string-knit glove made with composite filament fiber
- Polyurethane-coating is non-shedding
- 1950 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Automotive Industry, Aerospace Industry, Metal Fabrication, Metal Stamping

DEXTERITY®

#S13KFGPU

5-12

- 13-gauge composite filament fiber wrapped with Kevlar® fiber
- Non-shedding polyurethane palm coating
- 1660 grams of cut protection

APPLICATIONS:

Automotive, Light Metal Stamping, Fabrication, Small Parts Handling, Assembly, Glass Handling, Sheet Metal Work

EMERALD CX®

#S13CXPX

6-12

- 13-gauge blend of Kevlar®, Wire-Core™ steel and Cordura nylon
- Cut and puncture resistant polyurethane palm coating
- 1509 grams of cut protection

APPLICATIONS:

Sharp Steel, Circuit Boards, Automotive, Glass, Metal Fabrication, Assembly, Sheet Metal Work, HVAC

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.
Dyneema® is a registered trademark of Royal DSM Group N.V.

EMERALD CX®

#S13KBPU

5-12

- 13-gauge nylon/steel composite string knit
- Polyurethane coated palms
- Touchscreen compatible
- 1287 grams of cut protection

APPLICATIONS:

Construction, Automotive, HVAC, Sharp Steel, Metal Fabrication



TouchScreen compatible.

ASTM TESTING



SUPERIOR TOUCH®

#S13FGPU

5-12

- 13-gauge blend of composite filament fiber, Dyneema® and nylon
- Grey, polyurethane palm coating
- 1240 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Glass Handling, Sharp Steel, Circuit Boards, Automotive

ASTM TESTING



TENACTIV™

#S13TAGPU

5-12

- Lint-free, 13-gauge composite knit
- Polyurethane palm coating
- 616 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Automotive, Aerospace, Metal Fabrication

ASTM TESTING



EN 388 TESTING



TENACTIV™

#S13TAPUCF

7-10

- 13-gauge HPPE blended with carbon filament
- Non-shedding polyurethane palm coating
- DMF-free
- Touchscreen compatible
- 850 grams of cut protection

APPLICATIONS:

Electronics, Circuit Boards, Pharmaceutical, Automotive, Parts Assembly, Material Handling



TouchScreen compatible.

ASTM TESTING





ASTM TESTING



TENACTIV™

#STAHVPU

5-12

- Made with 13-gauge hi-viz, high-tenacity composite yarns
- Polyurethane coated palms
- 850 grams of cut protection

APPLICATIONS:

Circuit Boards, Glass Plants, Construction, Automotive, Aerospace, Metal Fabrication, Metal Stamping



ASTM TESTING



SUPERIOR TOUCH®

#SSXPU30F

7-10

- 13-gauge string knit made with Dyneema®
- Polyurethane palm coating
- Fingertips are open on the thumb, index and middle digits
- 650 grams of cut protection

APPLICATIONS:

Material Handling, Circuit Boards, Electronics, Automotive



CFIA
ASTM TESTING



EN 388 TESTING



SUPERIOR TOUCH®

#S13SXPU

6-12

- Lint-free, 13-gauge string knit made with Dyneema®
- Polyurethane palm coating
- Washable and bleachable (under 145 °C - 293 °F)

APPLICATIONS:

Sharp Steel, Glass, Circuit Boards, Automotive, Food Handling



CFIA
ASTM TESTING



SUPERIOR TOUCH®

#S13SXGPU

5-12

- 13-gauge lint-free, string knit glove made with Dyneema®
- Grey polyurethane palm coating
- 750 grams of cut protection

APPLICATIONS:

HVAC, Circuit Boards, Automotive, Food Handling

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.
Dyneema® is a registered trademark of Royal DSM Group N.V.

SUPERIOR TOUCH®

#S13SXPUQ

6-12

- Lint-free, 13-gauge economy string knit made with Dyneema®
- Polyurethane palm coating
- Washable and bleachable (under 145 °C - 293 °F)
- CFIA compliant
- 590 grams of cut protection

APPLICATIONS:

Sharp Steel, Glass, Circuit Boards, Automotive, Food Handling



ASTM TESTING



SUPERIOR TOUCH®

#S13SXGPUQ

5-12

- 13-gauge lint-free, economy string knit glove made with Dyneema®
- Grey polyurethane palm coating
- 975 grams of cut protection

APPLICATIONS:

Sharp Steel, Glass, Circuit Boards, Automotive, HVAC



ASTM TESTING



EN 388 TESTING



EMERALD CX®

#S13CXLX

7-11

- 13-gauge blend of Kevlar®, Wire-Core™ steel and Cordura nylon
- Puncture-and abrasion resistant latex palm coating
- 1525 grams of cut protection

APPLICATIONS:

Glass Manufacturing, Window Manufacturing, HVAC, Construction, Masonry



ASTM TESTING



EN 388 TESTING



DEXTERITY®

#TKDYLX

S-XL

- Blend of nylon, composite filament fiber and Dyneema®
- Heavy napped lining
- Extra-thick latex palm
- Longer snug-fitting wrist
- 1627 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Material Handling, Masonry Work



ASTM TESTING





ASTM TESTING



SUPERIOR TOUCH®

#S13SXLX

6-10

- 13-gauge composite filament fiber string knit made with Dyneema®
- Latex crinkle-finish palm coating
- 1200 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Material Handling



ASTM TESTING



DEXTERITY®

#S10KLXFB

7-10

- 10-gauge seamless string Kevlar® shell
- ¾ coated wrinkle-grip latex finish
- Ergonomic design for great comfort and minimal hand fatigue
- 1325 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Material Handling, Automotive Industry



ASTM TESTING



DEXTERITY®

#S10KLX

7-10

- 10-gauge seamless string Kevlar® shell
- Wrinkle-grip latex finish for superior wet or dry grip
- Ergonomic design for great comfort and minimal hand fatigue
- 1425 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Material Handling



ASTM TESTING



DEXTERITY®

#S13FRNE

5-11

- Flame-resistant neoprene palm coating for better grip
- ESD (electrostatic dissipating) carbon filament to impart anti-static properties
- 1510 grams of cut protection

APPLICATIONS:

Petro Chemical, Utilities, Oil and Gas

EMERALD CX® #SCXTAPVC

M-2XL

- Blended Kevlar®/steel 13-gauge string-knit
- Crinkle-grip PVC palm coat
- Acrylic fleece lining
- Touchscreen compatible
- 2800 grams of cut protection

APPLICATIONS:

Cold Storage Facilities, Construction, Agriculture, Utilities



ASTM TESTING



EN 388 TESTING



SUPERIOR TOUCH® #S13SXPVC

7-11

- 13-gauge string knit made with Dyneema®
- PVC-coated palms
- 1175 grams of cut protection

APPLICATIONS:

Glass Plants, Construction, Material Handling, Automotive Industry, Window Manufacturing

ASTM TESTING





ASTM TESTING



ENDURA®

#378GKTFG

S-2XL

- Goat-grain driver with Kevlar®/composite filament fiber lining
- Arc-flash tested; level 3
- 1800 grams of cut protection

APPLICATIONS:

Manufacturing, Appliance Manufacturing, Construction, Mining, Steel Plants, Material Handling, Utilities



ASTM TESTING



ENDURA®

#378GKGTL

S-2XL

- Goat-grain driver with Kevlar®/composite filament fiber lining
- Thinsulate™ lining
- 1650 grams of cut protection

APPLICATIONS:

Metal Handling, Construction, Steel Plants, Oil and Gas



ASTM TESTING



ENDURA®

#378GKGT5K

L-2XL

- Kevlar® and composite filament fiber lining
- Thinsulate™ lining
- 1650 grams of cut protection

APPLICATIONS:

Metal Handling, Construction, Steel Plants, Oil and Gas



ASTM TESTING



ENDURA®

#378G0BKL

S-3XL

- Goat-grain leather is treated with Oilbloc™ for oil resistance
- Cut-resistant Kevlar® lining
- Level 4 arc-flash resistant according to ASTM F1959-200 6
- 1800 grams of cut protection

APPLICATIONS:

Steel Mills, Maintenance, Petroleum, Construction, Mining, Utilities, Oil and Gas

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.
Thinsulate® is a registered trademark of 3M Canada.

ENDURA®

#378GOBTKL

S-3XL

- Kevlar®/Thinsulate™ lining; Oilbloc™ treated
- Arc-flash tested; level 4
- 1800 grams of cut protection

APPLICATIONS:

Steel Mills, Maintenance, Petroleum, Construction, Mining, Utilities, Oil and Gas



ASTM TESTING



ENDURA®

#378GKGDT

S-2XL

- Goat-grain drivers glove made with Oilbloc™
- Kevlar® and composite filament fiber blended liner
- Specially selected and positioned Thinsulate™ materials
- 1650 grams of cut protection

APPLICATIONS:

Steel Mills, Maintenance, Petroleum, Construction, Mining, Utilities, Oil and Gas



ASTM TESTING



-20°C
-4°F



ENDURA®

#378DPKGL

M-2XL

- Goatskin driver with Kevlar®/composite filament fiber lining
- Double-layer leather palm
- 1800 grams of cut protection

APPLICATIONS:

Steel Mills, Maintenance, Petroleum, Construction, Mining, Utilities, Oil and Gas



ASTM TESTING



ENDURA®

#378GKTKL

XS-3XL

- Goat-grain driver with full Kevlar® lining
- Keystone thumb
- 720 grams of cut protection

APPLICATIONS:

Steel Mills, Maintenance, Petroleum, Construction, Mining, Utilities, Oil and Gas



ASTM TESTING





ASTM TESTING



ENDURA®

#399GKGL5

S-3XL

- Goat-grain driver glove
- Extended gauntlet cuff
- Kevlar®/composite filament fiber lining
- 1600 grams of cut protection

APPLICATIONS:

Metal Handling, Construction, Steel Plants, Oil and Gas, MIG Welding



ASTM TESTING



-10°C
14°F



ENDURA®

#399GKGTL5

S-2XL

- Winter goat-grain driver gloves
- Kevlar®/ composite filament fiber and Thinsulate™ lining
- Extended gauntlet cuff
- 1800 grams of cut protection

APPLICATIONS:

Metal Handling, Construction, Steel Plants, Oil and Gas, MIG Welding



ASTM TESTING



ENDURA®

#69SBSKFFG

S-2XL

- Fully lined with cut-resistant Kevlar®/composite filament fiber blend
- Heavy-duty 1.4 mm. premium side-split leather
- 3490 grams of cut protection

APPLICATIONS:

Steel Plants, Foundries, Metal Stamping



ASTM TESTING



EN 388 TESTING



ENDURA®

#69BSKFFL

S-2XL

- Heavy-duty premium split-leather
- Full lining of cut-resistant Kevlar®/composite filament fiber blend
- Gunn-cut pattern
- Leather knuckle straps and elasticized wrists
- 2850 grams of cut protection

APPLICATIONS:

Steel Plants, Foundries, Metal Stamping

CUT LEVEL 2 / 5 SPECIALTY LEATHER FITTER

ENDURA®

#66BRSCSSB

L-XL

- 500 strategically placed heavy-gauge steel staples
- Double anti-vibe palm
- Lined with neoprene on the palm and fingers
- Fleece liner on the inside back portion of the gloves

APPLICATIONS:

Forestry/Lumber Mills, Cable Handling, Auto and Metal Recycling,
Plumbing (electric eel handling), Grinding



ASTM TESTING



CUT RESISTANT GLOVES

CUT LEVEL 4 / 5 STRING KNIT LEATHER

CUT RESISTANT GLOVES



ACTION™

#SKSMLP

S-XL

- Kevlar®/Wire-Core™ string knit glove with steel-mesh liner
- Tri-tan leather palms, wrap around sides of fingers, and all-leather thumb
- 3800 grams of cut protection in palm

APPLICATIONS:

Sheet Metal, Metal Stamping, Glass Handling, Recycling, Garbage Collection, Forestry



TENACTIV™

#SBTAKLP

S-2XL

- 10-gauge blend of UHMWPE and steel in an engineered yarn
- Premium side split leather palm with wrap around index and reinforced leather thumb crotch
- 3525 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Glass Handling



ACTION™

#SKSCTB

S-XL

- Thermal heat protection; 400° F - 600° F (200° C - 315° C)
- 100% Kevlar® string knit glove
- Silicone/Kevlar®-blend Temperbloc™ palms
- 3280 grams of cut protection

APPLICATIONS:

Steel Mills, Metal Fabrication, Casting, Foundries, Light Welding, High-Heat Jobs



EMERALD CX®

#SKWCPLP

XS-2XL

- 7-gauge Kevlar®-stainless steel composite yarn blended with polyester
- Grade A split leather palm
- 2550 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Glass Handling

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

EMERALD CX® #S13KBGLP

XS-XL

- 13-gauge nylon/steel composite string knit
- Goat-grain palms, extra protection in the thumb-crotch area
- 1425 grams of cut protection

APPLICATIONS:

HVAC, Automotive, Sharp Steel, Glass, Metal Fabrication, Light Metal Stamping



ASTM TESTING



EN 388 TESTING



EMERALD CX® #SKWFP2

XS-2XL

- 7-gauge blend of Kevlar®, stainless-steel Wire-Core™ and polyester
- Cotton plaiting on the inside of glove
- 1257 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Glass Handling



ASTM TESTING



ACTION™ #SKGLP

S-XL

- These feature an abrasion-resistant grain leather over a seamless-knit Kevlar® glove
- Fingers of the leather palms extend around the sides
- 1725 grams of cut protection

APPLICATIONS:

Construction, Metal Stamping, Glass Handling, Forestry, Material Handling, Assembly, Sheet Metal Work, Automotive, General Purpose



ASTM TESTING



EN 388 TESTING



ACTION™ #SKLP

XS-2XL

- 100% Kevlar® 7-gauge string knit
- Durable tri-tan leather offers greater protection, longer wear
- Leather palms wrap around sides of fingers, thumb is all leather
- 703 grams of cut protection

APPLICATIONS:

Construction, Metal Stamping, Glass Handling, Forestry, Material Handling, Assembly, Sheet Metal Work, Automotive, General Purpose



ASTM TESTING





ASTM TESTING



CFIA
ASTM TESTING



EN 388 TESTING



ASTM TESTING



EN 388 TESTING



CFIA
ASTM TESTING



EMERALD CX®

#SWTACSL

S-XL

- Composite blend of fibers including TenActiv™ HPPE, steel and composite filament fiber for optimal cut protection
- Cotton liner, high pressure steam treated with Size-Lock™
- 3510 grams of cut protection

APPLICATIONS:

Metal Fabrication, Sheet Metal Work, Handling Sharp Stampings, Automotive

SURE KNIT®

#S10SXB

XS-2XL

- 10-gauge composite yarn
- Treated with Ultra-Fresh (antimicrobial)
- High pressure steam treated with Size-Lock™
- Blue color allows for easy spotting
- 4330 grams of cut protection

APPLICATIONS:

Beef/pork/poultry/fish processing, Canning and Food Processing

SURE KNIT®

#SDYF

XS-XL

- 7-gauge spun yarn is a blend of high tenacity yarn, composite filament fiber, nylon and cotton
- Gloves can withstand intermittent thermal contact up to 325°F/162°C
- 3575 grams of cut protection

APPLICATIONS:

Automotive, Sharp Steel, Light Metal Stamping, Glass Handling, Sharp-Edged Objects

SURE KNIT®

#S13SXB

XS-2XL

- 13-gauge composite yarn
- Treated with Ultra-Fresh (antimicrobial)
- High pressure steam treated with Size-Lock™
- Blue color allows for easy spotting
- 2234 grams of cut protection

APPLICATIONS:

Beef/pork/poultry/fish processing, Canning and Food Processing

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

EMERALD CX®

#SCXH

S-2XL

- 7-gauge blend of Kevlar® and 3 strands of stainless-steel Wire-Core™; polyester plaiting on the inside
- 3700 grams of cut protection

APPLICATIONS:

Metal Stamping, Automotive, Parts Assembly, Material Handling



ASTM TESTING



DEXTERITY®

#SKFG2DFT

6-11

- 13-gauge knit, composite filament fiber wrapped with Kevlar® fiber
- Palm area on both sides is PVC-dotted, while fingertips are nitrile coated
- 1650 grams of cut protection

APPLICATIONS:

Assembly, Automotive, Metal Fabrication, Parts Handling, Sharp Steel, Sheet Metal Work

ASTM TESTING



CONTENDER™

#SPGRK2D

S-2XL

- 7-gauge composite filament fiber encased with aramid fiber
- 1843 grams of cut protection

APPLICATIONS:

Metal Fabrication, Automotive Assembly, Sheet Metal



ASTM TESTING



EMERALD CX®

#SKWCP

XS-2XL

- 7-gauge Kevlar®-stainless steel composite yarn blended with polyester
- Touchscreen compatible
- 2100 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication

ASTM TESTING



CUT LEVEL 4 STRING KNIT

CUT RESISTANT GLOVES



ASTM TESTING



ASTM TESTING



ASTM TESTING



ASTM TESTING



CONTENDER™

#SPGFK

XS-2XL

- 7-gauge composite filament fiber wrapped in filament-aramid
- 2357 grams of cut protection

APPLICATIONS:

Metal Fabrication, Automotive Assembly, Sheet Metal

CONTENDER™

#SPGRK

XS-XL

- 7-gauge composite filament fiber wrapped in filament-aramid
- 1843 grams of cut protection

APPLICATIONS:

Metal Fabrication, Automotive Assembly, Sheet Metal

DEXTERITY®

#S13KF

6-10

- 13-gauge blend of para-aramid wrapped around composite filament fiber
- 1625 grams of cut protection

APPLICATIONS:

Automotive, Light Metal Stamping, Fabrication, Small Parts Handling, Assembly, Sheet Metal Work

EMERALD® CX

#S13CX

6-12

- 13-gauge blend of Kevlar®, Wire-Core™ steel and Cordura nylon
- Cut and abrasion resistance
- 1500 grams of cut protection

APPLICATIONS:

Sharp Steel, Circuit Boards, Automotive, Metal Fabrication, Assembly, Sheet Metal Work

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.
Dyneema® is a registered trademark of Royal DSM Group N.V.

EMERALD CX®

#SCX6AS

XS-XL

- 7-gauge composite blend of five yarns, including Kevlar®
- High-wear area between index finger and thumb
- 2900 grams of cut protection

APPLICATIONS:

Metal Stamping, Automotive



ASTM TESTING



EMERALD CX®

#SCX5

S-2XL

- 7-gauge blend of Kevlar®, Tire-Core™ nylon, stainless steel and composite filament fiber
- Gloves are reversible, fully launderable
- 2375 grams of cut protection

APPLICATIONS:

Metal Fabrication, Assembly



ASTM TESTING



CONTENDER™

#SBKG

S-XL

- 7-gauge heavyweight Kevlar® knit
- Reinforced with a composite filament fiber
- 2375 grams of cut protection

APPLICATIONS:

Metal Fabrication, Automotive Assembly, Sheet Metal, Medium Heat Applications



ASTM TESTING



SURE KNIT®

#S13GDSTD

XXS-2XL

- 13-gauge composite knit gloves made with Dyneema®
- Treated with AlphaSan®, a silver-based antimicrobial agent
- Clear PVC dotted palms, touchscreen compatible
- 2620 grams of cut protection

APPLICATIONS:

Meat Processing, Food and Beverage, Solar Panel Manufacturing



ASTM TESTING



TouchScreen compatible.

CUT LEVEL 4 BLENDED STRING KNIT

CUT RESISTANT GLOVES



CFIA

ASTM TESTING



SURE KNIT®

#S13GDSTL

2XS-2XL

- 13-gauge knit glove are a blend of Dyneema® and stainless steel
- Treated with AlphaSan®, a silver-based antimicrobial agent
- 2620 grams of cut protection

APPLICATIONS:

Meat Processing, Food and Beverage, Solar Panel Manufacturing



ASTM TESTING



CONTENDER™

#SPGC

XS-XL

- 7-gauge composite filament fiber wrapped in polyester and Cordura® nylon
- 1709 grams of cut protection

APPLICATIONS:

Metal Fabrication, Automotive Assembly, Glass Handling, Sheet Metal



ASTM TESTING



CONTENDER™

#SPGC2D

XS-XL

- 7-gauge composite filament fiber wrapped in polyester and Cordura® nylon
- PVC-dotted on both sides
- 1709 grams of cut protection

APPLICATIONS:

Metal Fabrication, Automotive Assembly, Glass Handling, Sheet Metal



ASTM TESTING



CONTENDER™

#TRFGN

M-XL

- Terry knit with composite filament fiber
- Terry loops enhance cut resistance
- 2240 grams of cut protection

APPLICATIONS:

Heavy Metal Stamping, Automotive Press, Welding, Automotive, Parts Assembly, Material Handling

CUT LEVEL 3 STRING KNIT

CONTENDER™

#TRFGK

S-XL

- Terry knit contains composite filament fiber
- Snug, longer knit-wrist cuffs for stay-in-place comfort
- Heat protection of up to 608°F (320°C)
- 2500 grams of cut protection

APPLICATIONS:

Heavy Metal Stamping, Automotive Press, Welding, Automotive, Parts Assembly, Material Handling



ASTM TESTING



EN 388 TESTING



SURE GRIP®

#SKMD

XS-XL

- 7-gauge 100% string knit Kevlar®
- PVC dotted palms
- Reversible and fully washable (do not bleach)
- 1250 grams of cut protection

APPLICATIONS:

Metal Fabrication, Assembly, Sheet Metal Work



ASTM TESTING



SURE GRIP®

#SKM2D

XS-XL

- 7-gauge 100% string knit Kevlar®
- PVC dotted both sides
- Reversible and fully washable (do not bleach)
- 1250 grams of cut protection

APPLICATIONS:

Metal Fabrication, Assembly, Sheet Metal Work



ASTM TESTING



DEXTERITY®

#SSGL/C13D

3XS-2XL

- 13-gauge gloves made with HPPE, cotton/lycra inside surface
- PVC dots on palm
- 1380 grams of cut protection

APPLICATIONS:

Electronics, Assembly, Food Processing



ASTM TESTING



CUT RESISTANT GLOVES

CUT LEVEL 2 STRING KNIT

CUT RESISTANT GLOVES



EMERALD CX®

#SNW/CP

XS-XL

- 7-gauge blend of polyester, cotton and stainless-steel Wire-Core™
- Speckled blue color for longer wear, hides dirt and stains
- 1175 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Automotive



EMERALD CX®

#SNW/CP2D

S-XL

- 7-gauge blend of polyester, cotton and stainless-steel Wire-Core™
- Speckled blue color for longer wear, hides dirt and stains
- PVC-dotted on both sides
- 1175 grams of cut protection

APPLICATIONS:

Sheet Metal, Metal Stamping and Fabrication, Automotive



SUPERIOR TOUCH®

#S13DY

XXS-3XL

- 13-gauge HPPE glove body
- Elasticized cuff
- 780 grams of cut protection

APPLICATIONS:

Food Processing, Automotive, Metal Stamping, Parts Assembly, Material Handling



SUPERIOR TOUCH®

#S13DYD

XS-3XL

- 13-gauge HPPE glove body
- Elasticized cuff, Sure Grip® PVC dots
- 770 grams of cut protection

APPLICATIONS:

Food Processing, Automotive, Metal Stamping, Parts Assembly, Material Handling

SUPERIOR TOUCH®

#S13DYGD

XXS-3XL

- Grey speckled 13-gauge HPPE glove body
- Elasticized cuff, Sure Grip® PVC dots
- 900 grams of cut protection

APPLICATIONS:

Food Processing, Automotive, Metal Stamping, Parts Assembly, Material Handling



ASTM TESTING



DEXTERITY®

#SK

XS-XL

- 7-gauge 100% string knit Kevlar®
- Reversible and fully launderable
- 990 grams of cut protection

APPLICATIONS:

Metal Stamping, Automotive



ASTM TESTING



SUPERIOR GLOVE®

#GU-500

S-XL

- Constructed of welded stainless-steel mesh
- Tapered fit design, ambidextrous
- Excellent cut protection

APPLICATIONS:

Food Processing



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



IMPACT GLOVES

superiorglove.com





ASTM TESTING



ENDURA®

#375KGTVB

S-2XL

- High tensile strength goatskin
- Full Kevlar® and composite filament fiber lining
- TPR anti-impact backing
- C100 and G200 Thinsulate™ lining for greater warmth
- Treated with Oilbloc™
- 2500 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Railroads



ASTM TESTING



ENDURA®

#375KGVV

S-2XL

- High tensile strength goatskin
- Full Kevlar® and composite filament fiber lining
- TPR anti-impact backing
- Treated with Oilbloc™
- 2500 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Railroads



ASTM TESTING



ENDURA®

#378KGTVB

XS-3XL

- Padded palm, TPR anti-impact backing
- Kevlar® and composite filament fiber lining
- High tensile-strength goatskin, glove is water and oil repellent
- Specially selected assortment of Thinsulate™ linings for greater warmth
- Treated with Oilbloc™
- 2500 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Railroads



ASTM TESTING



EN 388 TESTING



ENDURA®

#378GKGVB

S-2XL

- Gel padded palm
- TPR anti-impact backing
- Fully lined with a blend of Kevlar®
- Treated with Oilbloc™
- Water and oil repellent
- 2500 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Railroads

ENDURA®

#378GKVSB

S-2XL

- Gel padded palm
- TPR anti-impact backing
- Treated with Oilbloc™
- Water and oil repellent

APPLICATIONS:

Oilfield, Mining, Construction, Railroads



ASTM TESTING



CLUTCH GEAR®

#MXVSB

S-3XL

- TPR anti-impact backing
- PVC Sure Grip® palm patches
- Kevlar® thumb patch
- Adjustable Velcro® cuffs

APPLICATIONS:

Drilling, Oilfield, Mining, Construction, Railroads



ASTM TESTING



EN 388 TESTING



CLUTCH GEAR®

#MXVSBWFL

S-3XL

- TPR anti-impact backing
- PVC Sure Grip® palm patches
- Kevlar® thumb patch
- Waterproof membrane
- Full winter-fleece lining

APPLICATIONS:

Drilling, Oilfield, Mining, Construction, Railroads



ASTM TESTING



CLUTCH GEAR®

#MXVSBA

M-2XL

- Abrasion-resistant red Armortex® palms
- TPR anti-impact backing
- Hi-viz backs

APPLICATIONS:

Drilling, Oilfield, Mining, Construction, Railroads



ASTM TESTING



EN 388 TESTING





ASTM TESTING



CLUTCH GEAR® #MXVSBAFL

M-2XL

- Abrasion-resistant red Armortex® palms
- TPR anti-impact backing
- Hi-viz backs
- Fully fleece-lined for additional warmth

APPLICATIONS:

Drilling, Oil Production, Mining, Construction, Railroads



ASTM TESTING



CLUTCH GEAR® #MXVSBOWT

S-2XL

- 'Coolpass' waterproof lining
- TPR anti-impact backing
- PVC Sure Grip® palm patches
- Kevlar®-reinforced thumb patch

APPLICATIONS:

Drilling, Oilfield, Mining, Construction, Railroads



ASTM TESTING



CLUTCH GEAR® #Q18VSB

S-3XL

- Heavyweight, 18 oz. corded cotton/poly palms
- TPR anti-impact backing
- Kevlar® thumb patch

APPLICATIONS:

Drilling, Oilfield, Mining, Construction



ASTM TESTING



CLUTCH GEAR® #Q18VSBK

M-2XL

- Heavyweight, 18 oz. corded cotton/poly palms
- TPR anti-impact backing
- Kevlar® thumb patch
- Nylon knit wrist cuff

APPLICATIONS:

Drilling, Oilfield, Mining, Construction

CLUTCH GEAR®**#MXVSBFR****S-2XL**

- Hi-viz orange
- Flame resistance
- TPR anti-impact backing
- Palms with raised digitized leather patches

APPLICATIONS:

Oilfield, Drilling, Utilities

**ASTM TESTING****CLUTCH GEAR®****#Q5VSB****S-3XL**

- Full Kevlar®/composite filament fiber lining
- TPR-backed fingers
- Hi-viz knuckle strip
- Neoprene cuffs with Velcro® closure
- 3320 grams of cut protection

APPLICATIONS:

Drilling, Oilfield

**ASTM TESTING****CLUTCH GEAR®****#MXHV5VSB****S-2XL**

- Abrasion-resistant red Armortex® palms
- High-viz TPR anti-impact backing
- Neoprene cuffs
- 2146 grams of cut protection

APPLICATIONS:

Drilling, Oilfield, Mining, Construction

**ASTM TESTING****TENACTIV™****#STAGYPNVB****6-12**

- 13-gauge TenActiv™ knit shell
- TPR anti-impact backing
- Micropore nitrile coating
- 1875 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance

**ASTM TESTING**



ASTM TESTING



ASTM TESTING



EN 388 TESTING



ASTM TESTING



EN 388 TESTING



ASTM TESTING



DEXTERITY®

#SKGPNVB

XS-2XL

- 13-gauge Kevlar® blended knit shell
- TPR anti-impact backing
- Black Widow™ Grip foam nitrile palm coating
- 1560 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance

TENACTIV™

#STAFGFNVB

6-12

- 13-gauge composite-knit shell
- TPR anti-impact backing
- Foam nitrile palm coating
- 1775 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance

DEXTERITY®

#SKFGFNVB

S-3XL

- 13-gauge Kevlar® blended knit shell
- TPR anti-impact backing
- Foam nitrile palm coating
- 2110 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance

DEXTERITY®

#SBKFGFNVB

M-XL

- 13-gauge black Kevlar® blended, fleece lined shell for additional warmth
- TPR anti-impact backing
- Foam nitrile palm coating
- 2400 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance

EMERALD CX® #SKBFNTVB

S-2XL

- Seamless knit black nylon and fine-gauge steel
- TPR anti-impact backing
- Foam nitrile palm coating
- 1050 grams of cut protection

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance



ASTM TESTING



EN 388 TESTING



DEXTERITY® #S13YPNVB

7-11

- Hi-viz 13-gauge 100% nylon seamless-knit shell
- TPR anti-impact backing
- Black micropore nitrile palm coating

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance



ASTM TESTING



DEXTERITY® #S13YFNVB

S-2XL

- Hi-viz 13-gauge 100% nylon, yellow seamless-knit shell
- TPR anti-impact backing
- Hi-viz yellow foam nitrile palm coating

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance



ASTM TESTING



DEXTERITY® #S13BFNVB

S-2XL

- 13-gauge 100% nylon seamless-knit shell
- TPR anti-impact backing
- Black micropore nitrile palm coating

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance



ASTM TESTING





ASTM TESTING



CLUTCH GEAR®
#SHVPNTVB

S-2XL

- Hi-viz green 13-gauge seamless-knit shell
- Foam padded and cushioned palm
- Micropore nitrile palm coating
- Thermo plastic rubber (TPR) backing

APPLICATIONS:

Oilfield, Mining, Construction, Maintenance



CHEMSTOP™
#NT230VSB

S-2XL

- Nitrile coated gloves, ceramic powder grip-coat
- Soft jersey liner, 12" in length
- Temperatures ranging from -4° to 149°C (25° to 300°F)

APPLICATIONS:

Drilling, Oilfield, Mining

COATED GLOVES



LATEX COATED STRING KNITS

PALM COATED GLOVES



ASTM TESTING



DEXTERITY®

#S13HVLX

6-11

- 13-gauge polyester seamless-knit shell
- Double-layer microfinish-grip foam latex palm coating
- Hi-viz lime green color

APPLICATIONS:

Material Handling, Masonry Work, Small Parts Handling, Landscaping, Automotive, Agriculture



ASTM TESTING



DEXTERITY®

#TKYLX

M-XL

- Hi-viz neon yellow 100% nylon, seamless-knit shell
- Thick crinkle-grip latex palm
- Napped lining

APPLICATIONS:

Material Handling, Warehouses, Construction, Masonry Work, Forestry



ASTM TESTING



DEXTERITY®

#S10LXQ

7-11

- 10-gauge cotton/poly economy string knit
- Crinkle-grip latex palm

APPLICATIONS:

Material Handling, Masonry Work, Small Parts Handling, Landscaping, Construction, Agriculture



ASTM TESTING



DEXTERITY®

#S13BKLX

6-11

- Black 13-gauge 100% nylon seamless-knit shell
- Crinkle-grip latex palm
- Moisture-wicking

APPLICATIONS:

Automotive, Small Parts Handling, Landscaping, Agriculture, Warehouse, Construction

CHEMSTOP™

#L868B

ONE SIZE

- Soft jersey liner
- Extra thick and highly textured deep ¾ crinkle-grip latex palm
- 2.5" (7 cm) safety cuffs

APPLICATIONS:

Glass Plants, Forestry, Lumber Mills, Trash Collection, Masonry Work



ASTM TESTING



DEXTERITY®

#S13BFNT

5-11

- 13-gauge 100% nylon seamless-knit shell
- Foam nitrile palm coating

APPLICATIONS:

Automotive, Small-Parts Handling, General Industry, Furniture Manufacturing



ASTM TESTING



EN 388 TESTING



DEXTERITY®

#S13FNT

5-11

- Non-linting 13-gauge 100% nylon seamless-knit shell
- Foam nitrile palm coating

APPLICATIONS:

Automotive, Small-Parts Handling, General Industry, Furniture Manufacturing



CFIA

ASTM TESTING



DEXTERITY®

#S13YFNT

7-11

- 13-gauge, 100% nylon, yellow seamless-knit shell
- Hi-viz yellow foam nitrile palm coating
- Non-linting

APPLICATIONS:

Automotive, Small-Parts Handling, General Industry, Furniture Manufacturing



ASTM TESTING





ASTM TESTING



EN 388 TESTING



DEXTERITY®

#S13PNT

6-11

- 13-gauge 100% nylon seamless-knit shell
- Black Widow™ Grip micropore nitrile palm coating

APPLICATIONS:

Oily Metal Parts, Automotive, Construction, Small Parts Handling, General Maintenance



ASTM TESTING



EN 388 TESTING



DEXTERITY®

#S15NT

5-11

- 15-gauge 100% cotton seamless knit shell
- Nitrile palm coating

APPLICATIONS:

Automotive, Fabrication, Assembly, Glass Handling, Sheet Metal Work



ASTM TESTING



DEXTERITY®

#S7NT

M-XL

- 7-gauge 100% cotton seamless knit shell
- Nitrile palm coating

APPLICATIONS:

Automotive, Fabrication, Assembly



ASTM TESTING



DEXTERITY®

#SN15NT

6-10

- Non-linting 15-gauge 100% nylon seamless-knit shell
- Nitrile palm coating

APPLICATIONS:

Construction, Automotive Industry, Appliance Manufacturing, Warehouses, Plastics

DEXTERITY®

#SN15NTFB

6-12

- Non-linting 15-gauge 100% nylon seamless-knit shell
- Full back nitrile palm coating

APPLICATIONS:

Construction, Automotive Industry, Aerospace Industry



ASTM TESTING



CHEMSTOP™

#GNT

7-10

- Cotton cut-and-sewn shell with snug knit wrists
- Tough flat nitrile coats entire palm area and ¾ of backs

APPLICATIONS:

Parts Handling, Lumber Yards, Construction



ASTM TESTING



CHEMSTOP™

#GNTFC

7-10

- Cotton cut-and-sewn shell with snug knit wrists
- Tough full nitrile coating

APPLICATIONS:

Parts Handling, Lumber Yards, Construction



ASTM TESTING



CHEMSTOP™

#N93/4B

8,10

- Cut-and-sewn cotton-jersey shell
- Flat nitrile coats entire palm area and ¾ of backs
- Band-top cuff

APPLICATIONS:

Plywood, Masonry



ASTM TESTING





ASTM TESTING



CHEMSTOP™

#N9B

10,11

- Cut-and-sewn cotton-jersey shell
- Full nitrile coating
- Band-top cuff

APPLICATIONS:

Plywood, Masonry



CFIA

ASTM TESTING



EN 388 TESTING



SUPERIOR TOUCH®

#S13PU

5-12

- 13-gauge 100% nylon seamless-knit shell
- Polyurethane palm coating
- DMF free

APPLICATIONS:

Electronics, Cleanroom, Assembly, Automotive, Small Parts Handling, Aerospace, General Industry



ASTM TESTING



SUPERIOR TOUCH®

#S13PUCF

6-10

- 13-gauge, carbon filament/nylon seamless-knit shell
- Carbon filament throughout nylon knit
- Non-shedding polyurethane palms
- Lint free, anti-static and touchscreen compatible

APPLICATIONS:

Assembly, Semiconductors, Electronics, Assembly, Product Inspection



CFIA

ASTM TESTING



EN 388 TESTING



SUPERIOR TOUCH®

#S13GPU

6-11

- 13-gauge 100% nylon seamless-knit shell
- Polyurethane coating
- Low-particulate shed
- DMF free

APPLICATIONS:

Electronics, Cleanroom, Assembly, Automotive, Small Parts Handling, Aerospace, General Industry

SUPERIOR TOUCH®

#S13WPPU

6-11

- 13-gauge polyester seamless-knit shell
- Polyurethane coating
- Low-particulate shed

APPLICATIONS:

Electronics, Cleanroom, Assembly, Automotive, Small Parts Handling



ASTM TESTING



SUPERIOR TOUCH®

#S13GPPU

6-11

- 13-gauge polyester seamless-knit shell
- Polyurethane coating
- Low-particulate shed

APPLICATIONS:

Electronics, Cleanroom, Assembly, Automotive, Small Parts Handling



ASTM TESTING



SUPERIOR TOUCH®

#S13BKPUQ

5-11

- Black 13-gauge 100% nylon seamless-knit shell
- Polyurethane palm coating
- Non-linting

APPLICATIONS:

Electronics, Cleanroom, Assembly, Automotive, Small Parts Handling, Aerospace, General Industry



ASTM TESTING



EN 388 TESTING



DEXTERITY®

#SNTAPVC

M-2XL

- 15-gauge 100% nylon seamless-knit shell
- Fleece lining
- PVC palm coating

APPLICATIONS:

Commercial Fisheries, Agriculture, Construction, Utilities, Cold Storage Facilities



ASTM TESTING



DEXTERITY®

#S13BPVC

6-11

- 13-gauge 100% nylon seamless-knit shell
- Foamed PVC palms
- Silicone-free for automotive industry

APPLICATIONS:

Automotive, Small Parts Handling, Maintenance, Construction, Furniture Manufacturing, Window Applications (Adhesives), Woodworking



ASTM TESTING



HEAT GLOVES

superiorglove.com





ASTM TESTING

**DRAGON™****#PBI83514****ONE SIZE**

- Protects against thermal burn (Dry heat only)
- Heat protection of up to 608°F (320°C)
- Outer layer will not combust or melt on contact with hot objects
- Ambidextrous, 14" length

APPLICATIONS:

Aluminum Extrusion, Steel Mills, Welding, Glass Plants (hot/dry glassware handling)



ASTM TESTING

**DRAGON™****#PBI83518****ONE SIZE**

- Protects against thermal burn (Dry heat only)
- Heat protection of up to 608°F (320°C)
- Outer layer will not combust or melt on contact with hot objects
- Ambidextrous, 18" length

APPLICATIONS:

Aluminum Extrusion, Steel Mills, Welding, Glass Plants (hot/dry glassware handling)



ASTM TESTING

**DRAGON™****#TK835LG2****S, L**

- 100% Kevlar® outer shell, 100% cotton terry liner
- Heat protection of up to 608°F (320°C)
- Leather lined front and back
- 4" leather gauntlet cuff
- 2275 grams of cut protection

APPLICATIONS:

Aluminum Extrusion, Steel Mills, Forging, Casting, Glass Plants (hot/dry glassware handling)



ASTM TESTING

**COOL GRIP®****#SKX-W4****S-XL**

- Kevlar®/carbon fiber blend is impervious to flame and heat
- A 100% wool knit terry liner, 4" cuffs
- Heat protection of up to 608°F (320°C)
- 2235 grams of cut protection

APPLICATIONS:

Steel Mills, Foundries, Metal Fabrication, High Heat

COOL GRIP®**#SKX-W****S-XL**

- Kevlar®/carbon fiber blend is impervious to flame and heat
- A 100% wool knit terry liner
- Heat protection of up to 608°F (320°C)
- 2235 grams of cut protection

APPLICATIONS:

Steel Mills, Foundries, Metal Fabrication, High Heat

**ASTM TESTING****ACTION™****#SKSCTB****S-XL**

- Thermal heat protection; 400°F - 600°F (200°C - 315°C)
- 100% Kevlar® string knit glove
- Silicone/Kevlar®-blend Temperbloc™ palms
- 3280 grams of cut protection

APPLICATIONS:

Steel Mills, Metal Fabrication, Casting, Foundries, Light Welding, High-Heat Jobs

**ASTM TESTING****EN 388 TESTING****COOL GRIP®****#SPGRK/A****M-XL**

- 7-gauge poly/composite filament fiber/aramid blend with an inner acrylic liner
- Heat protection of up to 500°F (260°C)
- 3225 grams of cut protection

APPLICATIONS:

Light Metal Stamping, Fabrication, Glass Handling, Sheet Metal Work

**ASTM TESTING****DRAGON™****#K835KP****ONE SIZE**

- Seamless knit, Kevlar® outshell, 100% wool liner
- Heat protection of up to 500°F (260°C)
- Elasticized wrist, 12" length

APPLICATIONS:

Medium to High-Heat Applications, Foundries, Steel Mills, Glass Handling

**ASTM TESTING**



ASTM TESTING

**DEXTERITY®****#HTRBL****ONE SIZE**

- Terry cloth provides thermal protection
- Heat protection of up to 500°F (260°C)
- Fully lined, bandtop cuff
- Excellent heat and abrasion resistance and good dexterity

APPLICATIONS:

Bakeries, Foundries, Laboratory, Material Handling, General Purpose in medium-heat situations



ASTM TESTING

**COOL GRIP®****#TBGOBNP-4****S-L**

- For brief handling of hot objects up to 450°F (232°C)
- Fully lined with Oilbloc™
- 12" overall length, 4" cuffs

APPLICATIONS:

Food Processing, Bakeries, Restaurants



ASTM TESTING

**COOL GRIP®****#TBGOBNP-6****S-L**

- For brief handling of hot objects up to 450°F (232°C)
- Fully lined with Oilbloc™
- 15" overall length, 6" cuffs

APPLICATIONS:

Food Processing, Bakeries, Restaurants



ASTM TESTING

**DEXTERITY®****#TBGOB-6****ONE SIZE**

- For brief handling of hot objects up to 450°F (232°C)
- Fully lined with Oilbloc™
- 15" overall length, reinforced Kevlar® thumb patch

APPLICATIONS:

Food Processing, Bakeries, Restaurants

COOL GRIP®**#TBM****ONE SIZE**

- Preshrunk, washable 32oz. heavy-duty terry cloth
- Fully lined with 11oz. knit cotton
- Reinforced Kevlar® thumb patch
- For brief handling of hot objects up to 450°F (232°C)

APPLICATIONS:

Food Processing, Bakeries, Restaurants



ASTM TESTING

**COOL GRIP®****#TBM4****ONE SIZE**

- Preshrunk, washable 32oz. heavy-duty terry cloth
- Fully lined with 11oz. knit cotton
- 12" overall length, 6" cuffs
- For brief handling of hot objects up to 450°F (232°C)

APPLICATIONS:

Food Processing, Bakeries, Restaurants



ASTM TESTING

**COOL GRIP®****#TBM0B****ONE SIZE**

- Preshrunk, washable 32oz. heavy-duty terry cloth
- Fully lined with 11oz. knit cotton and Oilbloc™
- Reinforced Kevlar® thumb patch
- For brief handling of hot objects up to 450°F (232°C)

APPLICATIONS:

Food Processing, Bakeries, Restaurants



ASTM TESTING

**COOL GRIP®****#TRKONB****S, L**

- Terry gloves with nitrile palm lining
- Cotton terry absorbs surface oils/grease to increase grip
- Full nitrile palm lining prevents soak thru, keeping hands dry
- Heat protection of up to 500°F (260°C)

APPLICATIONS:

Automotive, Light Metal Stamping, Fabrication, Glass Handling, Sheet Metal Work



ASTM TESTING





ASTM TESTING



COOL GRIP®

#TRG70NB

ONE SIZE

- Terry gloves with nitrile palm lining
- Cotton terry absorbs surface oils/grease to increase grip
- Full nitrile palm lining prevents soak thru, keeping hands dry
- Extra-long gauntlet cuff
- Heat protection of up to 500°F (260°C)

APPLICATIONS:

Light Metal Stamping, Oily Parts Handling, Metal Fabrication, Plastics



ASTM TESTING



COOL GRIP®

#TRKDPB

ONE SIZE

- Quilted cotton-terry hot mill gloves, double terry-knit palms
- Heat protection of up to 500°F (260°C)
- 8 oz.-cotton bandtop cuffs
- Fully washable

APPLICATIONS:

Foundries, Forging Operations, Glass and Ceramic Plants, Laboratories, Material Handling, Medium-Heat Situations



ASTM TESTING



COOL GRIP®

#SCPSCLP

S-XL

- 7-gauge heavyduty poly/cotton string knit
- Heat protection of up to 500°F (260°C), palm only
- SilaChlor® center layer

APPLICATIONS:

Metal Fabrication, Foundries, Glass Plants, Steel Mills



ASTM TESTING



COOL GRIP®

#SCPSCLPT

S-XL

- 7-gauge heavyduty poly/cotton string knit
- Heat protection of up to 500°F (260°C), palm only
- SilaChlor® center layer
- Extended leather over fingertips and the full index and thumb

APPLICATIONS:

Metal Fabrication, Foundries, Glass Plants, Steel Mills



ASTM TESTING

**COOL GRIP®****#TRK3****ONE SIZE**

- Terry cloth gloves
- Heat protection of up to 392°F (200°C)
- Heavy looped pile construction
- 3" sewn on knitwrist cuff

APPLICATIONS:

Low-Heat Applications, Metal Handling



ASTM TESTING

**COOL GRIP®****#TRK****ONE SIZE**

- Terry cloth gloves
- Heat protection of up to 392°F (200°C)
- Heavy looped pile construction
- Continuous knitwrist cuff

APPLICATIONS:

Low-Heat Applications, Metal Handling



ASTM TESTING

**SURE GRIP®****#SKC/C2NBW****M-XL**

- Kevlar®/cotton knit
- Heat protection of up to 392 °F/ 200°C
- Double-sided nitrile blocks
- Hand-to-hand reversible

APPLICATIONS:

Glass Plants, Metal Fabrication, Food Service

This image shows a single page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, leaving small margins at the top and bottom. There are no vertical margin lines, text, or other markings on the page.

60

Level	0	1	2	3	4	5
Highest contact temperature at which both time-to-2nd degree burn ≥ 15 sec. and alarm time ≥ 4 sec. (°C)	<80°C <176°F	80°C 176°F	140°C 284°F	200°C 392°F	260°C 500°F	320°C 608°F



MECHANICS GLOVES

superiorglove.com





ASTM TESTING



CLUTCH GEAR®
#MXBGXKL

M-XL

- Carbon 10 oz. double-jersey backs
- Grain goatskin palms
- ASTM heat resistance level 2 (140°C / 284°F)
- Level 2 arc-flash resistant according to ASTM F1959-2006

APPLICATIONS:

Utilities



ASTM TESTING



CLUTCH GEAR®
#378PL

S-2XL

- Synthetic leather palm
- Stretch nylon backs
- Elastic backs for snug fit
- Neoprene knuckles

APPLICATIONS:

Construction, Forklift Drivers, Material Handling



ASTM TESTING



CLUTCH GEAR®
#MXBL

S-2XL

- Exo-Tekt water-repellant synthetic leather
- Adjustable Velcro® tabs at the back of the wrists
- Neoprene padded knuckles
- Performance patch over the thumb crotch

APPLICATIONS:

Mechanics, Assembly Work, Construction, Material and Parts Handling, Forklift Drivers



ASTM TESTING



CLUTCH GEAR®
#MXBU

XS-3XL

- Exo-Tekt water-repellant synthetic leather
- Adjustable Velcro® tabs at the back of the wrists
- Neoprene padded knuckles
- Performance patch over the thumb crotch

APPLICATIONS:

Mechanics, Assembly Work, Construction, Material and Parts Handling, Forklift Drivers

CLUTCH GEAR®

#MXGBL

S-2XL

- Clarino® Parity synthetic leather
- Neoprene knuckle strap
- Adjustable Velcro® tabs at the back of the wrists
- Performance patch over the thumb crotch
- Gripped fingertip and palm with padding

APPLICATIONS:

Mechanics, Assembly Work, Construction, Material and Parts Handling, Forklift Drivers



ASTM TESTING



CLUTCH GEAR®

#MXGC

M-XL

- Supple grain goatskin palms
- Wide elastic cuffs with Velcro® closures
- Stretchy padded nylon backs
- Ergonomic shaping for all-day comfort

APPLICATIONS:

Mechanics, Assembly Work, Construction, Material and Parts Handling, Forklift Drivers



ASTM TESTING



CLUTCH GEAR®

#MXHV

S-XL

- Hi-viz lime-green backs and bright-red PVC palm patches
- Neoprene knuckle strap, fingertips and wrists
- Stretch nylon backs
- Reinforced thumb crotch

APPLICATIONS:

Construction, Utilities, Material and Parts Handling, Traffic Enforcement



ASTM TESTING



CLUTCH GEAR®

#MXF

S-XL

- Two open fingers
- Neoprene comfort cuffs with adjustable Velcro® tabs at the back of the wrists
- Stretch nylon backs
- Performance patch over the thumb crotch

APPLICATIONS:

Assembly, Framing, Carpentry



ASTM TESTING



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



CHEMICAL GLOVES

superiorglove.com



The following chart is intended to be used as an 'at-a-glance' tool only. It was designed to get you started in the selection process, which can be very complex when it comes to choosing the right chemical-resistant glove. For greater detail regarding degradation, breakthrough times and individual gloves, please refer to our complete chemical resistance chart at:

<http://www.superiorglove.com/pages/wp-content/uploads/Chemical-resistant-chart.pdf> or contact us at customerservice@superiorglove.com with any questions.

CHEMICAL RESISTANT GLOVES

CHEMICAL	LATEX	VINYL (PVC)	NITRILE
Acetaldehyde	Excellent •	Poor	Fair
Acetic Acid	Excellent •	Fair	Good
Acetone	Excellent •	Poor	Poor
Ammonium Hydroxide	Excellent •	Excellent •	Excellent •
Amyl Acetate	Poor	Fair	Fair
Aniline	Good	Poor	Excellent •
Animal Fats	Fair	Poor	Excellent •
Asphalt	Poor	Poor	Excellent •
Benzyl Alcohol	Fair	Excellent •	Excellent •
Bleach	Excellent •	Excellent •	Excellent •
Boric Acid	Excellent •	Excellent •	Excellent •
Brake Fluid	Fair	Fair	Excellent •
Butyl Acetate	Poor	Fair	Fair
Carbon Tetrachloride	Poor	Fair	Good
Chloroacetone	Excellent •	Poor	Poor
Chromic Acid 50%	Poor	Good	Fair
Citric Acid 10%	Excellent •	Excellent •	Excellent •
Creosote	Fair	Excellent •	Excellent •
Cutting Oil	Poor	Excellent •	Excellent •
Cyclohexane	Poor	Poor	Excellent •
Diesel Fuel	Poor	Poor	Excellent •
Diethanolamine	Excellent •	Excellent •	Excellent •
Diethyl Ether	Fair	Fair	Excellent •
Diethyl Phtalate (DOP)	Fair	Poor	Good
Ethyl Acetate	Good	Poor	Poor
Ethyl Alcohol (Ethanol)	Excellent •	Fair	Excellent •
Ethylene Glycol	Excellent •	Excellent •	Excellent •
Fertilizers	Excellent •	Excellent •	Excellent •
Fish (Shell Fish)	Fair	Fair	Excellent •
Fluorides	Excellent •	Excellent •	Excellent •
Formaldehyde 37% (Formalin)	Excellent •	Excellent •	Excellent •
Fuel Oil	Poor	Fair	Excellent •
Gasoline	Poor	Fair	Excellent •
Hexane	Poor	Fair	Excellent •
Household Detergents	Good	Good	Good
Hydraulic Fluid	Excellent •	Good	Excellent •
Hydrochloric Acid 30%	Fair	Good	Excellent •

CHEMICAL	LATEX	VINYL (PVC)	NITRILE
Hydrofluoric Acid 30%	Good	Good	Excellent •
Hydrogen Peroxide	Good	Poor	Excellent •
Kerosene	Poor	Fair	Excellent •
Linseed Oil	Poor	Good	Excellent •
Methyl Alcohol (Methanol)	Excellent •	Good	Excellent •
Methyl Ethyl Ketone (MEK)	Fair	Poor	Poor
Methyl Formate	Fair	Fair	Fair
Mineral Oils	Poor	Fair	Excellent •
Naphtha	Poor	Fair	Excellent •
Naphthalene	Poor	Fair	Good
Nitric Acid	Good	Fair	Fair
Nitrobenzene	Poor	Poor	Fair
Oleic Acid	Fair	Fair	Excellent •
Perchloroethylene	Poor	Poor	Good
Phosphoric Acid	Excellent •	Excellent •	Excellent •
Photo Developer Fixer	Excellent •	Excellent •	Excellent •
Pine Oil	Poor	Fair	Excellent •
Potassium Hydroxide 50% KOH	Excellent •	Excellent •	Fair
Poultry	Fair	Poor	Excellent •
Propylene Dichloride	Poor	Poor	Fair
Silicates	Excellent •	Excellent •	Excellent •
Sodium Hydroxide 50% NaOH	Excellent •	Fair	Fair
Sodium Hypochlorite	Excellent •	Excellent •	Excellent •
Stearic Acid	Good	Good	Good
Sulphuric Acid (Concentrated)	Poor	Good	Poor
Sulphuric Acid (Diluted)	Excellent •	Excellent •	Excellent •
Tetrahydrofuran (THF)	Fair	Poor	Poor
Toluene (Toluol)	Poor	Fair	Fair
Trinitrobenzene	Poor	Fair	Good
Turpentine	Poor	Good	Excellent •
Vegetable Oil	Poor	Fair	Excellent •
Weed Killer	Excellent •	Excellent •	Excellent •
Wood Preservatives	Poor	Fair	Excellent •
Xylene	Poor	Poor	Good

• **Excellent** – It's perfect; use it. | **Good** – It's all good. | **Fair** – Usable. You're the boss. | **Poor** – Forget about it.

Visit www.superiorglove.com or contact us for complete Chemical Resistant chart info.



CFIA
ASTM TESTING



CHEMSTOP™

#F230

ONE SIZE

- Premium quality double-dipped PVC
- Two-piece, sanitized, fleeced jersey liner
- 12" gauntlet cuff

APPLICATIONS:

Commercial Fishing, Petrochemical, Fuel Oil Delivery, Mining



CFIA
ASTM TESTING



CHEMSTOP™

#F236

ONE SIZE

- Premium quality double-dipped PVC
- Two-piece, sanitized, fleeced jersey liner
- 14" gauntlet cuff

APPLICATIONS:

Chemical Industry, Commercial Fishing, Petrochemical, Suitable for handling oils, acids and caustics, Organic Solvents



ASTM TESTING



CHEMSTOP™

#F294SL

ONE SIZE

- Protects against liquids and many chemicals
- Shoulder-length style features wide elastic strap around neck to hold up sleeves
- Flock-lined PVC sleeves in the bicep-length style are stiff enough to stay up during wear

APPLICATIONS:

Chemical Processing, Petrochemical, Sanitization, Food Processing



CFIA
ASTM TESTING



CHEMSTOP™

#J230

ONE SIZE

- Two-piece cotton-interlock 12" gauntlet liner
- Fully coated with red PVC

Note: PVC has poor resistance to hot water and is not recommended for use above 79° C (175° F).

APPLICATIONS:

Chemical Handling, Construction, Agriculture, General Maintenance, Petrochemical, Oil Refining, Suitable for handling oils, acids and caustics

CHEMSTOP™

#J236

ONE SIZE

- Two-piece cotton-interlock 14" gauntlet liner
- Fully coated with red PVC

Note: PVC has poor resistance to hot water and is not recommended for use above 79° C (175° F).

APPLICATIONS:

Chemical Handling, Construction, Agriculture, General Maintenance, Petrochemical, Oil Refining, Suitable for handling oils, acids and caustics



CHEMSTOP™

#FB230

ONE SIZE

- Black, double-dipped high-grade PVC
- Two-piece, sanitized, fleeced jersey liner
- 12" gauntlet cuff

APPLICATIONS:

Commercial fishing, Petrochemical Industry, Fuel/Oil Delivery, Mining



CHEMSTOP™

#F200K

ONE SIZE

- High abrasion and chemical resistance
- Double-dipped PVC for longer wear
- Rough palm-finish for excellent non-slip grip
- Absorbent fleece jersey liner for comfort
- Anti-bacterial treatment for better odor protection

APPLICATIONS:

Chemical Industry, Organic Solvents, Commercial Fishing, Petrochemical, Fuel/Oil Delivery, Suitable for handling oils, acids and caustics



CHEMSTOP™

#FB200K

ONE SIZE

- Double-dipped PVC resists many chemicals and solvents
- Rough palm finish for excellent wet/dry grip
- Sanitized fleece lining is comfortable, absorbent

APPLICATIONS:

Commercial Fishing, Automotive, Maintenance, Construction, Petrochemical Industry, Fuel/Oil Delivery, Mining



PVC (POLYVINYL CHLORIDE)

CHEMICAL RESISTANT GLOVES



ASTM TESTING



CHEMSTOP™

#FB236

ONE SIZE

- Black, double-dipped high-grade PVC
- Two-piece, sanitized, fleeced jersey liner
- 14" gauntlet cuff

APPLICATIONS:

Petrochemical Industry, Fuel/Oil Delivery, Mining



CFIA

ASTM TESTING



NORTH SEA™

#NS200B

ONE SIZE

- High-grade, low-temperature PVC formulation
- Triple-layer, foam-laminated insulation
- Roughened finish on palm
- Safety cuff

APPLICATIONS:

Construction, Utilities, Commercial Fishing, Maintenance



CFIA

ASTM TESTING



NORTH SEA™

#NS330

ONE SIZE

- High-grade, low-temperature PVC formulation
- Triple-layer, foam-laminated insulation
- Orange fully coated, gauntlet cuff, roughened finish on palm

APPLICATIONS:

Construction, Utilities, Commercial Fishing, Maintenance



CFIA

ASTM TESTING



NORTH SEA™

#NS300B

ONE SIZE

- High-grade, low-temperature PVC formulation
- Triple-layer, foam-laminated insulation
- Orange fully coated, safety cuff, roughened finish on palm

APPLICATIONS:

Construction, Utilities, Commercial Fishing, Maintenance

NORTH SEA™

#NS300K

ONE SIZE

- High-grade, low-temperature PVC formulation
- Triple-layer, foam-laminated insulation
- Orange fully coated, knit wrist cuff, roughened finish on palm

APPLICATIONS:

Construction, Utilities, Commercial Fishing, Maintenance



ASTM TESTING



CHEMSTOP™

#S230FL

M-XL

- Super-soft PVC formulation for great comfort and flexibility
- Lined insulating acrylic fleece liner
- Ergonomically-shaped for reduced hand fatigue

APPLICATIONS:

Fishery, Automotive, Maintenance, Petrochemical

ASTM TESTING



CHEMSTOP™

#SH230

M-2XL

- Premium, heavy weight PVC formulation
- Super-soft seamless-knit 13-gauge cotton shell
- 12" length

APPLICATIONS:

Fishery, Automotive, Maintenance, Petrochemical



ASTM TESTING



CHEMSTOP™

#SHK230

M-XL

- Kevlar® knit shell
- Dipped in soft, flexible PVC
- Sand-patch finish

APPLICATIONS:

Automotive, Maintenance, Petrochemical, Metal Fabrication



ASTM TESTING



Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.



ASTM TESTING

**CHEMSTOP™****#NT230****S-2XL**

- Nitrile coated gloves, ceramic powder grip-coat
- Soft jersey liner, 12" in length
- Temperatures ranging from -4° to 149°C (25° to 300°F)

APPLICATIONS:

Petrochemical, Automotive, Oily Metal Parts, Chemical Processing



CFIA

ASTM TESTING

**CHEMSTOP™****#NI3012****7-11**

- 12" unsupported nitrile gloves
- Temperature stability from -4° to 149°C (25° - 300°F)
- Embossed pattern on palms

APPLICATIONS:

Meat Processing, Food Processing, Chemical Processing, Machining Operations using Cutting Oil, Automotive, Janitorial, Petrochemical General Industry



CFIA

ASTM TESTING

**CHEMSTOP™****#NIF3018****7-11**

- 12" flock-lined nitrile gloves
- Temperature stability from -4° to 149°C (25° - 300°F)
- Embossed pattern on palms

APPLICATIONS:

Meat Processing, Food Processing, Chemical Processing, Machining Operations using Cutting Oil, Automotive, Janitorial, Petrochemical General Industry



CFIA

ASTM TESTING

**CHEMSTOP™****#NI4622****8-11**

- 19" unsupported nitrile gloves
- Temperature stability from -4° to 149°C (25° - 300°F)
- Embossed pattern on palms

APPLICATIONS:

Meat Processing, Food Processing, Chemical Processing, Machining Operations using Cutting Oil, Automotive, Janitorial, Petrochemical, General Industry

CHEMSTOP™**#L3018****7-10**

- Unsupported canning chemical resistant gloves
- Natural latex; chlorinated for easy on and off
- Embossed pattern on palms

APPLICATIONS:

Laboratory, Pharmaceutical, Food Handling, Canning, Janitorial



CFIA
ASTM TESTING

**CHEMSTOP™****#LF3020****7-10**

- 12" (30 cm) long natural, 16 mil., thick latex gloves
- Cotton flock lining
- Embossed palm grip, pinked cuff edges

APPLICATIONS:

Laboratory, Pharmaceutical, Food Handling, Agriculture, Janitorial



CFIA
ASTM TESTING

**CHEMSTOP™****#LF3020Q****7-10**

- 12" (30 cm.) long natural 12 mil., thick latex gloves
- Cotton flock lining
- Embossed palm grip, rolled cuff edges

APPLICATIONS:

Laboratory, Pharmaceutical, Food Handling, Agriculture, Janitorial



CFIA
ASTM TESTING

**CHEMSTOP™****#408****7-10**

- Heavyweight 30 mil., thick latex gloves
- The glove is flock lined
- Diamond-pattern grip finish

APPLICATIONS:

Commercial Fishing, Laboratory, Food Handling, Agricultural, Chemical Processing, Janitorial, Plant Maintenance



CFIA
ASTM TESTING





ASTM TESTING

**CHEMSTOP™****#L8230****8-11**

- 12" inner cotton-jersey liner
- Full latex coating with wrinkle-finish coating on palm and back

APPLICATIONS:

Fisheries, Handling Frozen Food or Hot Containers, Glass Handling, Sheet Metal Assembly, Laboratories, Agriculture, Chemical Plants, Plant Maintenance



ASTM TESTING

**CHEMSTOP™****#L6043****10, 11**

- Extra heavy, .043" thick (1.1 mm) natural rubber glove
- Full 24" length (60 cm). 7-1/2" (19 cm) cuff diameter
- Rolled cuff edge

APPLICATIONS:

Sandblasting, Chemical Handling, Laboratories, Agriculture, Automotive, Maintenance, Petrochemical



ASTM TESTING

**CHEMSTOP™****#NE250TRC****9-11**

- Heavy-duty neoprene gloves
- Acrylic terry lining
- Extended cuffs provide 20" of coverage
- Diamond-grip finish palms
- Heat stability up to 200°C (392°F)

APPLICATIONS:

Food Processing, Chemical Processing, General Industry, Oil Refineries, Petrochemical, Degreasing, Refining



ASTM TESTING

**CHEMSTOP™****#NE240TKL****9-11**

- Heavy-duty neoprene gloves
- Acrylic terry lining
- Diamond-grip finish palms
- Heat stability up to 200°C (392°F)

APPLICATIONS:

Chemical Processing, Commercial Fishing, Food Processing, General Industry, Oil Refineries, Petrochemical, Degreasing, Refining, Plating, Galvanizing

CHEMSTOP™**#NE246FFL****ONE SIZE**

- Heavy-duty neoprene gloves
- Cotton lining
- Extra long 18" length
- Heat stability up to 200°C (392°F)

APPLICATIONS:

Chemical Processing, Mining, Petrochemical, Forestry, Laboratory



ASTM TESTING

**CHEMSTOP™****#NE3030****7-11**

- 30 cm (12") in length, 30 mil., thick neoprene glove
- Heat stability up to 93°C (200°F)
- Flock lined

APPLICATIONS:

Chemical Processing, Automotive, Oil Refineries, Petrochemical, Degreasing, Electronics, Plastics



ASTM TESTING

**CHEMSTOP™****#NL3030****7-10**

- Heavyweight 30 mil., latex thickness and 12" in length
- Neoprene overrip on the palm area
- Flock-lined

APPLICATIONS:

Automotive, Maintenance, Food Handling, Chemical Processing- Degreasing


 **CFIA**

ASTM TESTING

**CHEMSTOP™****#V3016RT****7-10**

- 9 mil., vinyl thickness in glove body and 16 mil., on fingertips
- USDA approved, phenol free, latex free, anti-bacterial
- Anti-mildew agent incorporated into gloves

APPLICATIONS:

Janitorial, Food Handling, Industrial, Pharmaceutical



ASTM TESTING



NITRILE



CHEMSTOP™

#SDY30BFN

S-XL

- 12" knit liner made with Dyneema® and composite filament fiber
- Fully dipped in black foam nitrile
- Completely silicone-free
- 2125 grams of cut protection

APPLICATIONS:

Sharp Steel, Glass, Circuit Boards, Automotive, Maintenance, Petrochemical, Aerospace Industry, Metal Fabrication

ASTM TESTING





LEATHER GLOVES

superiorglove.com





ASTM TESTING



ENDURA®

#378GKTA

XS-3XL

- Goat-grain drivers glove
- Keystone thumb

APPLICATIONS:

General Maintenance, Construction, Welding, Agriculture, General Material Handling



ASTM TESTING



ENDURA®

#378GFRES

S-XL

- Goat-grain drivers glove
- Keystone thumb
- Built-in anti-static flame-resistant Rhovyl® and ESD carbon-blend liner

APPLICATIONS:

Gas Company Workers, Linesmen & Utilities Industry, Steel & Iron Industry, Light-Welding Operations, Material Handling, Mining



ASTM TESTING



ENDURA®

#378GOB

S-3XL

- Goat-grain drivers glove
- Keystone thumb
- Treated with Oilbloc™
- Elasticized backs

APPLICATIONS:

Steel Mills, Maintenance, Petroleum Industry, Construction, Utilities, Industrial Contractors



ASTM TESTING



ENDURA®

#378GAXTK

XS-2XL

- High tensile-strength goat-grain palms
- Reinforced leather fingertips and knuckle straps
- Blue-spandex stretch back

APPLICATIONS:

General Maintenance, Construction, Agriculture, General Material Handling

ENDURA®

#378GAX

XS-XL

- High tensile-strength goat-grain palms
- Keystone thumb
- Blue-spandex stretch back

APPLICATIONS:

General Maintenance, Construction, Agriculture, General Material Handling



ASTM TESTING



ENDURA®

#76GB

ONE SIZE

- A-grade goat-grain leather palms, fingertips and index finger
- Full nylon backs
- 3" (7.6 cm) safety cuff
- Leather side patch

APPLICATIONS:

Industrial, General Maintenance, Construction, Agriculture



ASTM TESTING



ENDURA®

#378GOT

S-2XL

- Goat-grain drivers glove
- Keystone thumb
- Hi-viz orange fingertips elevate the level of safety

APPLICATIONS:

General Maintenance, Construction, Welding, Agriculture, General Material Handling



ASTM TESTING



ENDURA®

#378GAHVB

S-2XL

- Goat-grain drivers glove
- Keystone thumb
- Hi-viz yellow stretch backs
- 3M Scotchlite™ retro-reflective stripes
- Full-leather forefinger and thumbs

APPLICATIONS:

General Maintenance, Construction, Welding, Agriculture, General Material Handling



ASTM TESTING





ASTM TESTING



ENDURA®

#378A

XS-3XL

- Grain cowhide, gunnecut styling and double stitching
- Backs are elasticized

APPLICATIONS:

Forklift Drivers, Truck Drivers, Construction, Farming, Maintenance, Material Handling



ASTM TESTING



ENDURA®

#378C

S-3XL

- Grain cowhide and clute-cut pattern
- Domed snaps at back of hand
- Double-stitched seams

APPLICATIONS:

Forklift Drivers, Truck Drivers, Construction, Farming/Ranching



ASTM TESTING



ENDURA®

#378KTA

S-XL

- American-style cowhide driver gloves
- Set in keystone thumb and double stitching
- Backs are elasticized

APPLICATIONS:

Forklift Drivers, Truck Drivers, Construction, Farming, Maintenance, Material Handling



ASTM TESTING



ENDURA®

#3990SSC4

7-9

- Cowgrain leather gloves
- Gunn-cut styling and Kevlar® out-seam sewn
- 4.5" split-leather gauntlet cuffs

APPLICATIONS:

Steel & Iron Industry, Material Handling

ENDURA®

#399SC4

S-2XL

- Cowgrain leather gloves
- Gunn-cut styling and double stitching
- 4.5" split-leather gauntlet cuffs

APPLICATIONS:

Steel & Iron Industry, Material Handling

ASTM TESTING



ENDURA®

#365GC

M-2XL

- Deluxe cowgrain leather
- Outseam sewn and fully welt protected
- 5" cowhide gauntlet cuffs
- Strapped thumbs
- Kevlar® sewn throughout

APPLICATIONS:

Welding, Linesmen & Utilities Industry, Steel & Iron Industry, Material Handling

ASTM TESTING



ENDURA®

#365HBR

S-XL

- Durable horsehide construction
- Split-leather backs
- 4" cowhide gauntlet cuff for wrist protection
- Kevlar® sewn throughout

APPLICATIONS:

TIG Welding, Material Handling, Fabrication

ASTM TESTING



ENDURA®

#361DLX6

S-XL

- Select heavyweight 3-1/2 oz grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- 6" gauntlet cuff
- Kevlar® sewn throughout

APPLICATIONS:

Utilities

ASTM TESTING





ASTM TESTING



ENDURA®

#365DLX6

S-2XL

- Select heavyweight 3-1/2 oz grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- 6" gauntlet cuff
- Kevlar® sewn throughout

APPLICATIONS:

Utilities



ASTM TESTING



ENDURA®

#365DLX2

S-2XL

- Select heavyweight 3-1/2 oz grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- 2" safety cuff
- Kevlar® sewn throughout

APPLICATIONS:

Utilities



ASTM TESTING



ENDURA®

#398BDLX

S-3XL

- Glove body, palm and finger patches are Buffalo leather
- 3D ergonomically designed
- Retro-reflective silver strips
- Kevlar® sewn throughout

APPLICATIONS:

Utilities



ASTM TESTING



ENDURA®

#76YBDQ

S-XL

- Economy cowgrain, patch palm
- Leather fingertips and knuckle strap
- Palm lined
- 2.5" (7cm) safety cuff

APPLICATIONS:

Maintenance, Construction, Farm Equipment, Ranching, Forestry

ENDURA® #76EFL

ONE SIZE

- Top cowgrain, heavy-weight fitter glove
- Comfortable and durable
- Elastic cuff for a snug fit
- Fully cotton fleece lined

APPLICATIONS:

Farming, Construction, General Maintenance



ASTM TESTING



ENDURA® #76B

S-2XL

- Cowgrain palms, fingertips, index finger and knucklestrap
- 2.5" (7 cm) safety cuff
- Lined palm

APPLICATIONS:

Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



ENDURA® #76BUL

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- 2.5" (7 cm) safety cuff
- Unlined palm

APPLICATIONS:

Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



ENDURA® #76BOE

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Outer elastic back
- 2.5" (7 cm) safety cuff
- Lined palm

APPLICATIONS:

Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING





ASTM TESTING



ENDURA®

#76GR

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Lined palm
- 4.25" (10 cm) rubberized gauntlet cuff

APPLICATIONS:

Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



ENDURA®

#66Q Economy

ONE SIZE

- Cowhide split leather, patch palm
- Leather fingertips and knuckle strap
- 2.5" (7cm) safety cuff

APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural



ASTM TESTING



ENDURA®

#66B

ONE SIZE

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) safety cuff
- Cotton-lined palms

APPLICATIONS:

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



ENDURA®

#66BR

ONE SIZE

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) rubberized safety cuff

APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural

ENDURA® #66BRL

ONE SIZE

- Designed and anatomically engineered for a woman's hand
- Select cowhide split leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) rubberized safety cuff

APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural



ENDURA® #66GR

ONE SIZE

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 4.25" (10 cm) rubberized safety cuff

APPLICATIONS:

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



ENDURA® #66G

ONE SIZE

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 4.25" (10 cm) gauntlet cuff

APPLICATIONS:

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



ENDURA® #66BRR

ONE SIZE

- Select split cowhide leather
- Extra layer of heavyweight tri-tan leather on palm/index finger/thumb
- Gunn-cut style
- 2.5" (7 cm) rubberized safety cuffs

APPLICATIONS:

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING





ASTM TESTING



ENDURA®

#66BRRL

LADIES

- Designed and anatomically engineered for a woman's hand
- Select split cowhide leather
- Extra layer of heavyweight tri-tan leather on palm/index finger/thumb
- Gunn-cut style
- 2.5" (7 cm) rubberized safety cuffs

APPLICATIONS:

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING



ENDURA®

#66BRR2

ONE SIZE

- Select split cowhide leather
- Extra layer of heavyweight tri-tan leather on palm/index finger/thumb
- Gunn-cut style
- 2.5" (7 cm) rubberized safety cuffs

APPLICATIONS:

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING



ENDURA®

#66BD

ONE SIZE

- Select split cowhide leather
- Extra layer of heavyweight Tri-tan leather on palm
- 2.5" (7 cm) rubberized safety cuffs

APPLICATIONS:

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING



ENDURA®

#66BRRED

ONE SIZE

- Select split cowhide leather
- Gunn cut style with cotton back
- 2.5" (7 cm) rubberized safety cuffs

APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural

ENDURA®

#66BRBLUE

ONE SIZE

- Select split cowhide leather
- Gunn cut style with cotton back
- 2.5" (7 cm) rubberized safety cuffs

APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural



ASTM TESTING



ENDURA®

#76PB

ONE SIZE

- Grain pigskin
- Elastic back
- Lined palm
- 2.5" (7 cm) safety cuff

APPLICATIONS:

Lumber, Construction, Metal Work, General Purpose



ASTM TESTING



ENDURA®

#76PBUL

ONE SIZE

- Grain pigskin
- Elastic back
- Unlined palm
- 2.5" (7 cm) safety cuff

APPLICATIONS:

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



ENDURA®

#67TKL

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Full 8 oz. cotton twill back
- Reinforced leather fingertips
- Knitwrist cuff

APPLICATIONS:

Light Metal Stamping, Fabrication, General Purpose



ASTM TESTING



CLUTE CUT LEATHER

LEATHER GLOVES



ASTM TESTING



SUPERIOR®

#650

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Full 8 oz. cotton twill back
- Knitwrist cuff

APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



SUPERIOR®

#650G

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Full 8 oz. cotton twill back
- Cotton gauntlet cuff

APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



SUPERIOR®

#650HB

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Cotton twill backs
- Knitwrist cuff

APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



ENDURA®

#650Q

M-XL

- Economy clute cut
- Shoulder split leather palm patch
- Cotton twill backs
- Knitwrist cuff

APPLICATIONS:

Steel Mills, Maintenance

SUPERIOR®

#650i

ONE SIZE

- Shoulder split leather palms
- Cotton twill backs
- Knitwrist cuff
- Reusable/Re-Washable

APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



SUPERIOR®

#630Ki

ONE SIZE

- Shoulder split leather palms
- Cotton twill backs
- Leather index finger
- Knitwrist cuff

APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



LEATHER GLOVES

[illegible]

WELDING GLOVES

superiorglove.com





ASTM TESTING



ENDURA® #305GDSB

M-2XL

- Deluxe gunn-cut welding gloves
- Grain deerskin palms fully sewn with Kevlar®
- Split cowhide backs
- 5" gauntlet cuffs
- Heat resistance up to 284°F (140°C)

APPLICATIONS:

TIG Welding, Material Handling, Fabrication



ASTM TESTING



ENDURA® #335CBP

S-2XL

- Reinforced reverse cowgrain back patch
- Strapped thumbs
- Extended cowhide gauntlet cuffs
- Fully Kevlar®-sewn seams
- Heat resistance up to 392°F (200°C)

APPLICATIONS:

TIG Welding, Material Handling, Fabrication



ASTM TESTING



ENDURA® #335D6FKL

ONE SIZE

- Split deerskin
- Fleeced-Kevlar® liner
- Fully Kevlar®-sewn seams
- Strapped thumbs
- Heat resistance up to 284°F (140°C)

APPLICATIONS:

TIG and MIG Welding, Fabrication



ASTM TESTING



ENDURA® #335DBP

S-XL

- Split deerskin
- Reinforced cowhide back patch
- Strapped thumbs
- Fully Kevlar®-sewn seams
- Heat protection of up to 284°F (140°C)

APPLICATIONS:

TIG Welding, Material Handling, Fabrication

ENDURA®**#335DTIG****S-XL**

- Split deerskin leather
- Strapped thumbs
- Fully Kevlar®-sewn seams
- 4" gauntlet cuffs
- Heat protection of up to 284°F (140°C)

APPLICATIONS:

Welding, Fabrication



ASTM TESTING

**ENDURA®****#335PTIG****S-XL**

- Grain pigskin
- 4" cowhide gauntlet cuff
- Heat protection of up to 176°F (80°C)

APPLICATIONS:

TIG Welding, Material Handling, Fabrication

**ENDURA®****#370CTIG****S-2XL**

- Grain goatskin leather
- Wide fitting Canadian-style 4" gauntlet cuff
- Fully Kevlar®-sewn seams
- Heat protection of up to 176°F (80°C)

APPLICATIONS:

Welding, Steel Mills



ASTM TESTING

**ENDURA®****#370GFKL****M-2XL**

- Grain goatskin leather
- Lined with cut-and sewn fine-gauge Kevlar® interlock knit
- Fully Kevlar®-sewn seams
- Wide-fitting split-cowgrain gauntlet cuffs are gusseted
- Heat protection of up to 176°F (80°C)
- 625 grams of cut protection

APPLICATIONS:

MIG or TIG Welding, Steel Foundries, Stainless-Steel Welding



ASTM TESTING





ASTM TESTING

**ENDURA®****#375GDFNL****XL-2XL**

- Deluxe grain deerskin
- Split cowhide back
- 5" cowhide gauntlet cuffs
- Heat resistance up to 482°F (250°C)
- Fully lined with DuPont™ Nomex® felt

APPLICATIONS:

Welding, Outdoor Winter Welding, Linesmen & Utilities Industry, Steel & Iron Industry, Material Handling



ASTM TESTING

**ENDURA®****#365HBR****S-XL**

- White grain horsehide palms
- Split cowhide back
- Fully Kevlar®-sewn seams
- 4" cowhide gauntlet cuff
- Heat resistance up to 140°C (284°F)

APPLICATIONS:

TIG Welding, Material Handling, Fabrication



ASTM TESTING

**ENDURA®****#675DBLB****XL**

- Deluxe natural split elk-skin palms
- Split deerskin backs
- Fully Kevlar®-sewn seams
- Fleece-jersey lined backs and unlined palm
- Gusseted 5.5" split cowhide gauntlet cuffs and wing thumbs
- Heat protection of up to 284°F (140°C)

APPLICATIONS:

MIG Welding



ASTM TESTING

**ENDURA®****#505BS****ONE SIZE**

- Deluxe brown side-split cowhide
- Leather-welted critical seams
- Flame-resistant 4 mil thick jersey/foam lining
- Fully Kevlar®-sewn seams
- Heat protection of up to 392°F (200°C)

APPLICATIONS:

MIG Welding

ENDURA®**#505BU****ONE SIZE**

- Deluxe royal blue select split-cowhide
- Continuous one-piece back
- Fully Kevlar®-sewn seams
- Leather welting in all vulnerable seams
- Full semi-sock thermal-knit cotton lining
- Heat resistance up to 284°F (140°C)

APPLICATIONS:

MIG or Stick Welding, Steel Mills



ASTM TESTING

**ENDURA®****#505BUWS****ONE SIZE**

- Select shoulder-split cowhide
- Full semi-sock thermal-knit cotton lining
- Reinforced extended double palm/thumb patch
- Fully Kevlar®-sewn seams
- Leather-welting critical seams
- Heat protection of up to 392°F (200°C)

APPLICATIONS:

MIG or Stick Welding, Steel Mills



ASTM TESTING

**ENDURA®****#505RB****ONE SIZE**

- Deluxe rust brown side-split cowhide
- Continuous one-piece backs
- Full semi-sock thermal-knit cotton lining
- Fully Kevlar®-sewn seams
- Heat resistance up to 500°F (260°C)

APPLICATIONS:

MIG or Stick Welding, Steel Mills



ASTM TESTING

**ENDURA®****#505GMB****ONE SIZE**

- Aluminized Heatstop™ lining in the thumbs and at the back of the hand
- Wide, protective strap on the thumb and palm
- Continuous one-piece backs
- Fully Kevlar®-sewn seams
- Full semi-sock thermal-knit cotton lining
- Heat protection of up to 284°F (140°C)

APPLICATIONS:

MIG or Stick Welding, Steel Mills



ASTM TESTING





ASTM TESTING

**ENDURA®****#505i****ONE SIZE**

- Split cowhide
- Continuous one-piece backs
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining
- Heat protection of up to 284°F (140°C)

APPLICATIONS:

MIG Welding, Steel Mills



ASTM TESTING

**ENDURA®****#501i****ONE SIZE**

- Select side-split cowhide one-finger mitt
- Continuous one-piece backs
- Full semi-sock thermal-knit cotton lining
- Leather-welted critical seams
- Heat protection of up to 392°F (200°C)

APPLICATIONS:

MIG Welding, Steel Mills

**ENDURA®****#505Li****LADIES**

- Designed and anatomically engineered for a woman's hand
- Split cowhide
- Continuous one-piece backs
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining

APPLICATIONS:

MIG Welding, Steel Mills



ASTM TESTING

**ENDURA®****#505Q****ONE SIZE**

- Split cowhide
- Continuous one-piece back
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining
- Heat protection of up to 284°F (140°C)

APPLICATIONS:

MIG Welding, Steel Mills

ENDURA®**#685BFi****ONE SIZE**

- Chrome-tanned leather
- Silver reflective, dual density, non-woven felt lining
- 260°C (500°F) of heat protection
- 4" gauntlet cuffs
- Leather-welted critical seams
- Fully Kevlar®-sewn seams

APPLICATIONS:

High-Heat Applications, Steel Mills, Foundries, Rugged-Material Handling

ASTM TESTING

**ENDURA®****#681BFi****ONE SIZE**

- Chrome-tanned leather one-finger mitt
- Silver reflective, dual density, non-woven felt lining
- 260°C (500°F) of heat protection
- 4" gauntlet cuffs
- Leather-welted critical seams
- Fully Kevlar®-sewn seams

APPLICATIONS:

High-Heat Applications, Steel Mills, Foundries, Rugged-Material Handling

ASTM TESTING

**ENDURA®****#401SALDL****ONE SIZE**

- One-finger mitt
- Aluminized back reflects up to 95% of radiant heat
- Blue tri-tan leather is resistant to ultra violet radiation
- 608°F (320°C) of heat protection
- Cotton palm lined and wool lined back
- Fully Kevlar®-sewn seams

APPLICATIONS:

High-Heat Applications, Steel Mills, Foundries, Rugged-Material Handling

ASTM TESTING

**ENDURA®****#505ALB****ONE SIZE**

- Aluminized back reflects up to 95% of radiant heat
- Black tri-tan leather is resistant to ultraviolet radiation
- Cotton palm lined and wool lined back
- Fully Kevlar®-sewn seams

APPLICATIONS:

MIG or Stick Welding, Steel Mills, Foundries

ASTM TESTING





ASTM TESTING



ASTM TESTING



-10°C
14°F



3M
Thinsulate
INSULATION

ENDURA®**#399GKGL5****S-3XL**

- Goat-grain driver glove
- Extended gauntlet
- Kevlar®/composite filament fiber lining
- 1600 grams of cut protection

APPLICATIONS:

Metal Handling, Construction, Steel Plants, Oil and Gas, MIG Welding

ENDURA®**#399GKGT5****S-3XL**

- Winter goat-grain driver gloves
- Kevlar®/ composite filament fiber and Thinsulate™ lining
- Extended gauntlet
- 3400 grams of cut protection

APPLICATIONS:

Metal Handling, Construction, Steel Plants, Oil and Gas, MIG Welding

ANTI-VIBE GLOVES

superiorglove.com





ASTM TESTING



EN 388 TESTING



VIBRASTOP®

#S10VIB

M-XL

- Black nylon, 7-gauge shell for durability
- Formed-chloroprene coated, seamless-lined gloves
- Meets anti-vibration standard EN ISO 10819:1996 and ANSI S3.40
- Elastic wrist for a snug fit

APPLICATIONS:

Automotive, Forestry and Landscaping, Construction



ASTM TESTING



VIBRASTOP®

#VIBGV

M-2XL

- Padded with 60 gram layer of vibration dampening polymer
- Good for protection from repetitive impact and work with pneumatic vibrating tools
- 2.5" long adjustable padded wrist strap

APPLICATIONS:

Repetitive Impact Work, Pneumatic Vibrating Tools, Construction, Maintenance, Grinding or Sanding Tools



ASTM TESTING



VIBRASTOP®

#66BRVIB

ONE SIZE

- Vibration-dampening fitter
- Split cowhide
- Safety-cuff
- Anti-vibration padded palm and double thumb

APPLICATIONS:

Repetitive Impact Work, Pneumatic Vibrating Tools, Construction, Maintenance, Grinding or Sanding Tools



ASTM TESTING



ENDURA®

#385CS

M-XL

- Eight-layer lining of specific chain-arrest woven Kevlar®
- Meets the EN 381:1999 Class 0 for chainsaw cuts
- Water-repellent
- Hi-viz nylon/Lycra® fabric

APPLICATIONS:

Forestry, Logging, Arborists

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.
Dyneema® is a registered trademark of Royal DSM Group N.V.

ENDURA®

#505VIB

S-L

- Padded with a layer of vibration dampening polymer
- Split cowhide
- Continuous one-piece backs
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining

APPLICATIONS:

Repetitive Impact Work, Pneumatic Vibrating Tools, Construction, Maintenance, Grinding or Sanding Tools



ASTM TESTING



VIBRASTOP®

#S10KCVIB

M-XL

- Seamless 10-gauge knit 60% Kevlar®/ 40% cotton shell
- Meets anti-vibration standard EN ISO 10819: 1996 and ANSI S3.40
- Elastic wrist for a snug fit

APPLICATIONS:

Automotive, Forestry and Landscaping, Construction



ASTM TESTING



ANTI-VIBRATION GLOVES

[illegible]

PUNCTURE GLOVES

superiorglove.com





ASTM TESTING



CLUTCH GEAR® #MXVSBPB

S-2XL

- PVC Sure Grip® palm patches
- Lined with Punkban™ in palm
- Hi-viz lime-green backs
- TPR backing on hands
- Kevlar® thumb patch
- 2050 grams of cut protection
- ASTM F2878 4.62 newtons of puncture protection

APPLICATIONS:

Oil & Gas



ASTM TESTING



CLUTCH GEAR® #MXHVPB

S-2XL

- PVC Sure Grip® palm patches
- Lined with Punkban™ in palm
- Hi-viz lime-green backs
- Soft fabric patch on the thumb for wiping sweat or drippy noses
- 1375 grams of cut protection
- ASTM F2878 4.78 newtons of puncture protection

APPLICATIONS:

Lumber Yards, Waste Handling, Plywood, Recycling, Material Handling



ASTM TESTING



CLUTCH GEAR® #MXHV2PB

S-2XL

- PVC Sure Grip® palm patches
- Fully lined with Punkban™
- Hi-viz lime-green backs
- 2600 grams of cut protection
- ASTM F 2878 7.83 (palm) and 4.47 (back) newtons of puncture protection

APPLICATIONS:

Lumber Yards, Plywood, Material Handling, Waste Handling, Recycling, Medical Waste Handling



ASTM TESTING



EN 388 TESTING



DEXTERITY® #S10LXPB

6-10

- Hi-viz lime green puncture-resistant latex coating
- 10-gauge cotton/poly string knit
- Lined with two layers of Punkban™ in palm
- 2394 grams of cut protection
- ASTM F2878 6.73 newtons of puncture protection

APPLICATIONS:

Lumber Yards, Waste Handling, Plywood, Recycling, Material Handling

SUPERIOR®

#SLPB9TH

ONE SIZE

- Made with Punkban™ material
- Spandex wrist with thumbhole
- Hi-viz lime-green
- Adjustable Velcro® closure
- 1981 grams of cut protection
- ASTM F2878 7.35 newtons of puncture protection
- Available lengths: 9"



APPLICATIONS:

Metal Handling, Steel Plants, Metal Fabrication, Glass Handling

ASTM TESTING



ENDURA®

#398DPPB

M-XL

- Select heavyweight Buffalo leather palms
- Lined with Punkban™ in palm
- Gauntlet cuffs
- 3 Hi-viz lime-green fingertips
- Sewn with Kevlar® thread
- 2700 grams of cut protection



APPLICATIONS:

Lumber Yards, Plywood

ASTM TESTING



Punkban™ offers unparalleled protection in a woven material. This breakthrough has been made possible by bringing together leading edge textile technology in spinning and weaving para-aramids, in a method pioneered by Superior Glove. The resultant super densely woven Kevlar® fabric is still flexible and supple, but unbelievably puncture resistant.

This engineered fabric is incorporated in our exclusive range of gloves that provide incredible puncture protection. You'll experience dexterity like never before in the new Punkban™ series.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

STRING KNIT GLOVES

superiorglove.com





SUPERIOR®

#LL100

#LL100D (PVC-dotted palm)

7-10

7,9,12

- 100% cotton inspectors gloves, parade pattern
- Protect from contamination such as fingerprints, oils & scratches
- Form-fitting and reversible
- Can be worn as glove liner

APPLICATIONS:

Inspection, Liner for rubber gloves



SUPERIOR®

#ML40

#LL40

MENS

LADIES

- Lightweight cotton/polyester knit
- Bleach white, slip on style
- Hand-to-hand reversible
- Can be worn as glove liner

APPLICATIONS:

Inspection, Liner for rubber gloves

 **CFIA**



SUPERIOR®

#ML80

#LL80

MENS

LADIES

- Heavy weight jersey knit
- Natural color, slip on style
- Hand-to-hand reversible
- Can be worn as glove liner

APPLICATIONS:

Inspection, Liner for rubber gloves

 **CFIA**



SUPERIOR®

#ML80K

#LL80K

MENS

LADIES

- Heavy weight jersey knit
- Natural color, slip on style
- Knit wrist cuff
- Can be worn as glove liner

APPLICATIONS:

Inspection, Liner for rubber gloves

SUPERIOR®

#MLNF

7,8,10

- Lint-free continuous-filament nylon
- Protects surfaces from fingerprints, oils and scratches
- Washable
- Slip-on style

APPLICATIONS:

Electronics, Inspection, Paint Line, Glove Liner



🇨🇦 CFIA

SURE KNIT™

#S13CL

S-XL

- Lycral® cotton/stretch blend absorbs perspiration; can be used a liner
- Gloves protect product from contamination such as fingerprints, oils, scratches
- Form-fitting for comfort and high dexterity
- Washable, reversible

APPLICATIONS:

Assembly, Inspection Lines, Small Parts Handling, Glove Liners



SUPERIOR®

#S13FRT

S-XL

- 13-gauge Rhovyl®/ESD carbon-filament string-knit glove
- Flame resistant
- Rhovyl® is hypo-allergenic

APPLICATIONS:

Petrochemical, Oil Workers, Welding, Gas Companies, Military, Mining



SURE KNIT™

#S13TN3K

S-L

- 13-gauge low-linting polyester knit
- 3" knit wrist cuff
- 43 grams per pair

APPLICATIONS:

Assembly, Inspection, Paint Line, Glove Liner





SURE KNIT™
#S13TP3K

2XS-XL

- 13-gauge low-linting polyester knit
- 3" knit wrist cuff
- 50 grams per pair

APPLICATIONS:

Automotive, Paint Line, Electronics, Cleanroom



SURE KNIT™
#SBQ

XS - XL

- 7-gauge bleached cotton/polyester string knit
- 50 grams per pair
- Economy version

APPLICATIONS:

Automotive, Parts Handling, Maintenance

☘ **CFIA**



SURE KNIT™
#SCP

XXS-XL

- 7-gauge unbleached cotton/polyester string knit
- Heavy weight
- 63 grams per pair
- Loose fitting cuff

APPLICATIONS:

Automotive, Parts Handling, Maintenance, Food Handling

☘ **CFIA**



SURE GRIP®
#SCPD

XS-XL

- 7-gauge unbleached cotton/polyester string knit
- PVC dotted on one side
- Extra heavy weight
- 64 grams per pair
- Loose fitting cuff

APPLICATIONS:

Automotive, General Purpose, Maintenance, Parts Handling, Assembly, Warehousing, Construction

SURE KNIT™

#SCPH

S-XL

- Extra heavy weight 7-gauge cotton/polyester string knit
- Unbleached, natural color
- 63 grams per pair
- Loose fitting cuff

APPLICATIONS:

Automotive, Parts Handling, Maintenance



SURE KNIT™

#SNF

S-XL

- High bulk nylon knit
- Bulk for improved insulation
- Specifically for commercial fisheries and fish processing

APPLICATIONS:

Commercial Fisheries, Food Processing



 **CFIA**

SURE KNIT™

#SQ

XS-XL

- 7-gauge cotton/polyester blend
- Economy version
- 50 grams per pair

APPLICATIONS:

Parts Handling, Maintenance, Food Handling, General Purpose



 **CFIA**

SURE GRIP®

#SQD

XXS-XL

- 7-gauge cotton/polyester blend
- PVC dotted palm
- Economy version
- 50 grams per pair

APPLICATIONS:

Parts Handling, Maintenance, Food Handling, General Purpose



BLENDED STRING KNITS

STRING KNIT GLOVES



SURE GRIP®

#SQ2D

S-XL

- 7-gauge cotton/polyester blend
- PVC dotted both sides
- Economy version
- 50 grams per pair

APPLICATIONS:

Parts Handling, Maintenance, Food Handling, General Purpose



SURE KNIT™

#SN

S-XL

- 7-gauge bright white nylon
- Hand-to-hand reversible
- Fully launderable
- 56 grams per pair

APPLICATIONS:

Commercial Fisheries, Food Processing



CFIA



SURE KNIT™

#SNHB

XS-XL

- 7-gauge bright white hi-bulk nylon
- Hand-to-hand reversible
- Fully launderable
- 56 grams per pair

APPLICATIONS:

Commercial Fisheries, Food Processing

CFIA



OILBLOC™

#STCi

S-XL

- Nylon-filament tire-cord yarn
- Hand-to-hand reversible
- Grey color

APPLICATIONS:

Commercial Fisheries, Food Processing, General Purpose, Warehousing, Automotive

SUPERIOR TOUCH®

#STN336K

6,9

- 13-gauge continuous filament nylon
- Ambidextrous
- 336 grams/dozen

APPLICATIONS:

Paint Line, Inspection, Glove Liner, Electronics, Cleanroom, Aerospace



SURE KNIT®

#STNCF

S-XL

- Seamless knit, anti-static nylon/carbon yarn
- High degree of static dissipation
- Excellent comfort and dexterity
- Knitwrist cuff

APPLICATIONS:

Automotive, Paint Line, Electronics, Cleanroom



[illegible]

DISPOSABLE GLOVES

superiorglove.com





CFIA

**KEEPKLEEN®
#RD15LPF**

S-XL

- Heavy duty 15 mil., powder-free latex
- Ambidextrous
- Beaded cuff
- Textured finish

APPLICATIONS:

Automotive Technicians, Paint Applications, Food Handling, Janitorial



CFIA

**KEEPKLEEN®
#RDNVPF**

S-XL

- 4 mil., powder-free Nylpro™
- Ambidextrous
- Beaded cuff
- Textured finish

APPLICATIONS:

Automotive Technicians, Paint Applications, Food Handling, Janitorial



CFIA

**KEEPKLEEN®
#RD8NPF**

S-2XL

- 8 mil., powder-free nitrile
- Ambidextrous
- Beaded cuff

APPLICATIONS:

Food Handling, Parts Handling, Janitorial, Painting and Finishing



**KEEPKLEEN®
#RD8BNPF12**

S-XL

- 8 mil., powder-free black nitrile
- 12-inch length
- Ambidextrous
- Beaded cuff

APPLICATIONS:

Parts Handling, Janitorial, Painting and Finishing

KEEPKLEEN®

#RDCNPF

S-2XL

- 4 mil., powder-free nitrile, 9" long
- Ambidextrous
- Beaded cuff

APPLICATIONS:

Food Handling, Parts Handling, Janitorial, Painting and Finishing



CFIA

KEEPKLEEN®

#RDVEPF

S-XL

- New Synthel™ composition of powder free vinyl and polyethylene
- Great alternative to latex
- Excellent touch-sensitivity

APPLICATIONS:

Food Handling, Janitorial



CFIA

DISPOSABLE GLOVES

[illegible]



CLEANROOM GLOVES

STRING KNITS

CLEANROOM/PAINTLINE GLOVES

 **CFIA**



SURE KNIT®

#STN120

ONE SIZE

- Lint-free, continuous filament nylon
- Ambidextrous
- 10 gr./pair
- CFIA approved

APPLICATIONS:

Inspection, Glove Liner, Paint Line, Electronics, Cleanroom, Aerospace

 **CFIA**



SURE KNIT®

#STN120HF

ONE SIZE

- Lint-free, continuous filament nylon
- Ambidextrous, half-finger gloves
- 10 gr./pair
- CFIA approved

APPLICATIONS:

Inspection, Glove Liner, Paint Line, Electronics, Cleanroom Assembly, Aerospace



SURE KNIT®

#STN220

ONE SIZE

- Lint-free, continuous filament nylon
- Ambidextrous
- 18 gr./pair

APPLICATIONS:

Inspection, Glove Liner, Paint Line, Electronics, Cleanroom Assembly, Aerospace



TouchScreen
compatible.



SURE KNIT®

#STNCF

S-XL

- Anti-static filament nylon
- High degree of static dissipation
- Touchscreen compatible

APPLICATIONS:

Inspection, Paint Line, Electronics, Cleanroom Assembly, Aerospace

DEXTERITY®

#N10F

ONE SIZE

- Lint-free continuous-filament nylon
- Parade forchette thumb
- Slip-on styling
- Washable

APPLICATIONS:

Electronics, Cleanroom Assembly, Paintline



SUPERIOR®

#MLNF

7, 8, 10

- Lint-free medium-weight continuous-filament nylon
- Parade forchette thumb
- Slip-on styling
- Washable

APPLICATIONS:

Laboratory, Pharmaceutical, Cleanroom Assembly



SUPERIOR TOUCH®

#S13PU

5-12

- Fine 13-gauge non-linting filament nylon
- Polyurethane palm coating
- DMF free

APPLICATIONS:

Electronics, Cleanroom Assembly, Automotive, Small Parts Handling, Aerospace, General Industry



SUPERIOR TOUCH®

#S13PUCF

6-10

- Fine 13-gauge carbon filament nylon
- Polyurethane palm coating
- Static-dissipative
- Touchscreen compatible

APPLICATIONS:

Assembly, Semiconductors, Electronics, Assembly, Product Inspection





SUPERIOR TOUCH® #S13SXPU

6-12

- Fine 13-gauge non-linting gloves made with Dyneema®
- Polyurethane palm coating
- Washable and bleachable (under 104°F/40°C)

APPLICATIONS:

Electronics, Cleanroom Assembly, Automotive, Small Parts Handling, Aerospace, General Industry



TENACTIV™ #S13TAPUCF

7-10

- Fine 13-gauge HPPE blended with carbon filament
- Polyurethane palm coating
- ESD (electrostatic dissipating)
- DMF-free and touchscreen compatible

APPLICATIONS:

Electronics, Circuit Boards, Pharmaceutical, Automotive, Parts Assembly, Material Handling



GROUND HOG™ #1401L2GH

S-L

- 1 mil. polyurethane film laminated to a knitted nylon backing
- Continuous, highly conductive silver strip
- Lint free, cleanroom compatible materials

APPLICATIONS:

Automotive, Electronics, Paintline



CHEMSTOP™ #NIF3018SS

7-11

- 12" (30 cm) long, .018" thick nitrile, flock-lined
- Continuous, highly conductive silver strip
- Embossed finish

APPLICATIONS:

Automotive, Appliance Manufacturing, Aerospace, Paintline

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

WINTER GLOVES

superiorglove.com





-5°C
23°F



ENDURA®

#398BDLXTL

S-2XL

- Glove body, palm and finger patches are Buffalo leather
- 3D ergonomically designed
- 3M FR Scotchlite™ retro-reflective cuff
- All seams are Kevlar® sewn
- Fully 3M Thinsulate™ lined

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-45°C
-49°F



DEXTERITY®

#361DLXWL

M-XL

- Heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- Removable wool liner
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-20°C
-4°F



ENDURA®

#361DLXFTL

M-XL

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Thinsulate™ lined
- Retro-reflective silver strips
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-10°C
14°F



ENDURA®

#365DLXFTL

M-2XL

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Thinsulate™ lined
- Retro-reflective silver strips
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas

ENDURA®**#365DLX2TL****M-2XL**

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Thinsulate™ lined
- Retro-reflective silver strips
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-10°C
14°F

**ENDURA®****#365DLX2DT****M-XL**

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- Napped jersey and G200 Thinsulate™ lined
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-20°C
-4°F

**ENDURA®****#365DLXDTL****M-XL**

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- Napped jersey and G200 Thinsulate™ lined
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-20°C
-4°F

**ENDURA®****#378GOBTL****S-2XL**

- Goat-grain leather is treated with Oilbloc™ for oil resistance
- 100-gram Thinsulate™ lining for excellent warmth without the bulk
- Great dexterity and tactile feel for a warm winter work glove

APPLICATIONS:

Maintenance, Petroleum Industry, Construction, Utilities, Industrial, Contractors



-15°C
5°F



Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

Thinsulate™ is a registered trademark of 3M.



-30°C
-22°F



ENDURA®

#378G0BDTK

XS-3XL

- Deluxe G200 Thinsulate™ lining
- Treated with Oilbloc™
- Assortment of specially selected and positioned Thinsulate™ at fingertips for added warmth
- Turtleneck acrylic knitwrist to lock out the cold

APPLICATIONS:

Construction, General Material Handling, Mining, Petrochemical, Refrigerated Warehouses



-15°C
5°F



ENDURA®

#378GKTTL

XS-2XL

- High tensile strength goatskin
- Fully Thinsulate™ lined
- Brushed jersey-fleece interior
- Keystone thumb for comfort

APPLICATIONS:

General Maintenance, Construction, Agriculture, General Material Handling



ENDURA®

#378G0TTL

S-XXL

- Supple goatgrain drivers gloves
- Keystone thumb
- Hi-viz orange fingertips
- Fully Thinsulate™ lined
- Especially good for crane work

APPLICATIONS:

Construction, Utilities, Metal Fabrication, Oil and Gas, Forestry



-15°C
5°F



ENDURA®

#378GHVTL

S-2XL

- Hi-viz yellow backs with 3M Scotchlite™ retro-reflective stripes
- Backs are elasticized
- Fully Thinsulate™ lined

APPLICATIONS:

Road/Highway Repair, Forklift Drivers, Truck Drivers, Construction, General Maintenance, Material Handling, Agriculture

ENDURA®

#378CFL

S-XL

- Grain cowhide, clute-cut pattern
- Domed snaps at back of hand
- Fully fleece lined

APPLICATIONS:

Forklift Drivers, Truck Drivers, Construction, Farming/Ranching

ASTM TESTING



-5°C
23°F ❄️



ENDURA®

#378AFL

S-XL

- Grain cowhide, gunncut styling
- Backs are elasticized
- Fully fleece-lined

APPLICATIONS:

Forklift Drivers, Truck Drivers, Construction, Farming, Maintenance, Material Handling

-5°C
23°F ❄️



SNOW FORCE™

#SNOWD388V

M-XL

- Deluxe, waterproof and windproof winter glove
- G200 Thinsulate™ lined for warmth
- Anti-slip PVC palm patches in critical palm and fingertip areas
- Porelle™ Ski-Dri2 waterproof, breathable inserts

APPLICATIONS:

Agriculture, Ranching, Forestry/Lumber, Construction, Cold Storage, Oil and Gas

ASTM TESTING



-45°C
-49°F ❄️



SNOW FORCE™

#SNOW388V

M-XL

- Breathable, waterproof and windproof
- Clarino® palms
- Anti-slip PVC patches
- Velcro® adjustable wrist closure

APPLICATIONS:

Agriculture, Construction, Material Handling, Maintenance, Transportation, Cold Storage

ASTM TESTING



-30°C
-22°F ❄️





-10°C
14°F ❄️

CLUTCH GEAR®

#SNOWPU

M-2XL

- Waterproof and windproof
- Synthetic polyurethane palm for greater grip and dexterity
- Fleece-lined for warmth
- Turtleneck knitwrist keeps cold and snow out

APPLICATIONS:

Construction, General Material Handling, Cold Storage, Farming/Ranching



-45°C
-49°F ❄️ 

SNOW FORCE™

#SNOWD200L

ONE SIZE

- Deluxe, calfskin mitts
- Removable Temperloc™ lining
- Double layer nylon gauntlet cuffs
- Removable BOA pile wiper/cheek warmer

APPLICATIONS:

Snowmobiling, Ranching, Trapping, Hunting, Law Enforcement, Search and Rescue, Military, Wildlife Management, Construction



-25°C
-13°F ❄️ 

SNOW FORCE™

#SNOW385

ONE SIZE

- Deluxe, buffalo leather winter gloves
- Pocket on back with zipper also doubles as a cooling vent
- Thinsulate™ C100 lining on palm and G200 lining on the back
- Shock cord at cuff edge to cinch gauntlet

APPLICATIONS:

Snowmobiling, Construction, Cold Storage, Oil and Gas, Farming/Ranching



-10°C
14°F ❄️

CLUTCH GEAR®

#378PLFL

XS-2XL

- Synthetic leather palm
- Stretchy nylon backs
- Elastic backs for snug fit
- Neoprene knuckles
- 2 mil. foam laminate lining
- Great dexterity

APPLICATIONS:

Construction, General Material, Handling, Outdoor Maintenance

CLUTCH GEAR®**#MXBUFL****XS-2XL**

- Exo-Tekt water-repellant synthetic leather
- Velcro® tabs at the back of the wrists
- Neoprene padded knuckles
- Performance patch over the thumb crotch
- Fully fleece lined

APPLICATIONS:

Mechanics, Assembly Work, Construction, Agriculture, Truck Drivers



-10°C
14°F

CLUTCH GEAR®**#MXGDFL****M-XL**

- Supple grain deerskin palms
- Wide elastic cuffs with Velcro® closures
- Stretchy padded nylon backs
- Fleece lining for warmth

APPLICATIONS:

Construction, Outdoor Maintenance, Ranching



-10°C
14°F

CLUTCH GEAR®**#MXHVTWT****M-2XL**

- Fully Thinsulate™ lined
- Breathable Enprotex® lining
- Hi-viz lime green backs feature reflective strip for safety
- Neoprene cuffs

APPLICATIONS:

Oil and Gas, Police, Mechanics, Outdoor Construction, Material Handling



-15°C
5°F

**ENDURA®****#66BFL****ONE SIZE**

- Select cowhide split leather on fingertips and knuckle strap
- Fully napped, cotton lined for warmth
- 2.5" (7cm) safety cuff

APPLICATIONS:

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



-5°C
23°F

WINTER FITTERS

WINTER GLOVES



ASTM TESTING



-5°C
23°F



ENDURA® #66BRF

ONE SIZE

- Select split cowhide leather
- Fully laminate foam lined
- Gunn cut style
- Rubberized safety cuff

APPLICATIONS:

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



-15°C
5°F



ENDURA® #66BRBOA

L-XL

- Select split cowhide
- Full acrylic fleece BOA lining
- Full leather thumbs, fingertips and knuckle strap
- 2.5" (7 cm) rubberized cuff

APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-20°C
-4°F



ENDURA® #66BFTL

ONE SIZE

- Split cowhide leather
- Full Thinsulate™ lining
- Full leather thumbs, fingertips, and knuckle strap
- 2.5" (7 cm) rubberized cuff

APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-15°C
5°F



ENDURA® #66BRBOAWT

ONE SIZE

- Select split cowhide
- Water-Tite™ waterproof polyurethane layer
- Full acrylic BOA lining
- 2.5" (7 cm) safety cuff
- Elasticized cotton backs

APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching

ENDURA®

#66BFTLWT

L-2XL

- Select split cowhide
- Water-Tite™ waterproof polyurethane layer
- Fully Thinsulate™ lining
- Elasticized cotton backs

APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Utilities, Material handling, General Maintenance, Ranching



ASTM TESTING



-5°C
23°F



ENDURA®

#76BFL

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Light resistance to water and oil
- 2.5" (7 cm) safety cuff
- Fully cotton fleece lined

APPLICATIONS:

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-5°C
23°F



ENDURA®

#76BRF

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Light resistance to water and oil
- 2.5" (7 cm) safety cuff
- Fully lined with red laminated-foam

APPLICATIONS:

Maintenance, Construction, Agriculture, Ranching, Forestry/Lumber, Refrigerated Warehouses



ASTM TESTING



-5°C
23°F



DEXTERITY®

#76BOA

L-3XL

- Cowgrain palms, fingertips, index finger and knucklestrap
- Light resistance to water and oil
- 2.5" (7 cm) safety cuff
- Full acrylic fleece BOA lining

APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-20°C
-4°F



WINTER FITTERS

WINTER GLOVES



ASTM TESTING



-15°C
5°F



ENDURA®

#76BFTL

ONE SIZE

- Grain cowhide palms, fingertips, index finger and knucklestrap
- Fully Thinsulate™ lined
- 2.5" (7 cm) safety cuff

APPLICATIONS:

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-5°C
23°F



ENDURA®

#76YBDFL

L

- Economy-grade cowhide leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) safety cuff
- Fully cotton-flannel lined

APPLICATIONS:

Maintenance, Construction, Farm Equipment, Ranching, Forestry/ Lumber



ASTM TESTING



-15°C
5°F



ENDURA®

#76PBFTL

ONE SIZE

- Top-grain pigskin fingertips, index finger and knucklestrap
- Elastic back
- 2.5" (7 cm) safety cuff
- Fully Thinsulate™ lined

APPLICATIONS:

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



EN 511 TESTING



-25°C
-13°F



EN 388 TESTING



SNOW FORCE™

#678AFTLK

XL

- Split-leather cowhide
- Double palm and thumb patch
- C100 Thinsulate™ and foam lined
- Extra long knitwrist cuff
- Flexible in subzero temperatures

APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance

ENDURA®

#304BOA

ONE SIZE

- Durable cowgrain chopper mitt
- Full acrylic fleece BOA lining
- Elasticized at front of wrist
- Metal pairing clips

APPLICATIONS:

Cold Storage, Warehouse, Snowmobiling/ Recreation, Construction, Agricultural, Ranching, General Purpose for Cold-Weather



-35°C
-31°F

ENDURA®

#321BOA

ONE SIZE

- Durable cowgrain one finger chopper mitt
- Full acrylic fleece BOA lining
- Elasticized at front of wrist
- Metal pairing clips

APPLICATIONS:

Cold Storage, Warehouse, Snowmobiling/ Recreation, Construction, Agricultural, Ranching, General Purpose for Cold-Weather



-35°C
-31°F

ENDURA®

#604BOA

ONE SIZE

- Split cowhide winter chopper mitt
- Full acrylic fleece BOA lining
- Elasticized cuffs

APPLICATIONS:

Lumber, Mining, Oil and Gas



DEXTERITY®

#TKYLX

M-XL

- Hi-viz neon yellow 100% nylon, seamless-knit shell
- Thick crinkle-grip latex palm
- Looped-pile construction

APPLICATIONS:

Maintenance, Construction, Agriculture, Ranching, Forestry/Lumber, General Material Handling, Mining



ASTM TESTING



-10°C
14°F



ASTM TESTING



-5°C
23°F



DEXTERITY®

#SNTAPVC

M-2XL

- PVC coating with micropore grip
- Fleece lining is soft and warm
- Enhanced protection against abrasion
- Good dexterity for a glove this warm

APPLICATIONS:

Commercial Fisheries, Agriculture,
Construction, Utilities, Cold Storage Facilities



ASTM TESTING



0°C
32°F



TENACTIV™

#STAGFCFNL

7-10

- Full nitrile coating
- Made with TenActiv™ yarn
- Fully winter-fleece lined
- Velcro® closure
- 1370 grams of cut protection

APPLICATIONS:

Construction, Fisheries, Cold Storage, Food Processing



ASTM TESTING



NORTH SEA™

#N230CR

S-2XL

- Cold-resistant supported gloves feature a specially formulated nitrile coating over a cotton jersey liner
- Sand-patch grip on the palms
- 30 cm gauntlet

APPLICATIONS:

Commercial Fishing, Petrochemical, Maintenance, Oily Metal Parts



ASTM TESTING



-15°C
5°F



NORTH SEA™

#N230FL

S-2XL

- Specially formulated nitrile is ultrasoft, flexible in cold conditions
- Sand-patch finish
- 11" gauntlet cuffs protect wrists, allow for ease of donning
- Fully winter-fleece lined

APPLICATIONS:

Fisheries, Petrochemical Refining, Construction

NORTH SEA™

#N230FLK

S-XL

- Specially formulated nitrile is ultrasoft, flexible in cold conditions
- Sand-patch finish
- Knitwrist turtleneck cuff
- Fully winter-fleece lined

APPLICATIONS:

Fisheries, Petrochemical Refining, Construction



ASTM TESTING



-15°C
5°F



SURE KNIT™

#S13CPBW

S-XL

- 13-gauge, ComFortrel® liners with Lycra®
- Moisture wicking
- Resistant to shrinkage
- Hand to hand reversible
- Also available in white (#S13CPWH)

APPLICATIONS:

Cold Storage Facilities, Construction, Agriculture, Poultry/Beef/Pork, Processing



5°C
41°F



SURE KNIT™

#S13THWH

S-XL

- Lightweight 13-gauge glove liners are knit with Thermolite®
- Moisture wicking
- Fast drying
- Mildew resistant
- Non-shrinking

APPLICATIONS:

Utilities, Meat Processing, Refrigerated Warehousing, Commercial Fishing



5°C
41°F



SURE KNIT™

#SRW

S, L

- Ragg wool; blend of 75% wool and 25% nylon
- Extra-long ribbed cuffs
- Wind and water resistant
- Also great as a glove liner

APPLICATIONS:

General Construction, Cold Weather, Glove Liner



-5°C
23°F



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROTECTIVE SLEEVES

superiorglove.com



***Note:** When ordering thumbhole version of sleeve, ensure you include your requested length in the part number, before the "TH". See following example: KKWCTH will be KKW18TH.

SLEEVES



ASTM TESTING



SURE KNIT®

#SLSXB18MC

#SLSXB18TMC (Thumbhole version)

- Composite 13-gauge fiber blend
- Treated with Ultra-Fresh
- Attachment clip at bicep
- FDA compliant
- 4330 grams of cut protection
- Available lengths: 18"

APPLICATIONS:

Meat Processing (boning, carving), Fish Processing, Poultry Processing, General Food Preparation



ASTM TESTING



CONTENDER®

#KFG / #KFGTH* (Thumbhole version)

XS-XL

#KFG1 / #KFG1TH* (Thumbhole version)

XS-XL

- Aramid-encased, composite filament fiber, tapered knit sleeve
- Elasticized STAYz-UP™ non-slip biceps
- 1630 grams of cut protection
- Available lengths: 16", *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication, Welding, Grinding



ASTM TESTING



CONTENDER™

#K1T2E22TH

L-2XL

- Aramid cut- and flame-resistant composite, single-layer, tapered knit sleeves
- Wide 2½" blue elastic hugs the bicep
- 2130 grams of cut protection
- Available lengths: 22"

APPLICATIONS:

Metal Stamping, Automotive Assembly, Welding, Grinding



ASTM TESTING



CONTENDER™

#KBKB1T

#KBKB1TH* (Thumbhole version)

- Black Kevlar® and modacrylic wrapped around a composite filament fiber continuous filament core tapered knit sleeve
- Flame retardant and abrasion resistant
- Elasticized STAYz-UP™ non-slip biceps
- Available lengths: *14, *18", *22"

APPLICATIONS:

Welding, Metal Handling, Automotive, Metal Fabrication, Oil and Gas Industry, Grinding, Incidental Heat Contact

SUPERIOR®**#KGC1T****#KGC1TT*** (Thumbhole version)

- Tapered knit aramid-encased, composite filament fiber sleeves
- Elasticized STAYz-UP™ non-slip biceps
- 2130 grams of cut protection
- Available lengths: *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Welding



ASTM TESTING

**SUPERIOR®****#KG/C****#KG/CTH*** (Thumbhole version)

- Tubular knit Kevlar® sleeves
- Inside face of cotton
- 1650 grams of cut protection
- Available lengths: 10", 12", 14", *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication, Welding



ASTM TESTING

**SUPERIOR®****#KKWC****#KKWCTH*** (Thumbhole version)

- Double-layer Kevlar® tubular knit stockinette sleeves
- 1354 grams of cut protection
- Available lengths: 6", 9", *10", *12", *14", *16", *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication, Welding, Incidental Heat Contact



ASTM TESTING

**CONTENDER™****#KAWC****#KAWCTH*** (Thumbhole version)**ONE SIZE**

- Para-aramid cut-resistant and heat-resistant tubular knit sleeves
- 1225 grams of cut protection
- Available lengths: *10", *12", *14", *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication, Welding, Oil and Gas Industry



ASTM TESTING





ASTM TESTING

**CONTENDER™****#KAWC18THLP****ONE SIZE**

- Para-aramid cut-resistant and heat-resistant tubular knit sleeves
- Layer of leather on the main wear area to give wrist and forearm protection
- 1225 grams of cut protection
- Available lengths: 18"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication, Welding, Oil and Gas Industry



ASTM TESTING

**CUTBAN™****#KPG1T22TH****S-XL**

- Single-layer tapered knit high-tenacity/composite filament fiber
- Elasticized STAYz-UP™ non-slip biceps
- Available lengths: 22"
- Other lengths available by special order

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication
NOT for spark and flame applications



ASTM TESTING

**CUTBAN™****#KN1T****#KN1TH***

- Single-layer tapered knit high-tenacity/composite filament fiber
- Available in 18" with adjustable Velcro® tab at bicep (#KN1T18V - S, L)
- Available lengths: *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication



ASTM TESTING

**CUTBAN™****#KPW****#KPWTH*** (Thumbhole version)

- Double-layer tubular knit sleeves with high-tenacity filament yarn
- Available with optional thumbholes and an extra wide version #KPW18/XL and #KPW18T/XL (Thumbhole version)
- 925 grams of cut protection
- Available lengths: 9", *12", *14", *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication;
NOT for spark and flame applications

CUTBAN™**#KP1T****XS-2XL**

- Single-layer filament yarn tapered knit sleeves
- Elasticized STAYz-UP™ non-slip biceps
- Available with optional thumbholes and a silicone-free version (#KP1T22SF).
- 925 grams of cut protection
- Available lengths: *10", *12", 14", *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication;
NOT for spark and flame applications



ASTM TESTING

**TENACTIV™****#KTA****#KTATH*** (Thumbhole version)**XS-XL**

- Single-layer tapered knit, lint-free UHMWPE high performance filament fiber
- Elasticized STAYz-UP™ non-slip biceps
- Naturally cool feel
- Available lengths: *18", *22"

APPLICATIONS:

Aerospace, Material Handling, Automotive Assembly, Metal Fabrication, Electronics Assembly



ASTM TESTING



#KTAA

#KTAG

#KTAB

#KTAW

**PROTEX®****#KPXW****#KPXWTH*** (Thumbhole version)

- Double-layer tubular knit sleeve made with flame-resistant Protex® yarn
- 615 grams of cut protection
- Available lengths: *10", *12", *14", *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication, Welding, Oil and Gas Industry



ASTM TESTING

**PROTEX®****#KPXT****XS-XL****#KPXTH*** (Thumbhole version)

- Double-layer tapered knit sleeve made with flame-resistant Protex® yarn
- Elasticized STAYz-UP™ non-slip biceps
- 605 grams of cut protection
- Available lengths: *18", *22"

APPLICATIONS:

Metal Handling, Automotive, Metal Fabrication



ASTM TESTING



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.