



HARDWARE UNLIMITED

Industrial & Safety Supplies

orders@hardwareunlimited.ca
www.hardwareunlimited.ca

#45, 4216 - 54th Avenue SE, Calgary Alberta T2C 2E3
Phone: (403) 723-0241 Fax: (403) 723-0251

For customer pick up orders
please call in advance
so we can ensure
stock availability and have
your order picked and ready!

SHOP ESSENTIALS PROMOTION!

LIGHT INDUSTRIAL DIRECT-DRIVE DRUM FAN

- 120 V/60 Hz
- All-metal construction
- 6' SJT type power cord
- 6" casters and easy moving handle
- No. of Speeds: 2



| Model No. | Dia." | HP | CFM High | CFM Low | Watts | Promo Price |
|-----------|-------|-----|----------|---------|-------|-------------|
| EA286 | 28 | 2/5 | 8050 | 6650 | 290 | 250.00 |

THREADLOCKER 243 OIL TOLERANT

- For fasteners between 1/4" and 3/4" (6 to 20 mm) diameters
- Medium strength threadlocker with improved oil tolerance
- Parts can be separated using hand tools
- For machine tools, presses, pumps, compressors, mounting bolts and gearboxes
- Container Type: Bottle
- Strength: Medium
- Fixture Time: 10 min.
- Full Cure Time: 24 hrs.
- Colour: Blue
- Torque (Break/Prevail): 230 in. lb. / 40 in. lb.



| Model No. | MFG No. | Format | Promo Price |
|-----------|---------|--------|-------------|
| AA555 | 1329467 | 50 ml | 54.30 |

#6 CENTERING HEAD

- Used on pipe 1/2" to 4" diameter or larger
- Fitted with an adjustable dial bubble protractor (DSL), manually operated centering pin



| Model No. | MFG No. | Type | Head Type | Head Width" | Promo Price |
|-----------|---------|----------|-----------|-------------|-------------|
| 430-2050 | 14775 | Standard | Y | 4 | 145.00 |

MAXI ROUND MOBILE WORK SCAFFOLDING

- 3 Large anti-slip steel platforms adjustable to every rung height
- Foldable unit for easy installation and storage
- Allows users to reach 12' high
- Capacity: 700 lbs.
- Frame Material: Steel




| Model No. | MFG No. | Overall Dim. L" x W" x H" | Promo Price |
|-----------|---------|---------------------------|-------------|
| MB086 | I-IRC | 75 x 29 x 78-1/4 | 569.00 |

Pricing in effect until July 5, 2024 or while quantities last. Taxes and freight extra. Issue #SDW224042NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2
- Voltage: 120 V
- Oscillating



EA649



EA643



| Model No. | Description | Motor Type | HP | CFM | | Promo Price |
|-----------|----------------|------------|-----|-------|------|-------------|
| | | | | High | Low | |
| EA643* | 24" Pedestal | Open | 1/4 | 11800 | 7760 | 555.00 |
| EA647* | 30" Pedestal | Closed | 1/3 | 13200 | 6700 | 680.00 |
| EA645 | 24" Wall Mount | Closed | 1/4 | 11500 | 7680 | 385.00 |
| EA649 | 30" Wall Mount | Closed | 1/4 | 10780 | 7760 | 470.00 |

* Features adjustable height and a heavy-duty round base for added stability

LIGHT INDUSTRIAL AIR CIRCULATING FANS

- 120 V
- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Open motor
- Non Oscillating
- No of Speeds: 2



EA571



EA655



| Model No. | Description | HP | CFM | | Promo Price |
|-----------|----------------|-----|------|------|-------------|
| | | | High | Low | |
| EA657* | 26" Pedestal | 1/4 | 7700 | 6060 | 380.00 |
| EA571* | 30" Pedestal | 1/3 | 8000 | 7000 | 290.00 |
| EA655 | 26" Wall Mount | 1/4 | 7700 | 6060 | 238.00 |
| EA656 | 30" Wall Mount | 1/3 | 8000 | 7000 | 252.00 |

*Features adjustable height and a heavy-duty round base for added stability

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- Fully enclosed motor
- All-metal construction
 - 9' power cord
- Features 8" casters with easy moving handle
 - No. of speeds: 2
- Motor: 120V/60 Hz
 - Power: 900 W
 - Amps: 7.5 A



| Model No. | Dia." | HP | CFM | | Promo Price |
|-----------|-------|-----|-------|------|-------------|
| | | | High | Low | |
| EA662 | 42 | 3/4 | 17900 | 7400 | 1243.00 |

LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FANS

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Motor: 120 V/60 Hz
- Power: 215 W



EA778



| Model No. | Dia." | No. of Speeds | HP | High | CFM | | Promo Price |
|-----------|-------|---------------|------|------|------|------|-------------|
| | | | | | Med | Low | |
| EA778 | 24 | 3 | 3/10 | 7770 | 6000 | 4200 | 185.00 |
| EB114 | 30 | 2 | 1/3 | 9500 | - | 6700 | 412.00 |

LIGHT INDUSTRIAL AIR CIRCULATING FANS

- All-metal construction, with densely chrome-plated guard
- Can be used in oscillating or non-oscillating mode
- 6' SJT power cord
- Open motor
- Voltage: 120 V
- No. of Speeds: 3



EA284



EA282



| Model No. | Description | HP | High | CFM | | Promo Price |
|-----------|----------------|-----|------|------|------|-------------|
| | | | | Med | Low | |
| EA282* | 26" Pedestal | 1/4 | 7525 | 6060 | 4050 | 285.00 |
| EA283* | 30" Pedestal | 1/3 | 8775 | 7500 | 6780 | 387.00 |
| EA284 | 26" Wall Mount | 1/4 | 7525 | 6060 | 4050 | 268.00 |
| EA654 | 30" Wall Mount | 1/3 | 8775 | 7500 | 6780 | 280.00 |

*Features adjustable height and a heavy-duty round base for added stability

OSCILLATING DESK FANS WITH PUSH BUTTONS

- 3-speed push button control
- Rotating or fixed air direction
- Portable and easy to assemble
- Topples resistant base



EA305



| Model No. | Diameter" | Promo Price |
|-----------|-----------|-------------|
| EA305 | 12 | 35.30 |
| EA306 | 16 | 40.15 |

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- Non oscillating
- No. of Speeds: 2
- Voltage: 120 V



EA644



EA642



| Model No. | Description | Motor Type | HP | CFM High | CFM Low | Promo Price |
|-----------|----------------|------------|-----|----------|---------|-------------|
| EA642* | 24" Pedestal | Open | 1/4 | 11800 | 7760 | 328.00 |
| EA646* | 30" Pedestal | Closed | 1/4 | 10780 | 7440 | 475.00 |
| EA644 | 24" Wall Mount | Closed | 1/4 | 11500 | 7680 | 293.00 |
| EA648 | 30" Wall Mount | Closed | 1/4 | 10780 | 7440 | 326.00 |

* Features adjustable height and a heavy-duty round base for added stability

COMMERCIAL OSCILLATING PEDESTAL FANS

- 3-speed push button front control
 - Adjustable height
- Rotating or fixed air direction
 - Easy to assemble
 - No. of Speeds: 3



EA551



| Model No. | Dia." | Min. Height" | Max. Height" | Promo Price |
|-----------|-------|--------------|--------------|-------------|
| EA658 | 16 | 41 | 49 | 36.35 |
| EA551 | 18 | 45 | 52 | 52.25 |

OUTDOOR MISTING & OSCILLATING PEDESTAL FAN

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- Misting kit included with direct hose connection
- Can be used indoor/outdoor
- Diameter: 30"
- No. of Speeds: 3
- HP: 1/7
- Base Diameter: 27"



| Model No. | High | CFM Med | CFM Low | Watts | Promo Price |
|-----------|------|---------|---------|-------|-------------|
| EA829 | 7200 | 5470 | 3780 | 220 | 680.00 |

20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 120 V/60 Hz, 1/5 HP motor
- All-metal construction
- Chrome grill, black painted base
- Head tilting capability of 360°
- Adjustable height
- 6' SJT type power cord



| Model No. | High | CFM Med | CFM Low | Promo Price |
|-----------|------|---------|---------|-------------|
| EA289 | 5950 | 4550 | 3850 | 163.00 |



FOLDABLE PEDESTAL FAN

- Fan can be used as a pedestal fan or a floor fan
- Fully assembled fan
- All-metal construction painted black & chrome with aluminum blades
- Equipped with two casters for easy maneuverability
- HP: 1/4
- No. of Speeds: 3
- Drive System: Direct Drive
- Non-Oscillating
- Open Motor; 120 V/60Hz
- Power Cord: 9.8'



| Model No. | Dia." | High | CFM Med | CFM Low | Promo Price |
|-----------|-------|------|---------|---------|-------------|
| EB116 | 24 | 7000 | 4500 | 3500 | 469.00 |

HIGH VELOCITY FLOOR FANS

EA290



- 3-speed, 120 V/60 Hz, 1/4 HP motor
 - All-metal construction
 - 3-prong plug with ground industrial wire
 - Rotates up for vertical airflow

EA528



| Model No. | Dia." | High | CFM Med | CFM Low | Promo Price |
|----------------------|-------|------|---------|---------|-------------|
| BLACK FINISH | | | | | |
| EA528 | 16 | 2370 | 1950 | 1560 | 73.25 |
| CHROME FINISH | | | | | |
| EA290 | 18 | 4725 | 3850 | 2975 | 109.00 |

HIGH-ACCURACY LEVELS

- High accuracy vial with big bubble and 3 black lines each side
- Environmentally-friendly fluorescent liquid inside, which is anti-oxidation, anti-ultraviolet, and anti-electrostatic drift
- High strength aluminum profile
- Enhanced cross section design has high anti-bending resistance, so as to ensure constant accurate and reliability
- Type: Box
- No. of Vials: 3
- Non-Magnetic

UAV720



| Model No. | Length' | Promo Price |
|-----------|---------|-------------|
| UAV720 | 2 | 16.10 |
| UAV721 | 4 | 31.40 |

AURORA
TOOLS

TAPE MEASURES

- Features a compact case design, and rugged rubber over-mold for impact resistance
- Easy to use and easy to handle
- Highly durable
- High performance blade with nylon coating
- Colour: Blue & Green



UAV725

| Model No. | Blade Length' | Blade Width" | Graduations | Promo Price |
|-----------|---------------|--------------|-------------------|-------------|
| UAV723 | 16 | 1 | Imperial | 6.33 |
| UAV722 | 12 | 5/8 | Imperial & Metric | 4.63 |
| UAV724 | 16 | 1 | Imperial & Metric | 6.33 |
| UAV725 | 25 | 1 | Imperial & Metric | 9.56 |

LOCKING PLIERS WITH WIRE CUTTER

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards



TJZ090



TJZ091



TJZ094

AURORA
TOOLS

| Model No. | Overall Length" | Style | Grip | Promo Price |
|-----------|-----------------|------------|-----------|-------------|
| TJZ090 | 4 | Curved Jaw | Steel | 6.42 |
| TJZ091 | 5 | Curved Jaw | Composite | 9.01 |
| TJZ092 | 7 | Curved Jaw | Composite | 11.50 |
| TJZ094 | 4 | Long Nose | Steel | 7.99 |
| UAV667 | 6-1/2 | Long Nose | Steel | 9.90 |

BOLT CUTTERS

- Chrome molybdenum steel jaws
- Centre cutting blades
- Adjusting screws allow for easy and perfect alignment of jaws
- Strong tubular handle with slip-proof rubber grips



TJZ112

AURORA
TOOLS

| Model No. | Overall Length" | Max. Jaw Opening" | Promo Price |
|-----------|-----------------|-------------------|-------------|
| TJZ112 | 18 | 5/16 | 29.60 |
| TJZ113 | 24 | 3/8 | 45.00 |
| TJZ114 | 36 | 9/16 | 64.30 |

HICKORY HANDLE HAMMERS

- Large natural colour, American hickory handle
- Extra tough, heat-treated fully polished head
- Extra large striking face
- Natural shock absorbing qualities of natural wood
- Meets ANSI standards
- Face Finish: Polished



TJZ034



TJZ033

AURORA
TOOLS

| Model No. | Type | Head Weight | Overall Length" | Promo Price |
|-----------|---------|-------------|-----------------|-------------|
| TJZ033 | Claw | 16 oz. | 13 | 13.00 |
| TJZ034 | Framing | 22 oz. | 14-3/4 | 19.00 |

SAE/METRIC ALLOY TAP & DIE SET

- Includes the most popular assortment and ideal for work on new or existing threads in auto repair, metal fabrication, plumbing, and much more
- Taps and Dies are heat treated to Rockwell C58-C61
- SAE #4-12, 1/4-1/2" NC & NF, 1/8"-27 NPT
- Metric M3-M12
- No. of Pieces: 60
- **Includes:**
 - (1) Die & Tape of each SAE and Metric,
 - (1) Tap Wrench,
 - (1) Die Stock,
 - (1) T-Handle Tap Wrench,
 - (1) SAE Thread Gauge,
 - (1) Metric Thread Gauge



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TDW060 | 24312 | 172.00 |

SUPER HEAVY-DUTY AVIATION SNIPS

- Induction hardened to HRC 60 – 62
- Serrated cutting edges prevent material from slipping out of blade
- Colour coded TPR handles provide maximum comfort
- Unique automatic release latch for easy one hand operation
- Cut Length: 1-1/2"
- Overall Length: 10"
- Handle Style: Straight
- Handle Colour: Yellow, Black
- Cut Style: Straight



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TGW215 | 735301 | 26.00 |

ADJUSTABLE WRENCH SET

- Professional quality
- Drop forged Chrome Vanadium steel
- Fully heat treated for strength and durability
- Accurately machined sliding jaw for smooth adjustment
- No. of Pieces: 3
- Size Standard: Imperial and Metric
- Type: Adjustable
- **Includes:** 8" (160 mm), 10" (210 mm), 12" (300 mm)
- Openings: 1", 1-1/4", 1-1/2"



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| AUW071 | 711102 | 58.00 |

WRENCH SET

- Surface Drive® nearly eliminates fastener rounding
- Exceed ANSI box-end strength requirement
- Forged metal
- Mirror chrome finish
- No. of Pieces: 13
- Size Standard: Imperial
- Type: Combination
- Sizes: 1/4" to 1"



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TDS803 | 9312 | 157.00 |

1/2" DRIVE IMPACT DEEP SOCKET SET

- Chrome molybdenum alloy steel (CR-MO) for exceptional strength and long lasting durability
- High visibility laser-etched markings
- Reinforced molded case with sizes marked for quick identification and storage
- 6-point sockets
- No. of Pieces: 19
- Range: SAE 3/8" to 1 1/2"



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TLV397 | 84934N | 176.00 |

MICROMETER TORQUE WRENCH

- Meets or exceeds ISO 6789 and ASME B107.300-2010 standards and specifications
- Pull adjustment collar for easy and quick torque setting changes
- Knurled anodized aluminum handle allows user to grip the wrench comfortably, helping to reduce hand fatigue
- Mid-point on handle clearly marked for accuracy
- Standard(s) Met: ISO 6789 & ASME B107.300-2010
- Material: Alloy Steel
- Finish: Full Chrome Polish
- Manufacturer's Warranty: 90 Days Calibration, 1 Year Parts




UAU780



| Model No. | Overall Length" | Torque Range | Promo Price |
|--------------------------------|-----------------|-------------------------------------|-------------|
| DRIVE TYPE: 1/2" SQUARE | | | |
| UAU783 | 21-9/10 | 20 - 150 ft.-lbs., 33.9 - 210.2 N.m | 149.00 |
| UAU785 | 24-1/3 | 30 - 250 ft.-lbs., 54.2 - 352.6 N.m | 151.00 |
| DRIVE TYPE: 3/8" SQUARE | | | |
| UAU781 | 19-2/5 | 30 - 250 in.-lbs., 4.52 - 29.38 N.m | 144.00 |
| DRIVE TYPE: 1/4" SQUARE | | | |
| UAU780 | 10-1/2 | 30 - 200 in.-lbs., 3.95 - 23.16 N.m | 150.00 |

SCOTCH-BRITE™ EXL UNITIZED WHEELS

- Effectively smoothes, deburrs, and finishes edges on metal alloys, plastics, and composites
- Tough silicon carbide abrasive mineral delivers consistent finishing results
- Layered, unitized construction can operate clockwise or counter clockwise directions
- Available in densities and grades ranging from soft and conformable to hard and aggressive offer utility for a wide variety of applications
- Diameter: 6"
- Thickness: 1/4"
- Arbor Size: 1/4"
- Abrasive Material: Silicon Carbide
- Maximum RPM: 5000




NV280

| Model No. | MFG No. | Grit | Density | Promo Price |
|-----------|---------|-----------|---------|-------------|
| NV289 | SM77326 | Very Fine | 2 | 28.00 |
| NV280 | SB62127 | Fine | 3 | 31.00 |

SCOTCH-BRITE™ EXL UNITIZED WHEELS

- Effectively smoothes, deburrs, and finishes edges on metal alloys, plastics, and composites
- Tough silicon carbide abrasive mineral delivers consistent finishing results
- Layered, unitized construction can operate clockwise or counter clockwise directions
- Available in densities and grades ranging from soft and conformable to hard and aggressive offer utility for a wide variety of applications
- Diameter: 5"
- Thickness: 1/4"
- Grit: Fine
- Arbor Size: 1/4"
- Abrasive Material: Silicon Carbide



NV285

| Model No. | MFG No. | Maximum RPM | Density | Promo Price |
|-----------|---------|-------------|---------|-------------|
| NV285 | SB19518 | 6000 | 2 | 16.00 |
| NV279 | SB31291 | 6000 | 3 | 16.00 |
| NV284 | SB60199 | 9000 | 3 | 23.00 |

PREMIUM 2 IN 1 THINCUT CUT-OFF WHEELS

- Superior comfort and performance
- Offers a fast, cool and burr free cut
- Free cutting reduces workload and increases productivity
- Highly reinforced cutting wheel
- Thickness: 0.045"
- Arbor Size: 7/8"
- Type: 1
- Abrasive Material: Aluminum Oxide
- Manufacturer Series: Premium 3 star 2 in 1 wheel




NU405

| Model No. | MFG No. | Diameter" | Max RPM | Promo Price |
|-----------|---------|-----------|---------|-------------|
| NU404 | 384142 | 4-1/2 | 13 300 | 3.43 |
| NU405 | 384143 | 5 | 12 250 | 3.49 |

ENDURO-FLEX™ FLAP DISCS

- With the new ultra sharp and refined zirconium grain, the disc will stay sharper for a longer period of time while removing more material faster
- Special top coat continuously cools and lubricates the disc for smooth, vibration-free grinding and sanding from start to finish
- Eco-Trim™ trimmable backing extends disc life up to three times
- Spin-on type 27 design
- Arbor Size: 5/8"-11
- Abrasive Material: Zirconia Alumina
- Type: 27



| Model No. | MFG No. | Diameter" | Grit | Max RPM | Promo Price |
|-----------|---------|-----------|------|---------|-------------|
| BZ653 | 06B454 | 4-1/2 | 40 | 13 300 | 14.90 |
| BZ654 | 06B456 | 4-1/2 | 60 | 13 300 | 14.90 |
| BZ655 | 06B458 | 4-1/2 | 80 | 13 300 | 14.90 |
| BZ656 | 06B462 | 4-1/2 | 120 | 13 300 | 14.90 |
| BZ657 | 06B504 | 5 | 40 | 12 200 | 17.40 |
| BZ658 | 06B506 | 5 | 60 | 12 200 | 17.40 |
| BZ659 | 06B508 | 5 | 80 | 12 200 | 17.40 |
| BZ660 | 06B512 | 5 | 120 | 12 200 | 17.40 |

ZIPCUT™ CUT-OFF WHEELS

- Cut faster, freer and cooler, requiring less power than standard thin cut-off wheel
- Heavily reinforced for extra safety and very flexible and resilient to resist twisting and bending
- Zipcut™ with integrated rib design
- Raised ribs reduces friction surface
- Thickness: 3/64"
- Arbor Size: 7/8"
- Type: 27
- Abrasive Material: Aluminum Oxide
- Grade: A-60-ZIP



| Model No. | MFG No. | Diameter" | Max RPM | Promo Price |
|-----------|---------|-----------|---------|-------------|
| NS766 | 11T142 | 4-1/2 | 13 300 | 5.74 |
| NS767 | 11T152 | 5 | 12 200 | 6.33 |
| NS768 | 11T162 | 6 | 10 200 | 8.59 |

90 HIGH STRENGTH ADHESIVE

- Creates a high strength fast tack bond
- Adheres to particle board, polyethylene, polypropylene, rubber, MDF, laminates, metal, and many other materials
- Fast contact strength, yet needs only 1 to 2 minutes of drying time
- Excellent moisture resistance
- Format: 24 oz.
- Net Content: 17.6 oz
- Container Type: Aerosol Can
- Colour: Clear
- Temperature Resist: 160°F
- Coverage: 100 Sq. Ft.



| Model No. | MFG No. | Promo Price |
|-----------|-------------|-------------|
| PA001 | 90-24OZ-IND | 32.85 |

76 HIGH TACK ADHESIVE

- Variable width lace spray pattern
- Forms very strong one surface bonds on many hard to bond materials such as polyethylene sheeting
- Also bonds rubber, fabric, felt, foil, plastics, glass, paper, cork and other surfaces.
- Format: 24 oz.
- Net Content: 18.1 oz.
- Colour: Clear
- Temperature Resist: 160°F
- Coverage.: 100 Sq. Ft.
- Container Type: Aerosol Can



| Model No. | MFG No. | Promo Price |
|-----------|-------------|-------------|
| PA002 | 76-24OZ-IND | 41.05 |

SUPER 77 AEROSOL ADHESIVE SPRAY

- For permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt, and cloth to painted or unpainted metals, wood and hardboard
- Format: 24 oz.
- Net Volume: 16.5 oz.
- Temperature Resist: 150°F
- Coverage: 163 sq. ft.
- Container Type: Aerosol Can
- Colour: Clear



| Model No. | MFG No. | Promo Price |
|-----------|------------|-------------|
| PA003 | SUPER77-24 | 30.25 |

SLAP SHOT™ CLEANER/DEGREASER

- Industrial parts cleaner/degreaser
- Removes grease and oil
- Free of chlorinated solvent
- Safe on all metals
- Format: 500 ml
- Container Type: Aerosol Can



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| YC419 | 53C502 | 12.70 |

TKX ALL-PURPOSE LUBRICANT

- Non-flammable CO₂ propellant
- Displaces moisture
- High flash point of 175°F (79°C)
- Protects against corrosion
- Format: 16 oz.
- Container Type: Aerosol Can



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| AA846 | C02016 | 10.80 |

PENETRANT


- Loosens rusted parts
- Displaces moisture
- Non-conductor, dries out electrical and electronic equipment
- Stops squeaks
- Lubricates and protects against moisture and corrosion
- Format: 155 g
- Container Type: Aerosol Can
- Film Type: Wet



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| NA610 | 1005 | 6.30 |

HEAVY-DUTY GROUND CLAMPS

NT669




- Manufactured from nickel-plated steel with forged brass conductors
 - Braided copper strap to carry current to upper jaw
 - Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
 - Allen-type wrench included



| Model No. | Amperage Rating | Promo Price |
|-----------|-----------------|-------------|
| NT668 | 300 | 15.60 |
| NT669 | 500 | 18.30 |

HEAVY-DUTY "C-STYLE" GROUND CLAMP

- C-type jaws are adjusted by screw lever
- Rubber insulated cable connector
- Amperage Rating: 600



| Model No. | Promo Price |
|-----------|-------------|
| NT665 | 45.80 |



GROUND CLAMPS

- Manufactured from nickel-plated steel with forged brass conductors
- Heavy-duty springs provide positive strength at jaws
- Current flows directly from lower jaw to welding cable
- Ground clamp is ideal for farm welders and light shop work



NT661

| Model No. | Amperage Rating | Promo Price |
|-----------|-----------------|-------------|
| NT661 | 300 | 5.59 |

CAM ACTION CABLE CONNECTORS

- One model fits cable sizes 4 through 4/0
- Manufactured from heavy wall precision machined brass alloy
- Cable is held securely by large dome screw
- Brass body assembly slides easily into unique heavy-duty neoprene insulator with no external screws to avoid shock hazards

NT664



| Model No. | Description | Promo Price |
|-----------|----------------------------|-------------|
| NT664 | Male/Female Connector Set | 16.40 |
| NT649 | Male Half with Insulator | 9.88 |
| NT650 | Female Half with Insulator | 7.88 |

SILVER-STREAK® METAL MARKER

- Ideal for metal layout and fabrication work
- Marks on all types of metal surfaces
- Will not rub off like soapstone
- Includes handy pocket clip holder and one refill
- Features a built-in sharpener



BC901

BC904

HOLDER

| Model No. | MFG No. | Type | Promo Price |
|-----------|---------|-------|-------------|
| BC901 | 96006 | Round | 14.40 |

REFILLS

| Model No. | MFG No. | Type | Qty/Pkg. | Promo Price |
|-----------|---------|-------|----------|-------------|
| BC904 | 96007 | Round | 6 | 11.00 /Pkg. |

THERMOMELT® HEAT STIK TEMPERATURE INDICATORS

- 33% bigger and stronger than competitive brands
- Accurate, fast, low-cost method for measuring surface temperatures
- When desired temperature is reached, the mark quickly melts to a glossy, transparent-appearing liquid
- Accurate to +/-1% of stated Fahrenheit temperature
- Meets ANSI/ASME guidelines



HK860



| Model No. | MFG No. | Temperature Range | Promo Price |
|-----------|---------|-------------------|-------------|
| HK860 | 86517 | 200°F/93°C | 18.30 |
| HK887 | 86625 | 300°F/149°C | 18.30 |
| HK900 | 86733 | 400°F/204°C | 18.60 |

SILVER-STREAK® WELDERS PENCIL

- Ideal for use on aluminum, steel and iron
- Highly visible marks will not rub, burn or blow off
- Type: Round
- Colour: Silver
- Qty/Pkg.: 12



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| PE777 | 96101 | 15.20/Pkg. |

HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle
- 500000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
- **Includes:** 10' neoprene hose, striker and on/off valve



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| 312-4904 | WB-101 | 145.00 |

QUICK-CONNECT SETS

312-4276



312-4280



- For welding, cutting, brazing and plasma applications
- Durable solid brass construction
 - Pressure up to 125 PSI
 - B-size, 9/16"-18 UNF thread with reverse flow check valves



| Model No. | MFG No. | Description | Promo Price |
|-----------|---------|---------------|-------------|
| 312-4276 | QDB10 | Torch-to-Hose | 70.00 |
| 312-4280 | QDB20 | Hose-to-Hose | 74.00 |



HOSE REPAIR KIT

- Special B-size kit offers 12 different items most frequently used for hose repair
- Kit with C-5 crimp tool for 3/16" x 1/4" I.D. hose
- Tough polyethylene case includes handy chart that identifies and describes fittings in each compartment
- **Includes:** Hose nuts and nipples, spicers, couplers, ferrules and crimping tool
 - Material: Brass



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| NP497 | CK-24 | 129.00 |

FUEL CYLINDERS

- **TTU686:** Use with torches and most portable appliances requiring propane.
- **TTU687:** Propylene gas burns hotter than propane. Use only with torches and appliances specifying "for use with propylene".



TTU686


TTU687



| Model No. | MFG No. | Description | Promo Price |
|-----------|---------|--------------------------------|-------------|
| TTU686 | 304184 | 14.1-oz. Propane Cylinder | 18.00 |
| TTU687 | 332478 | 14.1-oz. MAP-Pro™ Gas Cylinder | 24.00 |

TS4000 HIGH HEAT TORCH TRIGGER START

- Swirl flame produces hot, efficient flame
- Cast aluminum body construction for durability
- Auto start/stop ignition easily ignites and extinguishes flame
- For best results, use with MAP-Pro fuel, not included



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| BV756 | 361524 | 82.00 |

CABLE PROTECTOR

- Lightweight durable leather with Kevlar® sewn seams for flexibility and strength
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly
- Metal snaps every 3"
- 22' L x 4" W



| Model No. | Promo Price |
|-----------|-------------|
| NP520 | 56.20 |

HEAVY-DUTY PANEL MOVER TRUCK

- Ideal for transporting of large sheets and long parts
- All-welded construction made from a 1 1/4" round tubing and 11-gauge deck
- Uprights extend 21" and 33" above deck
- Deck is 12" off the floor
- Capacity: 2500 lbs.
- Wheel Material: Polyurethane
- Two swivel and two rigid 8" casters



KLETON

| Model No. | Overall Dim. W" x D" x H" | Wheel Dia." | Promo Price |
|-----------|---------------------------|-------------|-------------|
| ML363 | 30 x 60 x 45 | 8 | 1020.00 |

TILT TRUCK

- Ideal for transporting and dumping waste, scrap and other bulk materials
- Polyethylene body is mounted on an all-welded steel chassis
- Includes small swivel casters at the front and large fixed wheels at the rear
- Standard Duty



KLETON

| Model No. | Dimensions L" x W" x H" | Capacity cu. yd lbs. | Promo Price |
|-----------|-------------------------|----------------------|-------------|
| MN981 | 57 x 28 x 38 | 0.625 850 | 693.00 |

HEAVY-DUTY SHELF CART

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish
- Clearance Between Shelves: 27"
- Lip Configuration: Lip Up
- Wheel Material: Blue Elastic Rubber
- Handle Height: 36"




KLETON

| Model No. | No. of Shelves | Overall Dim. W" x D" x H" | Shelf Dim." | Promo Price |
|-----------|----------------|---------------------------|-------------|-------------|
| MB445 | 2 | 18 x 33 x 36 | 18 W x 30 D | 324.00 |

FLAT BED LUMBER CART

- All-welded cart is ideal for transporting large panel or sheets in a horizontal position
- Four 6" swivel and two 6" rigid bolted-on non-marking polyurethane casters
- Durable Kleton blue enamel finish
 - Capacity: 2500 lbs.
- Wheel Material: Polyurethane
 - Deck Dimension: 30" W x 60" D x 2" H
 - Cart Material: Steel



KLETON

| Model No. | Overall Dim. W" x D" x H" | Wheel Dia." | Promo Price |
|-----------|---------------------------|-------------|-------------|
| ML141 | 30 x 60 x 33 | 6 | 932.00 |

PLATFORM TRUCK

- Choose from the largest selection of platform size and casters to meet your application
- All-welded design 14-gauge steel base
 - Two turned down lip and reinforced channels underneath
 - Double welded sockets
- Removable 1 1/4" chrome handle can be inserted in either end
 - Handle Height: 36"
 - Capacity: 1200 lbs.
 - Caster Placement: Corner Standard
- Wheel Material: Rubber



KLETON

| Model No. | Deck Dim. W" x L" x H" | Wheel Dia." | Promo Price |
|-----------|------------------------|-------------|-------------|
| MD426 | 30 x 48 x 8 | 5 | 352.00 |

LUMBER CART

- All-welded cart is ideal for transporting long and bulky items
- Welded 14-gauge 12" x 38" steel shelf
- Grey rubber bumpers protect walls and equipment
- Two rigid and two swivel bolted-on casters
 - Capacity: 1200 lbs.
- Wheel Material: Rubber
 - Cart Material: Steel
 - Deck Dimension: 24" W x 36" D x 8" H



KLETON


| Model No. | Overall Dim. W" x D" x H" | Wheel Dia." | Promo Price |
|-----------|---------------------------|-------------|-------------|
| MB729 | 26 x 39 x 42 | 5 | 666.00 |

PALLET BACK RACK GUARDS

- Back guards help prevent accidents by keeping pallets or their contents from falling off the back. These guards increase safety where pedestrian pathways are behind the rack
- Constructed using a 10-gauge frame and 2" x 2" x 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish
- **Includes:** (1) 4' x 8' Mesh frame, (1) Mounting hardware set, (4) 4" x 6" Mounting brackets

KLETON

RL929



| Model No. | Dim. H" x W" | Bracket Size" | Back Guard Size' | Promo Price |
|-----------|--------------|---------------|------------------|-------------|
| RL929 | 48 x 96 | 6 | 4 x 8 | 194.00 |
| RL930 | 48 x 96 | 9 | 4 x 8 | 207.00 |
| RL931 | 48 x 96 | 12 | 4 x 8 | 207.00 |
| RL932 | 48 x 108 | 6 | 4 x 9 | 307.00 |
| RL933 | 48 x 108 | 9 | 4 x 9 | 316.00 |
| RL934 | 48 x 108 | 12 | 4 x 9 | 316.00 |
| RL935 | 48 x 120 | 6 | 4 x 10 | 244.00 |
| RL938 | 48 x 132 | 6 | 4 x 11 | 361.00 |
| RL939 | 48 x 132 | 9 | 4 x 11 | 370.00 |
| RL941 | 48 x 144 | 6 | 4 x 12 | 262.00 |
| RL942 | 48 x 144 | 9 | 4 x 12 | 271.00 |
| RL943 | 48 x 144 | 12 | 4 x 12 | 271.00 |

BOLLARDS

- Bollards can be used to protect work areas, racking and personnel both indoors and outdoors
- Black plastic caps are removable
- Includes pre-drilled mounting holes
- Powder coat paint finish
- Material: Steel

KI293




KLETON

| Model No. | Overall W" x L" x H" | Promo Price |
|-----------|----------------------|-------------|
| KI293 | 4-1/2 x 4-1/2 x 36 | 94.30 |
| KI294 | 4-1/2 x 4-1/2 x 42 | 115.00 |
| KI295 | 4-1/2 x 4-1/2 x 48 | 127.00 |

GUARD RAIL POSTS

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- Mounting hardware and plastic cap included, floor anchors and guard rails sold separately
- Material: Steel

KI247



KI246

KLETON

| Model No. | Overall W" x L" x H" | Promo Price |
|-----------|----------------------|-------------|
| KI246 | 5 x 5 x 17 | 118.00 |
| KI247 | 5 x 5 x 44 | 176.00 |

INDUSTRIAL SAFETY GUARD RAILS

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- When measuring a guardrail it is important to include the dimensions of the posts. Nominal length includes the width dimension of one post (5")
- Material: Steel

KLETON

KI237



| Model No. | Overall W" x L" x H" | Nominal Length" | Promo Price |
|-----------|----------------------|-----------------|-------------|
| KI237 | 3 x 19 x 12 | 24 | 89.00 |
| KI238 | 3 x 31 x 12 | 36 | 98.00 |
| KI239 | 3 x 43 x 12 | 48 | 106.00 |
| KI240 | 3 x 55 x 12 | 60 | 122.00 |
| KI241 | 3 x 67 x 12 | 72 | 143.00 |
| KI242 | 3 x 79 x 12 | 84 | 168.00 |
| KI243 | 3 x 91 x 12 | 96 | 180.00 |
| KI244 | 3 x 103 x 12 | 108 | 188.00 |
| KI245 | 3 x 115 x 12 | 120 | 195.00 |

RACKING AISLE PROTECTORS

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 16" high with an angle of 5" H x 3" W x 1/4" D with four holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Overall Width: 3"
- Overall Height: 16"
- Material: Steel

RN059



KLETON

| Model No. | Overall L" | Fits Racking Uprights | Description | Promo Price |
|-----------|------------|-----------------------|---------------------|-------------|
| RN059 | 50 | 42" W | Single Wrap - Left | 191.20 |
| RN060 | 50 | 42" W | Single Wrap - Right | 191.20 |
| RN061 | 56 | 48" W | Single Wrap - Left | 199.20 |
| RN062 | 56 | 48" W | Single Wrap - Right | 199.20 |
| RN064 | 53 | 48" W | Double Wrap Around | 316.00 |


FLOOR ANGLE GUARD RAILS

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Overall Width: 3"
- Overall Height: 5"
- Material: Steel

RN065

| Model No. | Overall Length" | Promo Price |
|-----------|-----------------|-------------|
| RN065 | 48 | 95.00 |
| RN066 | 60 | 108.00 |
| RN067 | 120 | 199.00 |

KLETON



KLEENEX® FACIAL TISSUE

- JK979: Signal Sheet keeps you ahead of run-outs (final 10 tissues are cream instead of white, so you'll know it's time to replace the box)
- Delivers premium quality, preferred for superior softness, strength and absorbency
- Ply: 2
- Sheets/Box: 125
- Colour: White

JK979



J1597



| Model No. | MFG No. | Sheet Dim. W" x L" | Boxes /Case | Order Qty* | Promo Price |
|-----------|---------|--------------------|-------------|------------|-------------|
| J1597 | 21606 | 8-1/2 x 8 | 48 | 6 | 2.15/Box |
| JK979 | 3076 | 8.3 x 7.8 | 12 | 1 | 25.75/Case |

* Must be ordered in these multiples

SCOTT® ESSENTIAL™ HIGH-CAPACITY HARD ROLL TOWELS

- Specifically designed to improve the efficiency of your operations and reduce complaints
- Compostable and made with Absorbency Pockets* Technology
- For use with the Scott® Essential* Towel Dispenser System
- Ply: 1
- Roll Type: Standard
- Colour: White

J1581



| Model No. | MFG No. | Roll Length' | Qty/Case | Promo Price |
|-----------|---------|--------------|----------|-------------|
| J1581 | 02001 | 950 | 6 | 88.80/Case |
| JC255 | 01000 | 1000 | 12 | 191.70/Case |

SCOTT® BATHROOM TISSUE

- Ply: 2
- Sheets/Roll: 550
- Colour: White
- Roll Type: Standard
- Qty/Case: 40



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| JA868 | 48040 | 47.55/Case |

WYPALL® X60 WIPERS

- Use to apply thinners and solvents and for adhesive cleaning
- Remove cable lubricant, grease, and soil in tight areas
- Constructed without adhesives or binders means these wipers leave behind no residue
- Reinforced for extra scrubbing and cleaning power

NI331



| Model No. | MFG No. | Description | Size L" x W" | Sheets /Case | Promo Price |
|--------------|---------|-------------|----------------|--------------|-------------|
| WHITE | | | | | |
| JK973 | 54015 | Brag® Box | 17 x 12-1/2 | 252 | 39.65 |
| NI331 | 34790 | Pop-Up® Box | 8-3/4 x 16-4/5 | 126 | 14.00 |
| JD421 | 34955 | Jumbo Roll | 12 x 13-2/5 | 1100 | 124.00 |
| BLUE | | | | | |
| NI067 | 35411 | Roll | 9-4/5 x 13-2/5 | 130 | 14.75 |

HAND TOWEL ROLL DISPENSERS

- Ideal for use in restrooms, schools, food service, healthcare facilities and more
- Translucent cover makes it easier and quicker to do service checks
- Equipped with a key and lock to prevent tampering



JO339



JO340

| Model No. | Type | Dimensions W" x D" x H" | Promo Price |
|-----------|----------|-------------------------|-------------|
| JO339 | Manual | 10.63 x 9.84 x 13.78 | 60.55 |
| JO340 | No-Touch | 12.4 x 9.65 x 14.57 | 92.55 |

CORED JRT COMBO UNIT TOILET PAPER DISPENSER

- For use with two JRT Jr. rolls or one JRT Sr. roll and a stub roll
- When installed properly, this dispenser meets the ADA Standards for Accessible Design, 28 CFR Part 36
- Width: 20.43"
- Depth: 5.8"
- Height: 13.2"

JL117

QZ037



| Model No. | MFG No. | Description | Promo Price |
|-----------|---------|--|-------------|
| JL117 | 09551 | Dispenser, Multiple Roll Capacity, Black | 69.25 |
| QZ037 | 07805 | Scott® Toilet Paper, 2 Ply, 1000' Length, Case of 12 | 89.95/Case |

MOP BUCKET AND WRINGER

- Wringer and bucket setup reduces splashing for a safer and cleaner work environment
- Built to accommodate heavy use
- Handles and wide rounded spout facilitate emptying
- Compatible with cleaning carts
- Colour: Yellow
- Wringer Type: Side Press
- Bucket Capacity: 9.5 US Gal.(38 Quart)



| Model No. | Promo Price |
|-----------|-------------|
| JG811 | 99.95 |

LARGE WASTE CONTAINER

- Made of durable polyethylene that will not rust, chip or dent
- Nestable
- Handle grips allow for easy & comfortable gripping & lifting
- Lid sold separately
- Capacity: 44 US gal.
- Overall Width: 27.60"
- Diameter: 24"
- Height: 31.50"

JK676



JK678

JK677



| Model No. | Description | Colour | Promo Price |
|-----------|-------------|--------|-------------|
| JK676 | Container | Grey | 66.00 |
| JK678 | Lid | Grey | 14.00 |
| JK677 | Dolly | Black | 41.35 |

CANDYSTRIPE WAXER™ MOPS

- Use with low to medium gloss floor finish
- Type: Floor Finishing/Wax
- Style: Loop
- Material: Polyester/Rayon
- Band Width: Narrow
- Colour: Blue & White

JM837



JM868



| Model No. | MFG No. | Mop Weight | Size | Promo Price |
|--------------------------------|---------|------------|--------|-------------|
| JM867 | MW-CS20 | 20 oz. | Medium | 11.10 |
| JM868 | MW-CS24 | 24 oz. | Large | 13.14 |
| 60" QUICK-CHANGE HANDLE | | | | |
| JM837 | HW-145M | - | - | 11.70 |

MULTIFUNCTIONAL MOP TROLLEY

- Comfort grip handle provides easy maneuverability
- Large front platform that can easily accommodate a mop bucket or garbage bin
- Swivel casters that allow for an easy movement
- **Includes:** (1) Mop bucket, (1) Wringer, (2) Bins
- Wringer Type: Down Press
- Bucket Capacity: 9.5 US Gal.(38 Quart)



| Model No. | Promo Price |
|-----------|-------------|
| JN502 | 235.00 |

STAINLESS STEEL INDUSTRIAL VACUUMS

- Swiveling casters provide ease of movement in any direction
- Rear blower port
- Strong top handle for easy carrying
- 16' power cord
- Type: Wet-Dry
- Motor Stage: 1-Stage
- Air Flow: 100 CFM
- **Accessories include:** 1-7/8" x 6' hose (Model EB301), 2-1/2" x 6' hose (Model EB302), two extension wands, crevice nozzle, utility nozzle, floor brush, cartridge filter and dust bag

AURORA TOOLS



EB301

EB302



| Model No. | Tank Capacity | Peak HP | Promo Price |
|-----------|---------------|---------|-------------|
| EB301 | 8 US gal. | 6 | 180.00 |
| EB302 | 16 US gal. | 6 | 344.00 |

RYNO PUSH BROOMS WITH BRACED HANDLE

- Ideal for rough concrete and moving heavier debris
- Assembled broom with a bolt-on, 1-1/8" thick wood handle and broom brace
- Bristle Material: PVC
- Sweep Action: Stiff
- Block Material: Wood
- Handle Length: 60"
- Bristle Length: 3.75"

JM911




JN064



| Model No. | MFG No. | Block Length" | Bristle Colour | Promo Price |
|-----------|-------------|---------------|----------------|-------------|
| JN064 | PB-700-GB18 | 18 | Green/Black | 30.30 |
| JM910 | PB-700-GB24 | 24 | Green/Black | 35.70 |
| JM911 | PB-700-RB24 | 24 | Red/Black | 35.70 |
| JM907 | PB-700-BB36 | 36 | Blue/Black | 53.34 |

TRAFFIC HARNESSSES

- 1-1/2" reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability
- Colour: High Visibility Lime-Yellow
- Reflective Colour: Silver



ZENITH
Safety Products

| Model No. | Size | Promo Price |
|-----------|----------|-------------|
| SEF117 | Medium | 8.50 |
| SEF118 | Large | 8.50 |
| SEF119 | X-Large | 8.50 |
| SEF120 | 2X-Large | 8.50 |
| SEF121 | 3X-Large | 8.50 |

TRAFFIC SAFETY VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° night-time visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Colour: High Visibility Orange

SEF093



ZENITH
Safety Products

| Model No. | Size | Promo Price |
|-----------|----------|-------------|
| SEF093 | Medium | 7.95 |
| SEF094 | Large | 7.95 |
| SEF095 | X-Large | 7.95 |
| SEF096 | 2X-Large | 7.95 |

ZENITH
Safety Products

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- High-density interlocking base



SDS932

| Model No. | Height" | Base Dim. W" x L" | Promo Price |
|-------------------|---------|-------------------|-------------|
| ORANGE | | | |
| SEB768 | 12 | 8-5/8 x 8-5/8 | 7.45 |
| SEB769 | 18 | 10-1/4 x 10-1/4 | 12.05 |
| SEB771 | 28 | 13-3/4 x 13-3/4 | 23.25 |
| LIME GREEN | | | |
| SDS932 | 18 | 10-1/4 x 10-1/4 | 15.50 |
| SDS933 | 28 | 13-3/4 x 13-3/4 | 28.30 |

CSA-COMPLIANT HIGH-VISIBILITY SURVEYOR VESTS

- Lightweight and comfortable fluorescent solid polyester provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Colour: High Visibility Orange
- Standard(s) Met: CSA Z96 Class 2 - Level 2

SGZ627



ZENITH
Safety Products

| Model No. | Size | Promo Price |
|-----------|----------|-------------|
| SGZ627 | Medium | 15.95 |
| SGZ628 | Large | 15.95 |
| SGZ629 | X-Large | 15.95 |
| SGZ630 | 2X-Large | 15.95 |

FLAME-RESISTANT SURVEYOR VESTS

- Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance
- 4" orange/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Standard(s) Met: CSA Z96 Class 2 - Level 2
- Colour: High Visibility Lime-Yellow

ZENITH
Safety Products



SGF140

| Model No. | Size | Promo Price |
|-----------|----------|-------------|
| SGF140 | Medium | 16.75 |
| SGF141 | Large | 16.75 |
| SGF142 | X-Large | 16.75 |
| SGF143 | 2X-Large | 16.75 |

BARRICADE TAPE

- Warns against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
 - Made of polyethylene
 - Heavy Duty - 2 mils

ZENITH
Safety Products



SEK400



SEK402

| Model No. | Message | Colour | Roll Size | Promo Price |
|-----------|-------------|-----------------|------------|-------------|
| SEK400 | Caution | Black on Yellow | 3" x 1000' | 12.55 |
| SEK401 | "Attention" | Black on Yellow | 3" x 1000' | 12.55 |
| SEK402 | Danger | Black on Red | 3" x 1000' | 12.55 |

LIGHTWEIGHT NITRILE FOAM PALM-COATED GLOVES

- 13-gauge seamless knitted polyester shell
- Excellent abrasion resistance
- Superior dexterity and comfort
- EN 388 Performance Levels: 4021
- EN 420 Dexterity Level: 5
- **Must be ordered in multiples of 24**

SAM629



| Model No. | Size | Promo Price |
|-----------|--------------|-------------|
| SAM629 | X-Small, 6 | 1.65/Pair |
| SAM630 | Small, 7 | 1.65/Pair |
| SAM631 | Medium, 8 | 1.65/Pair |
| SAM632 | Large, 9 | 1.65/Pair |
| SAM633 | X-Large, 10 | 1.65/Pair |
| SAM634 | 2X-Large, 11 | 1.65/Pair |

ZM200 MECHANIC'S GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability
- **Must be ordered in multiples of 12**

SEB051



| Model No. | Size | Promo Price |
|-----------|----------|-------------|
| SEB051 | Medium | 13.39/Pair |
| SEB052 | Large | 13.39/Pair |
| SEB053 | X-Large | 13.39/Pair |
| SEB054 | 2X-Large | 13.39/Pair |

PREMIUM COMFOFLEX™ WELDING GLOVES

- Flame retardant, air cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- 14" buck tan, heat resistant side split cowhide
- Outside double palm and thumb extend wear life
- Thumb Style: Wing
- Cut Pattern: Gunn
- **Must be ordered in multiples of 12**



| Model No. | Size | Promo Price |
|-----------|-------|-------------|
| 610-2000 | Large | 16.85/Pair |

ZX-1 PREMIUM TOUCHSCREEN COMPATIBLE GLOVES

- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Black foam nitrile palm coating for optimal grip in dry, wet and oily conditions
- Grey seamless nylon/spandex 15-gauge shell for optimal dexterity
- Foam nitrile coating improves abrasion resistance
- EN 388 Performance Levels: 4131
- EN 420 Dexterity Level: 5
- **Must be ordered in multiples of 12**

SDP438



| Model No. | Size | Promo Price |
|-----------|--------------|-------------|
| SDP438 | X-Small, 6 | 3.65/Pair |
| SDP439 | Small, 7 | 3.65/Pair |
| SDP440 | Medium, 8 | 3.65/Pair |
| SDP441 | Large, 9 | 3.65/Pair |
| SDP442 | X-Large, 10 | 3.65/Pair |
| SDP443 | 2X-Large, 11 | 3.65/Pair |

HEAVY-DUTY WELDING GLOVES

- Premium quality grain cowhide leather construction with split cowhide leather palm
- Unlined palm for increased comfort and dexterity
- 6" gauntlet cuff for increased protection
- Reinforced thumb extends wear life
- Fully welted DuPont® Kevlar® stitched seams for higher seam strength and flame resistance
- Thumb Style: Straight
- Cut Pattern: Gunn
- **Must be ordered in multiples of 12**



SDL995

| Model No. | Size | Promo Price |
|-----------|---------|-------------|
| SDL995 | Medium | 9.99/Pair |
| SDL996 | Large | 10.25/Pair |
| SDL997 | X-Large | 10.65/Pair |

TIG WELDING GLOVES

- Standard quality grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Exceptional durability
- 4" gauntlet cuff provides superior protection
- Cuff Style: Gauntlet
- Thumb Style: Straight
- Cut Pattern: Clute
- **Must be ordered in multiples of 12**

SAN639



| Model No. | Size | Promo Price |
|-----------|---------|-------------|
| SAN639 | Small | 8.49/Pair |
| SAN640 | Medium | 8.99/Pair |
| SAN641 | Large | 9.19/Pair |
| SAN642 | X-Large | 9.49/Pair |

DISPOSABLE PREMIUM LENS CLEANING STATIONS

- Supreme anti-fog, anti-static, low alcohol, silicone-free, fast-drying lens cleaning solution
- Safe for all types of glass, plastic or polycarbonate eyeglasses, safety glasses, goggles, face shields and computer monitors



SGR042

SGR041



| Model No. | Dim. | | | Description | Promo Price |
|-----------|------|------|--------|--|-------------|
| | L" | x D" | x H" | | |
| SGR041 | 8 | x 4 | x 8 | One 237 ml/8 oz. bottle w/pump and 600 tissues | 12.45 |
| SGR042 | 8 | x 5 | x 12.5 | One 473 ml/16 oz. bottle w/pump and 1200 tissues | 19.25 |

NORTH® HIGH PERFORMANCE® HEADGEAR

- Made from Noryl®, the same material used in Fibre-Metal®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 8" x 17" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection
- Suspension Type: Ratchet

Faceshield sold separately



Honeywell

| Model No. | MFG No. | Description | Promo Price |
|-------------------------------|-----------|-------------------------|-------------|
| SAM376 | F400CSA | Headgear | 42.95 |
| PROPIONATE FACESHIELDS | | | |
| SAM377 | 4178CL | Clear | 10.99 |
| SAM403 | 4178IRUV5 | Green, IR/UV5 Shade 5.0 | 30.95 |

SPARKPLUGS® PLUGSTATION® EARPLUGS DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Fun colours and this handy dispenser increase compliance
- Mounting bracket with hardware included
- NRR dB: 33

SDL453

SE924

MOLDEX



| Model No. | MFG No. | Description | Pairs/Dispenser | Promo Price |
|-----------|---------|-------------|-----------------|-------------|
| SE924 | 6644 | Uncorded | 250 | 53.95 |
| SE925 | 6645 | Uncorded | 500 | 102.95 |
| SDL453 | 6880 | Corded | 150 | 67.95 |

KLEENGUARD™ WILDCAT SAFETY GOGGLES

- Extreme heat resistance, will not melt, drip or ignite at 350°F for five minutes
- Adjustable side vents to help increase airflow
- Fits naturally to the contour of your face
- Lightweight and comfortable with a pivot headband that allows for optimal placement
- Ventilation Type: Direct
- Standard(s) Met: ANSI Z87+
- Lens Coating: Anti-Fog
- Band Type: Elastic



TTT946

| Model No. | MFG No. | Lens Tint | Promo Price |
|-----------|---------|------------|-------------|
| TTT946 | 20525 | Clear | 15.95 |
| TTT947 | 20526 | Grey/Smoke | 15.75 |
| TTT949 | 20528 | Shade 3.0 | 25.35 |
| TTT950 | 20529 | Shade 5.0 | 26.15 |

CARRERA™ ARCONE® HOOD

- Ultra-light and has a sleek, modern design, and its versatility and lens options make it a popular choice for seasoned welders and students alike
- Carrera™ ArcOne® Auto-Darkening lenses meet ANSI and CSA and are CE approved
- Viewing Area: 2" L x 3" W
- Shade Level: 9 - 13
- Light State: 4
- Amps: 25
- Number of Sensors: 2
- Colour: Black



| Model No. | MFG No. | Promo Price |
|-----------|------------|-------------|
| NY219 | 1000F-0100 | 159.00 |

2310 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge and soft foam nose cushion
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 section 7.11.1
- NIOSH approved N99
- Size: Medium/Large
- Style: Cup
- Qty/Pkg.: 10



MOLDEX

| Model No. | MFG No. | Description | Promo Price |
|-----------|---------|-----------------|-------------|
| SE854 | 2310 | Standard Straps | 72.95/Pkg. |

Pricing in effect until July 5, 2024 or while quantities last. Taxes and freight extra. Issue #SDW224042NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.