


# **HARDWARE UNLIMITED** Industrial & Safety Supplies

 (403) - 723 - 0241



Unit 45 4216-54 Avenue S.E.  
Calgary, Alberta T2C 2E3



[www.hardwareunlimited.ca](http://www.hardwareunlimited.ca)

## SHOP ESSENTIALS PROMOTION!

### Twin-Head Work Light

- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- LED bulbs included
- Fixtures can adjust 120°
- Certified for sale in Canada by an accredited certification body
- Lumens: 4800
- Wattage: 40 W
- Housing Material: Aluminum
- Voltage: 120 V

**AURORA**  
TOOLS



Model No.	Promo Price
<b>XG817</b>	<b>163.00</b>

### 15-in-1 Original Bit Loaders

- Pullout bit cartridge makes it easy to find, change and store bits
- Loaded with 7 double end professional quality bits: Phillips #0, #1, #2, #3; Square #0, #1, #2, #3; Star #10, #15, #20, #25; Slotted #4, #6
- Shaft opening serves as a 1/4" hex nut driver
- Handle is made from engineered nylon/ABS resin

**MEGAPRO**  
Every bit better.



Model No.	MFG No.	Promo Price
<b>TNB478</b>	<b>151NAS</b>	<b>31.99</b>

### Speedglas™ G5-03 Pro Black Fixed Front Welding Helmet

- Robust, compact design
- Ergonomic, adjustable head suspension
- GRIND and CUT mode functionality, when using G5 auto darkening filters
- Viewing Area: 2.8" L x 4.3" W
- Shade Level: 2.5/5, 8-13

**3M**



**SAVE MORE!** Scan here to take advantage of additional end user rebates!



Model No.	MFG No.	Promo Price
<b>SHL717</b>	<b>7100311671</b>	<b>659.00</b>

### Fixmaster® Magna-Crete® Concrete Repair

**LOCTITE**

- Two-component, rapid setting concrete repair and grouting system
- Chemically resistant to most common liquids and chemicals
- For concrete, wood, glass, steel and other construction materials
- Pourable
- Max temperature 2000°F
- 15 minutes working time
- 1-2 hours, functional cure
- Accepted for use in Canadian food processing facilities
- Colour Family: Grey
- Coverage: 4.8 sq. ft.



Model No.	MFG No.	Container Size	Promo Price
<b>AA748</b>	<b>235572</b>	1 gallon	<b>143.20</b>
<b>AD917</b>	<b>235573</b>	5 gallon	<b>276.00</b>

**Pricing in effect until July 4, 2025 or while quantities last. Taxes and freight extra. Issue #SDW225042NA**

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.

## Heavy-Duty Oscillating Fans

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
  - 9.8' SJT power cord
  - Diameter: 30"
  - Open motor



Model No.	Description	High	CFM Med	Low	Promo Price
EA666	Pedestal	13200	7321	4758	695.00
EA667	Wall Mount	13400	7805	5070	599.00

## 20" High Velocity Pedestal Fan


- 3-speed, 120 V/60 Hz, 1/5 HP motor
- All-metal construction
- Chrome grill, black painted base
- Head tilting capability of 360°
- Adjustable height
- 6' SJT type power cord



Model No.	High	CFM Med	Low	Promo Price
EA289	5950	4550	3850	131.00

## Industrial-Duty Air Circulating Wall Fans

- All-metal construction
- 9.8' SJT power cord
- Non-Oscillating
- No. of Speeds: 2
- Voltage: 120 V
- Motor Type: Closed
- HP: 1/4



EA644

Model No.	Diameter"	CFM High	Low	Promo Price
EA644	24	11500	7680	304.00
EA648	30	10780	7440	339.00

## Oscillating Pedestal Fan

- All-metal construction
- 6.5' SJT power cord
- Features adjustable height and a heavy-duty round base for added stability
- Open motor & direct drive
  - Horse Power: 1/16 HP
  - Motor: 120 V/60 Hz
  - No. of Speeds: 3



Model No.	Dia.	High	CFM Med	Low	Promo Price
EB239	22	4500	3700	2900	169.00

## Outdoor Misting & Oscillating Pedestal Fan

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- Misting kit included with direct hose connection
- Can be used indoor/outdoor
- Diameter: 30"
- No. of Speeds: 3
- HP: 1/7
- Base Diameter: 27"



Model No.	High	CFM Med	Low	Watts	Promo Price
EA829	7200	5470	3780	220	779.00

## Heavy-Duty Fixed Belt Drive Drum Fan

- Fully enclosed motor
- All-metal construction
  - 9' power cord
- Features 8" casters with easy moving handle
  - No. of speeds: 2
  - Motor: 120V/60 Hz
    - Power: 900 W
    - Amps: 7.5 A



Model No.	Dia."	HP	CFM High	Low	Promo Price
EA662	42	3/4	17900	7400	1167.00





EA830

## Mobile 3-in-1 Air Conditioners

- 3-in-1 system (A/C, fan, and dehumidifier)
- Features Control panel with LED display on unit with remote control
- Equipped with casters
  - 24 hour timer
- Window kit included
  - Portable
  - Voltage: 115 V
  - Frequency: 60 Hz



EB118



Model No.	Coverage sq.ft.	BTU Rating	Cooling Speed	Promo Price
<b>11-13/16" W X 12-5/8" D X 27-3/16" H</b>				
<b>EB118</b>	300 - 350	8000	2	<b>499.00</b>
<b>17-1/3" W X 12-4/5" D X 27-1/3" H</b>				
<b>EA830</b>	450 - 550	12000	3	<b>644.00</b>

## Air Curtains with Remote Control

- Maintains indoor air quality and saves energy by minimizing air loss through open doorways
- Prevents dust, odours, fumes, and insects, from entering indoors through powerful air flow
- Airflow directed by oscillating louvers
- Mount on the interior of doors, windows, or walls
- Features a 5' long power cord with grounded NEMA 5-15 plug
- No. of Speeds: 2
- Voltage: 120 V
- Maximum Door Height: 10'
- Phase: 1
- Decibels: 56
- Hertz: 60



EB290



Model No.	W"	x	Dim. D"	x	H"	CFM High	Low	Promo Price
<b>EB290</b>	36	x	8-1/2	x	8-5/8	815	670	<b>214.00</b>
<b>EB291</b>	48	x	8-1/2	x	8-5/8	990	816	<b>253.00</b>



EA305

## Oscillating Desk Fans with Push Button

- 3-speed push button control
- Rotating or fixed air direction
- Portable and easy to assemble
  - Topples resistant base



Model No.	Diameter"	Promo Price
<b>EA305</b>	12	<b>36.10</b>
<b>EA306</b>	16	<b>40.95</b>

## Rechargeable Indoor/Outdoor Fan

- Includes a lithium-ion battery and charger cable
- Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- USB charging port on the control box can be used to recharge digital devices
- Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- Type: Floor • Voltage: 24 V
- Power: 25 W • RPM: 1700
- Re-Charge time: 4-5 Hrs
- USB: 5 V, 1 A



Model No.	Dia"	CFM High	Promo Price
<b>EA828</b>	12	1600	<b>319.00</b>

## Clip-On & Desk Fan

- 2-speed, low and high settings
- Tilting head
- Fully assembled and ready for use
- Convertible clip and desk feature



Desktop Base



Model No.	Diameter"	Promo Price
<b>EA304</b>	6	<b>22.95</b>

## Turbo Fan

- 3-speed
- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W



Model No.	Dia."	High	CFM Med	Low	Promo Price
<b>EB117</b>	20	2600	2100	1800	<b>89.95</b>





## Putty Knife

- Non-Sparking, Non-Magnetic, Corrosion-Resistant
  - Made from nickel copper
- Use with volatile resins, paints, inks and other compounds
  - Blade is riveted to wood handle
    - Stiff blade
  - Blade Width: 1-1/4"
  - Blade Length: 3-9/16"
  - Overall Length: 7-3/4"



Model No.	MFG No.	Promo Price
TX710	K-21	35.46

## Cushion Grip Screwdriver Set

- Patented SVCM tool steel is up to 30% stronger than CrV screwdrivers
- Hardened and tempered for superior strength and improved durability
- Super strong acetate handles resist impact and chemicals
- Integrated cushion grips provide all day comfort and increased torque
- No. of Pieces: 14 Pcs.
- Non Magnetic
- Includes: 3/16" x 3", 3/16" x 6" (Cabinet Tips), #1 x 3", #2 x 1-1/2", #2 x 4", #3 x 6" (Phillips), #1 x 4", #2 x 1-1/2", #2 x 4", #3 x 4" (Square), #1 x 4", #2 x 1-1/2", #2 x 4", #3 x 4" (Slot Square Shank)
- Stubby Round Shaft Slot: 1/4" x 1-1/2"



Model No.	MFG No.	Promo Price
AUW097	720566	180.00

## Mechanic's Pliers Set

- Made of high quality Chrome Vanadium steel (except slip joint)
- Cutting edges induction hardened to HRC58-63
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- No. of Pieces: 5
- Standard(s) Met: ANSI
- Includes:
  - 8" Angle Head Cutter,
  - 8" Long Nose,
  - 8" Linemans,
  - 8" Slip Joint,
  - 8" Groove Joint



Model No.	MFG No.	Promo Price
AUW104	730341	108.00



## Shockforce™ G2 Tape Measure

- Thicker protective blade coating in addition to a mylar coating on the first 6" provide increased tape durability
- Improved diamond coated end hook protects the entire front of the tape and prevents the tape from snagging and tearing
  - Blade Length: 16'
  - Blade Width: 1-1/4"



Model No.	MFG No.	Promo Price
UAX209	L1216CME-02	24.40

## Combination Wrench Set

- JET raised panel combination wrenches are made with industrial quality SAE 6140 chrome vanadium steel (up to 1-1/4 in or 32 mm sizes)
- All wrenches feature Torque-Drive® box ends for increased torque
- Wrench size stamped on head for easy identification
- No. of Pieces: 16
- Size Standard: Imperial
- Material: Chrome Vanadium Steel
- Size Range: 1/4" to 1-1/4"
- Type: Raise Panel




Model No.	MFG No.	Promo Price
MLA146	700121	197.00

## Heavy-Duty Utility Knife

- Comfortable, symmetrical handle design with anti-slip rubber inset
- Durable, high-impact ABS plastic handle
- Stainless steel blade channel
- Preloaded with a 25 mm HB super heavy-duty silver snap-off blade
- Locking Mechanism: Ratchet-Lock

PA224

VQ359



Model No.	MFG No.	Qty/Pkg.	Promo Price
PA224	H-1	-	12.50
<b>REPLACEMENT BLADES</b>			
VQ359	HB-5B	5	6.89/Pkg.
VQ360	HB-20B	20	22.30/Pkg.
PG135	HB/CP40	40	42.40/Pkg.

## Stamp Sets

- For hand-held, hammer struck applications
- Manufactured from high quality steel
- Induction hardened for added durability and extended life
- Bevelled striking edge prevents breakage and accidents during use
- Character Size: 1/4"
- Stamp Length: 2-3/8"
- Number sets contain 9 pieces, "0" through "9", numbers "6" and "9" are interchangeable
- Letter sets contain 27 pieces, "A" through "Z" and "&"-ampersand

Model No.	No. of Pieces	Type	Promo Price
TLZ391	9	Number	26.05
TLZ394	27	Letter	63.67



## Rubber Mallet

- Hardwood handle
- Non-marking white rubber head
- Head Weight: 16 oz.
- Face Finish: Plain

**AURORA**  
TOOLS



Model No.	Promo Price
TJZ045	9.30

## 2-in-1 Mini Air Die Grinder Combo

- Ball bearing construction for maximum tool life and durability
- Lever throttle for positive speed control
- Built in regulator
- Front exhaust
- Collet Size: 1/4"
- No Load RPM: 25000/22000
- Air Consumption: 4 CFM
- Air Inlet: 1/4"
- Sound Pressure: 86 dBA/84 dBA
- Includes: (1) 90° Mini Die Grinder (402009); (1) Straight Mini Die Grinder (402010)

**JET**



Model No.	MFG No.	Promo Price
UAV934	402148	141.95

## Punch and Chisel Set

- Punch and chisel sets are an excellent way to keep your tools organized
- These sets are packed in heavy-duty vinyl rolls for easy access, organization and storage
- No. of Pieces: 14
- Includes:
  - 3/8"; 1/2"; 5/8"; 3/4"; 7/8" Cold chisel;
  - 1/8"; 5/32" 1/4" Center Punch;
  - 1/16"; 1/8"; 3/16" Pin Punch;
  - 1/8"; 5/32"; 5/16" Drift Punch

**AURORA**  
TOOLS



Model No.	Promo Price
TLZ434	89.25

## Torque Wrench

**JET**

- Easy to read dual scales allow for a wide range of torque applications
- Perceptible jolt and audible click indicate desired torque setting has been reached
- Locking collar allows easy setting of desired pre-torque and prevents accidental change of value while in use
- Comfortable non-slip grip handle is ideal for repeated use
- Length: 21"
- Size: 1/2"
- Torque: 30 - 150 ft/lbs (40 - 210Nm)
- Comes complete with protective blow mold case for easy storage



Model No.	MFG No.	Promo Price
NIT085	718911	230.00



## 5005 Series Premium-Duty Hose Reel

- A full flow shaft and swivel assures maximum product delivery
- Robotically welded steel base offers maximum strength and consistent quality
- Durable, corrosion-resistant powder coat paint
- The full flow swivel combines the highest grade seal design and materials with bearing areas to insure maximum service life
- Hose Type: Water, Air
- Hose Capacity: Single Hose
- Inner Hose Diameter: 3/8"
- Hose Length: 50'
- Hose End: 1/4" NPT
- Working Pressure: 300 psi
- Reel Height: 17-5/8"
- Reel Width: 16-1/2"
- Reel Depth: 5-7/8"
- Reel Outlet: 1/4" NPTM
- Inlet: 3/8" NPTF
- Drive Type: Spring



Model No.	MFG No.	Promo Price
NN152	5650 OLP	579.00

## Hose Reel



- For use with air or water
- Kinkless, high quality hoses
- Permanently lubricated for long, trouble-free service
- Hose Type: Water, Air
- Hose Capacity: Single Hose
- Inner Hose Diameter: 3/8"
- Hose Length: 50'
- Hose End: 1/4" NPTM
- Working Pressure: 300 PSI
- Dim.: 20.25" H x 19.75" W x 7" D
- Reel Outlet: 1/2" NPTF
- Reel Inlet (F) NPT": 1/2"
- Drive Type: Spring
- Hose Outlet (M) NPT": 1/4"



Model No.	MFG No.	Promo Price
TN318	7650 OLP	699.00

## All-Purpose Gear Bag

- All-purpose gear bag perfect for carrying tools and accessories
- Eight outside pockets to organize tools, accessories and paperwork
- Includes four abrasion resistant rubber feet
- Reinforced padded carrying handles
- Colour: Black
- Material: Polyester
- No. of Pockets: 8
- Dimensions: 24" L x 12" W x 12" H



Model No.	Promo Price
TER023	42.46

## High-Accuracy Levels

- High accuracy vial with big bubble and 3 black lines each side
- Environmentally-friendly fluorescent liquid inside, which is anti-oxidation, anti-ultraviolet, and anti-electrostatic drift
- High strength aluminum profile
- Enhanced cross section design has high anti-bending resistance, so as to ensure constant accuracy and reliability
- Type: Box
- No. of Vials: 3
- Non-Magnetic

UAV720



Model No.	Length'	Promo Price
UAV720	2	16.10
UAV721	4	31.40



## Industrial Tool Chest

- Double wall steel construction for added strength
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Powder coat scratch resistant black paint
- Drawer Capacity: 100 lbs.
- No. of Drawers: 10
- Overall Dim.: 41" W x 17-3/4" D x 19" H
- Unit Capacity: 1000 lbs.



Model No.	Promo Price
TER068	686.00

## Heavy-Duty Tool Cart

- Heavy-duty double wall steel construction for added strength
- Quadra level ball bearing slides on all drawers
- Drawers feature soft close technology
- Heavy-duty reinforced bottom support rails for heavier loads
- Power and USB outlets on the side of the cabinet makes it quick and easy to charge your power tools and mobile devices
- No. of Drawers: 7
- Overall Dim.: 28" W x 22" D x 42-3/8" H
- Drawer Capacity: 120 lbs.
- Unit Capacity: 1400 lbs.



Model No.	Promo Price
TER069	1058.00



## Stainless Steel Scissors

- Serrated edge grips material
- Industrial strength high-impact ABS handle and stainless steel blades
- Symmetrical handle design for right- and left-hand use
- Handle Style: Rings
- Handle Angle: Straight
- Handle Orientation: Ambidextrous

**OLFA**

PC910



Model No.	MFG No.	Overall Length"	Promo Price
PC910	SCS-1	5	21.60
PC900	SCS-2	7	28.20

## 48-Pocket Bucket Buddy

- 14 double row pockets inside and 34 triple row pockets outside organize a wide range of tools and accessories
- Security pocket with hook and loop closure
- Drill pocket with hook and loop handle strap
- Designed to fit most 3 1/2 - 5 gallon buckets
- Length: 6"
- Width: 11"
- Height: 12"
- Colour: Black
- Material: Polyester

**Kunys**



Model No.	MFG No.	Promo Price
VQ267	SW1119	23.99

## Electrician's Maintenance Pouch

- Includes electrical tape sling
- 3 Internal pocket sleeves and 6 external pockets
- Features heavy duty snap
- Material: Polyester
- Colour: Black
- No. of Pockets: 9
- Style: Multiple Tool Holder

**Kunys**



Model No.	MFG No.	Promo Price
TEQ911	EL-1503	18.20

## Maintenance Tool Pouch

- Double zipper that keeps the tools in place and accommodate longer tools
- Push-button that keeps the cover away from the tools access
- Several compartments can store a wide variety of tools
- Carabineer and tape holder
- Belt clip that fits belts up to 2 3/4" wide
- Material: Polyester
- Colour: Black
- No. of Pockets: 5
- Style: Multiple Tool Holder
- Dimensions: 6" L x 9 3/4" H



Model No.	MFG No.	Promo Price
TEP259	EL-1523	20.20

**Kunys**

## Universal Hammer Set

- The most popular striking tools for a wide variety of applications
- No. of Pieces: 8
- Set includes:
  - TJZ032 Tubular Handle, 16-oz. Claw Hammer
  - TJZ034 Hickory Handle, 22-oz. Framing Hammer
  - TJZ036 Dead Blow, 16-oz. Hammer
  - TJZ038 Dead Blow, 32-oz. Hammer
  - TJZ040 Ball Pein, 16-oz. Hammer
  - TJZ042 Ball Pein, 32-oz. Hammer
  - TJZ044 Mallet, 32-oz., Black
  - TJZ045 Mallet, 16-oz., White

Model No.	Promo Price
TLV116	116.45



**AURORA**  
TOOLS



## 5-Piece Double Cut Carbide Burr Set

- Steel case
- Packaging and product are both recyclable
- Shank Size: 1/4"
- Includes:  
SA-3 Burr  
SC-3 Burr  
SC-5 Burr  
SF-3 Burr  
SF-5 Burr

CLARKSON  OSBORN



Model No.	MFG No.	Promo Price
TCR765	SC90810	148.00

## 8-Piece Double Cut Carbide Burr Set

- Steel case
- Packaging and product are both recyclable
- Shank Size: 1/4"
- Includes:  
SA-5 Burr  
SC-3 Burr  
SC-5 Burr  
SD-5 Burr  
SF-3 Burr  
SF-5 Burr  
SG-3 Burr  
SL-4 Burr

CLARKSON  OSBORN



Model No.	MFG No.	Promo Price
TCR766	SC90800	237.00

## 8-Piece Double Cut Carbide Burr Set

- Packaging and product are both recyclable
- Shank Size: 1/4"
- Includes:  
SA-5 Burr  
SC-3 Burr  
SC-5 Burr  
SD-5 Burr  
SF-3 Burr  
SF-5 Burr  
SG-3 Burr  
SL-4 Burr



CLARKSON  OSBORN

Model No.	MFG No.	Promo Price
BL445	SC90801	296.00

## Wire Cup Brush

- Brush Diameter: 3"
- Application Type: Steel
- Arbor Size: 5/8"-11



 **WALTER**  
Surface Technologies

Model No.	MFG No.	Promo Price
UE890	13F304	23.10

## Wide Knotted Wire Wheel Brush

- Made from top quality wire that is perfectly knotted and balanced for minimal vibration and maximum user safety
- For precision cleaning with angle grinders
- Fast removal
- Brush Diameter: 5"
- Face Width: 3/8"
- Fill Diameter: 0.02"
- Application Type: Steel
- Arbor Size: 5/8"-11
- Maximum RPM: 15000



 **WALTER**  
Surface Technologies

Model No.	MFG No.	Promo Price
UE938	13L504	39.60

## Enduro-Flex™ Flap Discs

- With the new ultra sharp and refined zirconium grain, the disc will stay sharper for a longer period of time while removing more material faster
- Special top coat continuously cools and lubricates the disc for smooth, vibration-free grinding and sanding from start to finish
- Eco-Trim™ trimmable backing extends disc life up to three times
- Spin-on type 27 design
- Arbor Size: 5/8"-11
- Abrasive Material: Zirconia Alumina

BZ653



 **WALTER**  
Surface Technologies

Model No.	MFG No.	Diameter"	Grit	Max RPM	Promo Price
BZ653	06B454	4-1/2	40	13 300	14.49
BZ654	06B456	4-1/2	60	13 300	14.49
BZ655	06B458	4-1/2	80	13 300	14.49
BZ656	06B462	4-1/2	120	13 300	14.49



## EpoxyShield® Concrete Floor Paint

- This self-priming acrylic paint requires only one coat and resists fading, chipping and stains, even when exposed to sunlight, weather, hot tires or chemicals
- Indoor and outdoor durability
- Cleans with soap and water
- Environmentally friendly
- Container Type: Gallon
- Net Volume: 3.78 L
- Finish: Satin
- Base Type: Water-Based
- Colour Family: Grey
- Colour Name: Armour Grey



**RUST-OLEUM**

Model No.	MFG No.	Container Size	Promo Price
KR294	N239133	3.78 L	76.30

## ZeroTri® Heavy-Duty Degreaser

- Heavy-duty solvent
- No rinsing and no residue
- Fast-acting
- Instant penetrating action
- Non-conductive
- Accepted for use in Canadian food processing facilities



Model No.	MFG No.	Format	Container Type	Promo Price
AA787	C03520	15 oz.	Aerosol Can	36.40

## HDX Heavy-Duty Degreaser

- Low odour
- No CFC's
- Quick penetration
- No rinsing
- No residue
- Non-conductive



Model No.	MFG No.	Format	Container Type	Promo Price
AA840	C01020	19 oz.	Aerosol Can	18.80

## Food Plant Chain Lube

- Keeps roller drive and conveyor chains lubricated
- Blend of synthetic lubricants and mineral oil
- Penetrates, lubricates and protects moving parts by reducing friction and wear
- Approved for use in Canadian food processing facilities
- NSF Registered H1
- Appearance: Clear/White Liquid
- Film Type: Wet
- Flash Point: 188°C



Model No.	MFG No.	Format	Container Type	Promo Price
AF201	73056	340 g	Aerosol Can	20.70

## Food Plant Machine Oil

- For use on food processing equipment
- Penetrates to loosen rust, scale, dirt and corrosion
- Format: 312 g
- Container Type: Aerosol Can
- Maximum Working Temperature: 200°F (93.3°C)



Model No.	MFG No.	Promo Price
AF245	73081	16.70

## Evapo-Rust® Super Safe Rust Remover

- Removes even heavy rust completely to bare metal
- No scrubbing or sanding required
- Non-toxic, non-corrosive, non-flammable
- Since Evapo-Rust® Super Safe Rust Remover is reusable, one gallon will remove 1/2 lb of dry rust
- Ready-to-use formula, no mixing required



Model No.	MFG No.	Format	Container Type	Promo Price
AH141	ER070	946 ml	Jug	12.40
AH142	ER071	3.78 L	Jug	33.20
AH143*	ER019	13.2 L	Pail	116.00

\*Dip basket included

## Multi-Angle Magnetic Welding Square

- Provides fast set-up and accurate holding of steel sheet stock, plate and tubing for welding
- Holds work pieces at 45°, 90°, 135° and 180° angles
- Strength: 55 lbs.
- Dim.: 4-3/8" L x 3/4" W x 3" H



**MAG-MATE**

Model No.	MFG No.	Promo Price
TGY624	WS11094	17.17

## Mid-Size Magnetic Welding Square

- Provides fast set-up and accurate holding of steel sheet stock, plate and tubing for welding
- Holds work pieces at 45°, 90°, 135° and 180° angles
- Strength: 75 lbs.
- Dim.: 3-3/4" L x 3/4" W x 4-3/8" H



**MAG-MATE**


Model No.	MFG No.	Promo Price
TGY627	WS400	28.60

## Maintenance Brush

- Toothbrush style
- Non-Sparking, Non-Magnetic, Corrosion-Resistant
- a. Bristle Length: 1/2"
- b. Bristle Width: 1/2"
- c. Overall Length: 7-7/8"



**AMPCO**  
USA



Model No.	MFG No.	Promo Price
UQ914	TB-10	8.70

## TS4000 High Heat Torch Trigger Start

- Swirl flame produces hot, efficient flame
- Cast aluminum body construction for durability
- Auto start/stop ignition easily ignites and extinguishes flame
- For best results, use with MAP-Pro fuel, not included



**BERNZOMATIC**

Model No.	MFG No.	Promo Price
BV756	361524	87.60

## Fuel Cylinders

- TTU686: Use with torches and most portable appliances requiring propane.
- TTU687: Propylene gas burns hotter than propane. Use only with torches and appliances specifying "for use with propylene".
- TTU688: Use with propylene gas for hottest brazing performance and light cutting/welding.



**BERNZOMATIC**

Model No.	MFG No.	Description	Promo Price
TTU686	304184	14.1-oz. Propane Cylinder	20.15
TTU687	332478	14.1-oz. MAP-Pro™ Gas Cylinder	25.40
TTU688	304180	1.4-oz. Disposable Oxygen Cylinder	29.60

## Soapstones

- 144 white soapstones per box
- Overall Dimensions: 5" L x 1/2" W x 3/16" H



**WELD-MATE**

Model No.	Description	Promo Price
NT225	Flat Soapstone - 144 Pieces	28.70/Box



## Welder's Gloves

**BDG**  
BOB DALE GLOVES



- Grain leather palm and index finger with split leather back
- Cut resistant Kevlar® liner
- Stitched with Kevlar®
- 5" split leather gauntlet cuff
- Leather Palm Type: Grain Cowhide
- ANSI Cut Resistance: A6
- ANSI Abrasion Resistance: Level 4
- ANSI Puncture Resistance: Level 4

Model No.	MFG No.	Size	Promo Price
SGV922	60-1-1818KV-XS	X-Small	26.99/Pair
SGV925	60-1-1818KV-S	Small	26.99/Pair
SGV923	60-1-1818KV-M	Medium	26.99/Pair
SGV921	60-1-1818KV-L	Large	26.99/Pair
SGV924	60-1-1818KV-XL	X-Large	26.99/Pair
SGV920	60-1-1818KV-X2L	2X-Large	26.99/Pair

## Safety Glasses

**JACKSON**  
SAFETY GLASSES

- Protects against harmful UV and IR radiation in welding, brazing, cutting and soldering
- Hard coat is permanently bonded to the lens and is scratch and chemical resistant
- Specially formulated ultra-strong and ultra-flexible material provide unmatched durability
- Soft touch temples and flexible nose piece are slip resistant and provide comfort for hours on end
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Tint: IR 5.0 • Work Environment: Medium Cutting/Brazing

Model No.	MFG No.	Promo Price
SHC592	50010	11.99



## Flash-Gard® FR/Arc Rated Welding Coveralls

- Made of premium materials that are comfortable to wear while providing protection from flash fire and electric arcs
- Suitable for welding techniques and work situations that cause small amounts of sparks and droplets of molten metal and low radiant heat
- Stand-up collar with hook and loop closure for maximum protection from welding sparks
- 7 storage pockets: 2 back, 2 chest, 2 side, and 1 tool provide unsurpassed versatility
- Fit: Regular • Gender: Men
- Manufacturer's Guarantee: Flame resistance guaranteed for the life of the garment
- Material Thickness: 10.3 oz (350 GSM)
- Material: 99% Cotton / 1% Carbon Fiber Satin Fabric



Model No.	MFG No.	Size	Promo Price
SHI307	V2540490-38	38	145.99
SHI308	V2540490-40	40	145.99
SHI309	V2540490-42	42	145.99
SHI310	V2540490-44	44	145.99
SHI311	V2540490-46	46	145.99
SHI312	V2540490-48	48	145.99
SHI313	V2540490-50	50	145.99
SHI314	V2540490-52	52	145.99
SHI315	V2540490-54	54	145.99
SHI316	V2540490-56	56	145.99

## Lava Brown™ Leather Sleeves

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue
- Sewn with Kevlar thread
- Electrical insulated snaps
- Certification(s): EN ISO 11611:2015 Class 2/A1+A2



Model No.	Length"	Promo Price
TTU389	23	51.99

## Lava Brown™ Leather Jackets

- Designed to allow complete body movement and freedom
- Heat and flame resistant leather is made from durable side split cowhide
  - Double-lock stitched seams
- Roll-up collar stops shooting spatter
  - Includes: Full-sized pocket and multiple-snap adjustment cuffs



Model No.	Size	Chest Measurements"	Promo Price
TTU398	Medium	40-42	139.99
TTU399	Large	44-46	139.99
TTU400	X-Large	48-50	139.99
TTU401	2X-Large	52-54	152.99
TTU402	3X-Large	56-58	163.99
TTU403	5X-Large	64-66	193.99

## 30-oz. Fibreglass Lavashield™ Welding Blankets

- 30-oz. gold fibreglass with neoprene coated on both sides
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Temperature resistance: 1000°F (538°C)
- Weight Per Square Yard: 30 oz.



Model No.	Dimensions W' x L'	Promo Price
NT822	6 x 6	78.99
NT823	6 x 8	102.99





## Rolling Step Ladder with Spring-Loaded Front Casters

KLETON

- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- Ladder operates on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- Features handrails
- Step Dim.: 22" W x 8" D
- Top Step Dim.: 22" W x 16" D
- Capacity: 300 lbs.
- Certification(s): CSA certified to the ANSI standard A14.7

Ladders are not to be used as work platforms

MA614



Model No.	No. of Steps	Platform Height"	Base Depth"	Base Width"	Promo Price
MA614	4	37	36	30	503.00
MA616	5	46	46	30	532.00
MA617	6	55	51	30	565.00

## Tilt-N-Roll Ladders

- Balanced design allows ladder to tilt into the rolling position
- 1-piece all-welded steel construction
- 30" high rails with 22" wide expanded metal steps
- Oversize 22" x 24" top step for easier worker movement
- Step Type: Expanded Metal
- Step Depth: 8"
- Overall Width: 25"
- Rise Height: 9"
- Capacity: 300 lbs.

KLETON



MD603

Model No.	No. of Steps	Platform Height"	Overall Depth"	Overall Height"	Promo Price
MD603	3	27	44	57	468.00
MD604	4	38	50	68	543.00

## Double-Sided Mobile Bin Racks

- All-welded mobile bin rack
- Durable Kleton blue enamel finish
- Includes bolted-on 5" non-marking casters and six louvered panels
- Dimensions: 36" W x 24" D x 63" H
- Capacity: 1000 lbs.
- No. of Bins: 96
- Bins Supplied:
  - 32 - 4-1/8" W x 5-3/8" D x 3" H
  - 16 - 4-1/8" W x 7-3/8" D x 3" H
  - 24 - 5-1/2" W x 10-7/8" D x 5" H
  - 16 - 8-1/4" W x 14-3/4" D x 7" H
  - 8 - 16-1/2" W x 14-3/4" D x 7" H

KLETON

CB089




Model No.	Bin Colour	Promo Price
CB089	Blue	1189.00
CB090	Red	1189.00

## CSA Rolling Step Ladder with Locking Step and Spring-Loaded Front Casters

- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- Casters retract under operator's weight, rubber feet drop down
- First step activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- Step Dim.: 30" W x 8" D
- Top Step Dim.: 30" W x 16" D
- Certification(s): CSA certified to the ANSI standard a14.7
- Capacity: 300 lbs
- Step Type: Perforated



MA622



Ladders are not to be used as work platforms

KLETON

Model No.	No. of Steps	Top Step Height"	Base Dim" W" x D"	Promo Price
MA622	8	72	38 x 60	1152.00
MA623	10	89	38 x 72	1240.00
MA624	12	109	38 x 80	1412.00

## Heavy Duty Shelf Cart with Drawer

- Cart constructed from 14-gauge steel shelves welded to 1-1/2" x 1-1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Drawer dimensions: 15-1/4" W x 20" L x 6" H, 100-lb. capacity
- Two rigid and two swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs.
- Overall Dimensions: 24" W x 39" D x 36" H
- Wheel Material: Rubber
- Construction: All-Welded
- No. of Drawers: 1



Model No.	Promo Price
MH255	489.00

KLETON

## Gas Cylinder Cabinets

- 14-gauge checker plate shelves and roof
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- No. of Cylinders: 2
- Liquid propane, 35-lb cylinders
- All-welded, fully assembled
- Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

KLETON

Model No.	Dimensions W" x D" x H"	Promo Price
SEB837	30 x 17 x 37	499.00





## Industrial Duty Mobile Service Workbenches

- Designed for moving heavy parts and tools to the job site
- Four 5" non-marking casters: two rigids and two swivels with brake
- Provides a strong maintenance-free surface to work on
- 16-gauge all-welded steel construction
- Laminated hardwood top
- Overall dimensions: 42" W x 24" D x 37"H
- Capacity: 1200 lbs. evenly distributed

ML326



ML325

KLETON

Model No.	Configuration	Promo Price
ML325	Dual Doors	1655.00
ML326	Door & Drawer	1511.00

## Extra Heavy-Duty Workbenches

- All-welded construction features a wood-filled 3/16" steel top with 11 gauge steel legs and stringers
- Standard bolt-down footplates
- Capacity based on evenly distributed weight
- Durable Kleton blue enamel finish



FF494

KLETON

Model No.	Overall Dim.			Capacity lbs.	Promo Price
	W"	x	D" x H"		
FF494	72	x	30 x 34	5000	999.00
FF495	72	x	36 x 34	5000	1092.00

## Open Floor Style Shop Desk

- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Four-compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Material: Steel
- Width: 34-1/2"
- Depth: 30"
- Height: 53"
- Colour: Grey
- Ships knocked down



Model No.	Promo Price
FI519	310.00

KLETON

## Industrial Duty Workbench

- Features adjustable steel legs
- Includes a 14" bottom shelf for additional storage
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Configuration: Shelf
- Laminated Hardwood Top Overall Thickness: 1-3/4"
- Nose Type: Bullnose



KLETON

Model No.	Overall Dim.			Capacity lbs.	Promo Price
	W"	x	D" x H"		
FN075	60	x	30 x 34	1000	541.00

## Cabinet Style Shop Desk

- Durable carbon steel construction
- Four compartment organizer and slightly sloped 43" height writing surface
- Double door locking cabinet
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Material: Steel
- Width: 34-1/2"
- Depth: 30"
- Height: 53"
- Colour: Grey
- Ships knocked down



Model No.	Promo Price
FI520	455.00

KLETON

## Heavy-Duty Workbench

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use
- Configuration: Top & Legs Only
- Work Surface Material: Steel-Wood Fill



KLETON

Model No.	Overall Dim.			Capacity lbs.	Promo Price
	W"	x	D" x H"		
FF672	72	x	36 x 34	2500	536.00

## ColorCore Handles

- Total-colour construction helps minimize the risk of cross-contamination by making it easier to properly identify and store tools
- EU and FDA compliant materials
- Material: Fibreglass
- Diameter: 1"
- Tip Style: Euro Threaded
- Attachment Type: Broom, Squeegee, Scraper
- End Material: Polypropylene

Model No.	MFG No.	Length"	Colour	Promo Price
JM110	295012	50	Green	18.60
JM111	295013	50	Blue	18.60
JM112	295014	50	Red	18.60
JM113	295015	50	White	18.60
JM114	295016	50	Yellow	18.60
JM115	295019	50	Black	18.60
JM116	295112	57	Green	21.85
JM117	295113	57	Blue	21.85
JM118	295114	57	Red	21.85
JM119	295115	57	White	21.85
JM120	295116	57	Yellow	21.85
JM121	295119	57	Black	21.85

JM111



## Angle Broom Heads

- The angled design of this broom makes it easy to reach into narrow spaces between equipment when sweeping debris before the scrubbing action starts
- Particularly effective for collecting large particles of debris like meat and vegetables in a moist environment
- Accepted for use in Canadian food processing facilities
- Bristle Material: Polyester
- Block Length: 12"
- Sweep Action: X-Coarse

Model No.	MFG No.	Colour	Promo Price
JL201	29142	Green	35.00
JL202	29143	Blue	35.00
JL106	29144	Red	35.00
JL203	29145	White	35.00
JL204	29146	Yellow	35.00
JL909	29149	Black	35.00



JL202



## Bench Brushes

- Features a smooth, ergonomically designed handle
- The soft bristles are designed for brushing dry, fine particles, such as dust, flour, or icing sugar
- May also be used as a dustpan brush on floors
- Accepted for use in Canadian food processing facilities
- Type: Banister
- Overall Length: 13"
- Block Material: Polypropylene
- Bristle Material: Polyester

Model No.	MFG No.	Colour	Bristle Strength	Promo Price
JL853	45872	Green	Soft	14.55
JL854	45873	Blue	Soft	14.55
JL855	45874	Red	Soft	14.55
JL856	45875	White	Soft	14.55
JL857	45876	Yellow	Soft	14.55
JL858	45879	Black	Soft	14.55
JL188	45892	Green	Medium	14.55
JL189	45893	Blue	Medium	14.55
JL190	45894	Red	Medium	14.55
JL116	45895	White	Medium	14.55
JL191	45896	Yellow	Medium	14.55
JL859	45899	Black	Medium	14.55



JL858



JL862



## Churn Brushes

- Angled and rounded surfaces improve brush cleanability
- Comfortable grip helps prevent hand fatigue
- Stiff bristles are great for scrubbing stubborn particles
- Accepted for use in Canadian food processing facilities
- Block Material: Polypropylene
- Bristle Material: Polyester



JL866

Model No.	MFG No.	Colour	Overall Length"	Promo Price
JL860	41922	Green	10	14.65
JL861	41923	Blue	10	14.65
JL862	41924	Red	10	14.65
JL863	41925	White	10	14.65
JL864	41926	Yellow	10	14.65
JL865	41929	Black	10	14.65
JL866	41862	Green	15-1/2	18.15
JL867	41863	Blue	15-1/2	18.15
JL868	41864	Red	15-1/2	18.15
JL869	41865	White	15-1/2	18.15
JK590	41866	Yellow	15-1/2	18.15
JN676	41869	Black	15-1/2	18.15

## HyGo Mobile Cleaning Stations

- Overall Length: 30.7"
- Overall Width: 20.9"
- Overall Height: 40.6"
- Cart Material: Plastic, Stainless Steel



JQ263

Model No.	MFG No.	Colour	Promo Price
JQ263	57002	Green	535.00
JQ264	57003	Blue	535.00
JQ265	57004	Red	535.00
JQ266	57005	White	535.00
JQ267	57006	Yellow	535.00
JQ268	57009	Black	535.00

## One-Piece Hygienic Shovels

- Non-sparking polypropylene safety shovels are versatile, lightweight and will not rust or corrode, chemical resistant
- Working temperature range: -22°F/-30°C to 176°F/80°C; intermittent use may increase temperature range
- Ideal for spill kits, hazmat response and environmental clean up
- Style: Square • Material: Plastic
- Dimensions: 37.5" L x 10.2" W x 5.9" H

Model No.	MFG No.	Colour	Promo Price
SAL459	69812	Green	41.25
SAL458	69813	Blue	41.25
JL212	69814	Red	41.25
SAL457	69815	White	41.25
JL211	69816	Yellow	41.25
JL210	69819	Black	41.25



SAL459





## Speed Bumps

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations and UV light
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Reflectors offer maximum nighttime visibility

SEH144

- Easily installed with 14" rebar spikes for permanent or temporary installation (sold separately)
- 11" W x 2" H
- Capacity: Approx. 18 tons at 10 km/h



SEH142



SHA660

Model No.	Length	Spikes Required	Promo Price
<b>SPEED BUMPS</b>			
SEH142	4'	5	83.65
SEH143	6'	4	119.00
<b>REBAR SPIKE</b>			
SEH144	14"	-	3.85
<b>SPEED BUMP END CAP</b>			
SHA660	-	1	19.55

ZENITH®  
Safety Products

## Pennant Strings

- Used to draw attention at events, work areas or construction sites
- String Length: 60'
- Pennant Size: 9" x 12"
- Number of Pennants: 36
- Flag Material: Polyethylene

SGG313



SGG311

Model No.	Colour	Promo Price
SGG311	Red	4.95
SGG312	Yellow	4.95
SGG313	Multicolour	6.05

ZENITH®  
Safety Products

## Premium Traffic Cones

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- High density interlocking base offers maximum stability
- Height: 28"
- Base Dimensions: 13-3/4" W x 13-3/4" L

NEW



SHL482

SHL476

ZENITH®  
Safety Products

Model No.	Colour	Reflective Collars	Promo Price
<b>TRAFFIC CONES</b>			
SHL473	Orange	-	21.95
SHL482	Lime Green	-	26.85
<b>TRAFFIC CONES W/COLLAR</b>			
SHL474*	Orange	4" & 6"	29.95
SHL476**	Orange	4"	24.45
SHL478*	Lime Green	4" & 6"	33.95
SHL480**	Blue	4"	27.55
SHL484**	Yellow	4"	27.25

\* Meets Minister of Transport regulations for Quebec, Ontario and Alberta

\*\* Meets Minister of Transport regulations for Ontario and Alberta

## Premium Delineator Posts

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ high intensity reflective tape collars
- Post Handle Height: 5-1/2"

ZENITH®  
Safety Products



SGG105

SEC153



Model No.	Base	Dimensions"	Promo Price
SEC153	Octagonal w/handle	16 x 16	31.85
SGG105	Rectangular	15 x 17	31.85

## Retractable Cone Bars

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- Made of high quality ABS materials for best durability
- Fluorescent colour for enhanced daytime visibility
- Reflective tape offers maximum nighttime visibility and safety



SDP614

Cones not included

SGG309

ZENITH®  
Safety Products

Model No.	Collapsed Length	Extended Length	Colour	Promo Price
SGS309	4'3"	7'2"	Black/Yellow	9.15
SDP614*	4'5"	7'5"	Black/Orange	32.95

\*3M™ Reflective tape

## Traffic Cone Topper

- 9.8' red and white striped belt
- Easier to use than traffic tape
- Fits securely to top of cone to transform traffic cones into a crowd control system
- Durable construction



Cones not included

ZENITH®  
Safety Products



Model No.	Promo Price
SGY103	24.95



## Sorbent Neutralisers

- Neutralise and absorb aggressive acid spills
- Color changing indicators to signify when neutralisation has occurred

SFM471



SFM472



Model No.	Volume	Type	Format	Promo Price
SFM472	4 kg Pail	Acid	Dry	69.95
SFM471	20 kg Pail	Acid	Dry	279.00
SFM476	3.5 kg Pail	Caustic	Dry	79.00
SFM475	20 kg Pail	Caustic	Dry	388.00

## 10-US Gallon Spill Kit

- Absorption Capacity: 10 US gal.
- Portable
- Includes:
  - (1) Bag
  - (10) 15" x 17" Universal sorbent pads
  - (10) 15" x 17" Oil-only sorbent pads
  - (5) 3" x 48" Sorbent socks
  - (1) Pair XL nitrile gloves
  - (1) Pair one-size safety goggles
  - (3) 26" x 36" Disposal bags
  - (1) Repair putty stick
  - (1) 960g Neutralizer
  - (100) Moist towelettes
  - (1) 1/2" x 520" Teflon tape roll



Model No.	Spill Type	Promo Price
SGU879	Universal	105.00

## Collapsible Roll-Up Spill Berms

- A useful catch-all for small leaks and spills
- This flexible collapsible spill containment berm can fold and roll into a compact size when not in use
- However, when needed, the spill berm can easily unroll and be deployed as a drip pan under pipe fittings, vehicle engines, and small equipment
- Material: Vinyl
- Fabric Weight: 18 oz.
- Thickness: 20.3 mils (0.5 mm)
- Low Working Temperature: -40°F (-40°C)



SHK110



Model No.	Spill Capacity	Dimensions W' x L' x H"	Promo Price
SHK110	15 US gal.	2 x 2 x 6	92.00
SHK111	34 US gal.	3 x 3 x 6	130.00
SHK112	60 US gal.	4 x 4 x 6	170.00

## Traffic Safety Vests

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° night-time visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Colour: High Visibility Orange



Model No.	Size	Promo Price
SEF093	Medium	8.95
SEF094	Large	8.95
SEF095	X-Large	8.95
SEF096	2X-Large	8.95

## Flame-Resistant Surveyor Vests

- Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance
- 4" orange/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Standard(s) Met: CSA Z96 Class 2 - Level 2
- Colour: High Visibility Lime-Yellow



Model No.	Size	Promo Price
SGF140	Medium	15.95
SGF141	Large	15.95
SGF142	X-Large	15.95
SGF143	2X-Large	15.95



## RZ500 Flame Resistant Rain Suits

- 0.35 mm material thickness, yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Standard(s) Met: CGSB 155.20



Model No.	Size	Promo Price
SEH099	Small	25.45
SEH100	Medium	25.45
SEH101	Large	25.45
SEH102	X-Large	25.45
SEH103	2X-Large	25.45
SEH104	3X-Large	26.25
SEH105	4X-Large	26.95



Pricing in effect until July 4, 2025 or while quantities last. Taxes and freight extra. Issue #SDW225042NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.