



HARDWARE UNLIMITED

Industrial & Safety Supplies

#45, 4216 - 54th Avenue SE, Calgary Alberta T2C 2E3

orders@hardwareunlimited.ca

(403) 723-0241

www.hardwareunlimited.ca

SHOP ESSENTIALS PROMOTION!

Light Industrial Air Circulating Fans

- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Open motor
- Voltage: 120 V



Model No.	Description	HP	CFM			Promo Price
			High	Med	Low	
OSCILLATING, 3 SPEEDS						
EA282*	26" Pedestal	1/4	7525	6060	4050	285.00
EA283*	30" Pedestal	1/3	8775	7500	6780	378.00
EA284	26" Wall Mount	1/4	7525	6060	4050	249.00
EA654	30" Wall Mount	1/3	8775	7500	6780	295.00
NON OSCILLATING, 2 SPEEDS						
EA657*	26" Pedestal	1/4	7700	-	6060	380.00
EA571*	30" Pedestal	1/3	8000	-	7000	269.00
EA655	26" Wall Mount	1/4	7700	-	6060	219.00
EA656	30" Wall Mount	1/3	8000	-	7000	252.00

*Features adjustable height and a heavy-duty round base for added stability

Premium Sanding Sponge

- High performance grain cuts faster, lasts longer on wood, metal, fiberglass and painted surfaces
- Anti-clog coating resists dust and particle build up and keeps cutting surfaces exposed
- Integrated foam block foam for maximum control and comfort
- Abrasive Material: Aluminum Oxide
- Depth: 1"



Model No.	MFG No.	Grit	Size	Promo Price
NY425	736101220	60	3"x 5"	4.85

Chill-Its® 6630 Cooling Skull Caps

- Hi Cool® moisture management performance fabric transports moisture away
- Comfortable to wear under hats, helmets, or alone
- Wide, absorbent terrycloth headband
- Machine washable
- Technology: High Performance Material




Model No.	MFG No.	Colour	Promo Price
SEC704	12510	Blue	9.75
SEC705	12507	Green Camo	9.75
SEC707	12514	Flames	9.75
SEC708	12505	Hi-Vis Lime	9.75
SEC709	12509	Navy Western	9.75
SEC710	12508	Red Western	9.75



Parts Cleaner & Degreaser

- Destroys the toughest oil, dirt, varnish, grease, and grime to clean automotive metal parts including carburetors, chokes, air intakes, throttle bodies, brake drums, rotors, calipers – up to 14X faster than competitive products
- Leaves no residue, dries fast and meets SAEJ2784 and ASTM D1353
- Using advanced cleaning technology, combined with PowerJet™ Spray Nozzle
- Format: 396 g
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AH433	71863	13.80

Pricing in effect until September 26, 2025 or while quantities last. Taxes and freight extra. Issue #SDW225072NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.

Blue Casters

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Wheel Material: Rubber
- Frame Material: Steel
- Bolt Hole Spacing: 2-3/8" x 3-1/8"
- Bolt Hole Size: 3/8"
- Plate Size: 3-3/8" x 4"



KLETON

Model No.	Wheel Dia."	Cap. lbs.	Style	Tread Width"	Overall Height"	Promo Price
ML334	4	350	Rigid	1-3/8	5	14.00
ML333	4	350	Swivel	1-3/8	5	15.60
ML342	4	350	Swivel with Brake	1-3/8	5	19.20
ML338	5	400	Rigid	1-3/8	6	19.20
ML337	5	400	Swivel	1-3/8	6	20.90
ML345	5	400	Swivel with Brake	1-3/8	6	26.10

Gas Cylinder Cabinets

- 14-gauge checker-plate roof panel
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- **Note:** Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

KLETON

SEB837



SAF848



SAF837



Model No.	Overall Dim. W" x D" x H"	No. of Cylinders	Promo Price
COMPRESSED GAS (9" DIAMETER CYLINDERS)			
SAF837	44 x 30 x 74	10	1198.00
SAF848*	88 x 30 x 74	20	1964.00
LIQUID PROPANE (35-LB CYLINDERS)			
SEB837**	30 x 17 x 37	2	499.00
SEB838**	17 x 17 x 69	2	660.00
SAF836	44 x 30 x 37	6	996.00
SAF847	44 x 30 x 74	12	1208.00

* Consists of two units of the SAF837

** All-welded, fully assembled

Polyurethane Casters

KLETON

- Smooth rolling, low-noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Frame Material: Steel

Plate size:	Bolt hole centres:	Bolt hole size:
3 = 2-5/8" x 3-3/4"	3 = 1-3/4" x 2-3/4"	3 = 5/16"
4HD = 4" x 4-1/2"	4HD = 3-1/4" x 2-3/4"	4HD = 3/8"
5 = 4" x 4-1/2"	5 = 3-1/4" x 2-3/4"	5 = 3/8"
6 = 4" x 4-1/2"	6 = 3-1/4" x 2-3/4"	6 = 3/8"
8 = 4" x 4-1/2"	8 = 3-1/4" x 2-3/4"	8 = 3/8"



Model No.	Wheel Dia."	Style	Capacity lbs.	Tread Width"	O.A. Height"	Promo Price
MP696	3	Swivel	230	1-1/4	4-1/4	12.30
MP695	3	Rigid	230	1-1/4	4-1/4	9.43
ML441	4HD	Swivel	550	1-5/8	5-5/8	23.10
ML442	4HD	Rigid	550	1-5/8	5-5/8	18.90
MN264	4HD	Swivel with Brake	550	1-5/8	5-5/8	31.95
ML397	5	Swivel	650	1-1/2	6-1/2	24.30
ML398	5	Rigid	650	1-1/2	6-1/2	20.40
MN265	5	Swivel with Brake	650	1-1/2	6-1/2	33.10
ML399	6	Swivel	850	1-1/2	7-1/2	32.10
ML400	6	Rigid	850	1-1/2	7-1/2	27.70
MN266	6	Swivel with Brake	850	1-1/2	7-1/2	45.80
MN449	6	Butterfly Side Brake	850	1-1/2	7-1/2	38.50
ML401	8	Swivel	1000	1-5/8	9 1/2	37.50
ML402	8	Rigid	1000	1-5/8	9 1/2	33.80
MN267	8	Swivel with Brake	1000	1-5/8	9 1/2	55.10

Lever Hoists

- Lightweight steel construction
- Short steel handle rotates 360° to allow operation in any position
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Meets ASME B30.16
- Lift: 5'
- Chain Material: Alloy Steel

KLETON

Model No.	Capacity	Promo Price
LW562	1500 lbs. (0.75 tons)	220.00
LW563	2000 lbs. (1 tons)	268.00
LW564	3000 lbs. (1.5 tons)	296.00
LW565	6000 lbs. (3 tons)	470.00
LW566	12000 lbs. (12 tons)	660.00



Pro-Strength Degreaser

- A low VOC foaming water-based formula aggressive enough to break down and dissolve grease, grime, oil, rubber marks and other contaminants while remaining gentle enough to use on painted or plastic surfaces
- Use on all types of hard surfaces, just spray on and wipe off - no rinsing necessary
- Safe for clear coats, painted surfaces, plastics, vinyl and rubber
- Leaves no odour or residue
- Format: 425 g
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AH434	1755537	11.70

Brakleen® Brake Parts Cleaner

- Formulated to quickly and effectively remove grease, brake fluid, oil and other contaminants
- Ideal for brake parts, linings and pads
- Safe for use on all brake systems
- Format: 539 g
- Container Type: Aerosol Can
- Volume: 591 ml
- Net Fill: 539 g
- Base Type: Chlorinated
- Colour: Clear
- Plastic Safe: No
- Evaporation Rate: Very Fast



Model No.	MFG No.	Promo Price
MLP234	1006332	8.99

Heavy-Duty Degreaser

- Effectively removes soils with no residue build-up
- CFIA accepted
- Format: 425 g
- Container Type: Aerosol Can
- Maximum Working Temperature: 180°F (82°C)



Model No.	MFG No.	Promo Price
AF240	1006179	26.90

EFX Solvent/Degreaser

- Heavy-duty solvent
- Instant degreasing action, quickly removes grease and oil
- Power blast spray
- Fast evaporating, no residue, non-chlorinated
- Ideal for cleaning metals and most plastics
- Format: 15 oz.
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AD833	C01820	18.90

Super Citrus™ Degreaser

- Removes grease, oil and lubricants with no water wash-off
- Evaporates quickly and leaves no residue
- Pleasant citrus scent
- NSF Registered C1
- Format: 425 g
- Container Type: Aerosol Can
- Net Size: 425 g
- Volume: 591 ml
- Appearance: Water-White Liquid
- Base Type: d-Limonene & Petroleum Distillate
- Plastic Safe: May harm sensitive plastics
- Flashpoint: 43°C
- Evaporation Rate: Fast



Model No.	MFG No.	Promo Price
AE967	1006183	20.90

Rust Release Penetrant


- Break the rust bonds that hold stuck parts together
- Specifically targets corroded or rusted components and mechanisms to help release stuck or seized parts quickly
- Penetrant has an extremely low surface tension, meaning it can cut through rust, seams and tightly-bonded threads to easily saturate and lubricate seized fixings
- Capillary action allows the formula to reach tight and hard-to-reach spaces
- Format: 311 g
- Container Type: Aerosol Can
- For Use On: Metal, Rubber, Plastics, Alloys & Most Paints
- Temperature Range: -20°C to +90°C



Model No.	MFG No.	Promo Price
AH420	1278	13.40

Industrial-Duty Air Circulating Fans

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal 89-124 cm
- No. of Speeds: 2
- Voltage: 120 V



Model No.	Description	Motor Type	HP	CFM High	CFM Low	Promo Price
-----------	-------------	------------	----	----------	---------	-------------

OSCILLATING

EA643*	24" Pedestal	Open	1/4	11800	7760	499.00
EA647*	30" Pedestal	Closed	1/3	13200	6700	749.00
EA645	24" Wall Mount	Closed	1/4	11500	7680	391.00
EA649	30" Wall Mount	Closed	1/4	10780	7760	470.00

NON OSCILLATING

EA642*	24" Pedestal	Open	1/4	11800	7760	339.00
EA646*	30" Pedestal	Closed	1/4	10780	7440	469.00
EA644	24" Wall Mount	Closed	1/4	11500	7680	304.00
EA648	30" Wall Mount	Closed	1/4	10780	7440	339.00

*Features adjustable height and a heavy-duty round base for added stability

High Velocity Floor Fan

- Powerful fan output with 3 speed settings
- Vertical tilt feature and a rotating grill
- Aluminum base
- Diameter: 18"
- No. of Speeds: 3
- Power: 0.087HP (65W)
- Max. Speed Rating: 1300 RPM
- Voltage: 120 V
- Power Cord Length: 6'



Model No.	Promo Price
EB289	121.00

Light Industrial Direct-Drive Drum Fans

- Motor: 120 V/60 Hz
- All-metal construction, painted black
- 6' SJT type power cord
- 6" casters and easy moving handle
- No. of Speeds: 2



Model No.	Dia."	HP	Watts	CFM High	CFM Low	Promo Price
EA286	28	2/5	290	8050	6650	234.00
EA288	36	3/5	405	11200	9100	509.00

Heavy-Duty Oscillating Fans

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
 - 9.8' SJT power cord
 - Diameter: 30"
 - Open motor



Model No.	Description	High	CFM Med	Low	Promo Price
EA666	Pedestal	13200	7321	4758	695.00
EA667	Wall Mount	13400	7805	5070	599.00

Mobile 3-in-1 Air Conditioners

- 3-in-1 system (A/C, fan, and dehumidifier)
- Features Control panel with LED display on unit with remote control
 - Equipped with casters
 - 24 hour timer
 - Window kit included
 - Portable
 - Voltage: 115 V
 - Frequency: 60 Hz



Model No.	Coverage sq.ft.	BTU Rating	Cooling Speed	Promo Price
11-13/16" W X 12-5/8" D X 27-3/16" H				
EB118	300 - 350	8000	2	499.00
17-1/3" W X 12-4/5" D X 27-1/3" H				
EA830	450 - 550	12000	3	644.00

Horizontal Air Conditioners

- For 300 to 350 sq.ft rooms
- 3 fan speeds
- Washable filter
- Remote control included
- Type: Window
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0
- Includes: Window filler panel; Mounting hardware



Model No.	BTU Rating	Promo Price
18-1/2" W X 15-11/16" D X 13-3/8" H		
EB119	8000	418.00
19" W X 14-19/32" D X 21-13/32" H		
EB236	12000	519.00

8" Air Blowers

- Lightweight, portable design
- 12 V, 22 A single-speed motor with thermal protection
- Type: Axial
- Horse Power: 1/4
- Free Air Flow Rate: 816 CFM
- Current: DC
- Housing Material: Plastic
- Colour: Blue



Model No.	Description	Promo Price
EB534	8" Air Blower w/o Canister	297.00
EB537	8" Air Blower with 15' Ducting & Canister	505.00
EB538	8" Air Blower with 25' Ducting & Canister	565.00

High Velocity Oscillating Wall Fan

- Adjustable tilting fan head
- Sliding switch at front of base
- Can be used in oscillating or non-oscillating mode
- Diameter: 20"
- No. of Speeds: 3
- Voltage: 120 V
- HP: 1/5



Model No.	High	CFM Med	Low	Promo Price
EA660	4800	4500	4000	169.00

Industrial Workstation Fans

- 120 V/60 Hz enclosed motor
- Durable, black powder-coated finish
- Features 1.8m power cord with UL/CUL plug



Model No.	Dia."	No. of Speeds	CFM	HP	Promo Price
EB540	12	3	2600	1/12	93.95
EB541	18	3	3800	1/4	156.00
EB542	24	2	8600	1/3	230.00

180° Double Locking Arm with 2 Receptacles

- Moveable arm to accommodate many locations, applications and positions
- Wide range of motion - will not sag when extended
- For 12", 18" and 24" fans
- 2 AC receptacles for easy fan hook-up
- Colour: Yellow
- Length: 40"



Model No.	Promo Price
EB539	158.00



Air Curtains with Remote Control

- Maintains indoor air quality and saves energy by minimizing air loss through open doorways
- Prevents dust, odours, fumes, and insects, from entering indoors through powerful air flow
- Airflow directed by oscillating louvers
- Mount on the interior of doors, windows, or walls
- Features a 5' long power cord with grounded NEMA 5-15 plug
- No. of Speeds: 2
- Voltage: 120 V
- Maximum Door Height: 10'
- Phase: 1
- Decibels: 56
- Hertz: 60



Model No.	Dim. W" x D" x H"	CFM High	Low	Promo Price
EB290	36 x 8-1/2 x 8-5/8	815	670	214.00
EB291	48 x 8-1/2 x 8-5/8	990	816	253.00

Turbo Fan

- 3-speed
- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W



Model No.	Dia."	High	CFM Med	Low	Promo Price
EB117	20	2600	2100	1800	89.95

Clip-On & Desk Fan

- 2-speed, low and high settings
- Tilting head
- Fully assembled and ready for use
- Convertible clip and desk feature



Model No.	Diameter"	Promo Price
EA304	6	22.95

SQWINCHER® Squeeze Freezer Pops

- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Squeeze!
- Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.
- Serving Size: 3 oz.
- Servings/Package: 150



Model No.	MFG No.	Promo Price
SAM804	11130	143.65/Case

Hydration Drink Freeze Pops

- By exceeding OHS recommendations for heat stress prevention, provides the body with crucial vitamins and minerals
- Caffeine-free, with no artificial colours
- Formulated and made in Canada
- Flavour: Mixed Flavours
- Format: Frozen
- Serving Size: 66 ml
- Servings/Case: 252



Model No.	MFG No.	Promo Price
SHI657	BAG1418-FRZ	169.00/Case

Wet-Bulb Globe Temperature (WBGT) Heat Stress Meter

- Measures ambient temperature, humidity, wet bulb temperature, black globe temperature, WBGT (wet bulb global temperature), heat stress index, dew point and pressure
- Heat Stress Index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (GT) monitors the effects of direct solar radiation on an exposed surface
- Humidity Range: 0% - 99.9% RH
- Product Certifications: CE, RoHS
- Air Temperature Range: 0 to 50°C (32 to 122°F)
- Power Supply: 4 x AAA Batteries, Optional AC Adaptor



REED

Model No.	MFG No.	Promo Price
IB908	R6200	197.50

Sqwincher ZERO® Qwik Stik™

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag



Model No.	MFG No.	Flavour	Promo Price
SAN505	11060100-OR	Orange	59.95/Bag
SAN506	11060102-FP	Fruit Punch	59.95/Bag
SEI282	11060453-SL	Strawberry Lemonade	59.95/Bag
SAP496	11060101-MB	Mixed Berry	59.95/Bag

Hydration Drink Mixes



- Convenient and waterproof single serve stick packs reduce the transmission of germs compared to communal hydration stations
- Comes in a resealable stand-up pouch
- Add stick pack to bottle with 500 - 750 ml of cold water and shake well
- By exceeding OHS recommendations or heat stress prevention, provides the body with crucial vitamins, minerals and amino acids without any added sugar or artificial colours
- No. of Single Servings Per Bag: 40

SHI651



Model No.	MFG No.	Flavour	Promo Price
SHI651	BAG1040-RAZ	Blue Raspberry	42.95/Bag
SHI652	BAG1040-LEM	Lemonade	42.95/Bag
SHI653	BAG1040-FRP	Fruit Punch	42.95/Bag
SHI654	BAG1040-ORN	Orange	42.95/Bag
SHI655	BAG1040-LLM	Lemon-Lime	42.95/Bag

Carbon Monoxide Monitor with Temperature & Humidity

- Measures carbon monoxide (CO), air temperature and relative humidity
- Features a large LCD display, built-in clock and calendar, max hold function and user-adjustable alarm limit
- Can be mounted on a wall or placed on desktop
- Manual CO calibration to zero
- Measuring Range: 0 - 999 ppm
- CO Accuracy: 10 ppm ±
- Power Supply: 4 AAA Batteries, AC Adaptor (Optional)
- Product Certifications: CE
- Operating Humidity: 0 to 90% (non-condensation)



Model No.	MFG No.	Promo Price
IB911	R9450	298.00

REED

Chill-its® 6710 Cooling Triangle Hats

- Soak in cold water 2-5 minutes to activate
- Remains hydrated up to 4 hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Reusable, just re-soak



SAP942

SAP943

Model No.	MFG No.	Colour	Promo Price
SAP941	12325	Red Western	5.99
SAP942	12326	Navy Western	5.99
SAP943	12324	Camouflage	5.99



Chill-Its® 6700FR Cooling Bandanas

- Modacrylic cotton blend fabric
- Soak in water 2-5 minutes to activate
- Remains hydrated for up to four hours
- Meets ASTM F2302 for flame resistance
- Fabric meets ASTM F1506 performance requirements



SEI656



SEI655

Model No.	MFG No.	Colour Family	Promo Price
SEI655	12601	High Visibility Lime-Yellow	6.79
SEI656	12607	Blue	6.79



6215 Phase Change Cooling Vest

- Maintains constant 64°F / 18°C
- Cooling lifecycle lasts up to four hours
- Comfortable cotton construction with hook & loop closure
- Extended vest surface area to enhance cooling power
- Modacrylic cotton blend FR fabric meets ASTM F1506 performance requirements



SDN606

SDN604

Model No.	MFG No.	Colour	Size	Promo Price
SDN603	12200	Khaki	Small/Medium	399.00
SDN604	12210	Khaki	Large/X-Large	399.00
SDN605	12220	Orange	Small/Medium	409.00
SDN606	12221	Orange	Large/X-Large	409.00

Chill-Its® 6670CT Cooling Neck Shade

- Advanced PVA material activates easily and quickly when run under water for one minute
- Super-evaporative cooling process helps keep you cool
- Hook and loop straps for easy attachment
- Re-usable, just re-soak



Model No.	MFG No.	Promo Price
SEI653	12523	20.99



Chill-Its® 6690 Cooling Arm Sleeves

- Performance knit fabric is soft, stretchable and durable for long-lasting comfort
- Instant cooling when wet that can last for hours
- Wicks moisture when dry to absorb sweat from the body
- UPF 50+ protection from harmful UV rays
- Material: Polyester
- Length: 17"
- Colour: Lime



Model No.	MFG No.	Size	Promo Price
SGN874	12283	Medium	22.99/Pair
SGN875	12284	Large	22.99/Pair
SGN876	12285	X-Large	22.99/Pair
SGN877	12286	2X-Large	22.99/Pair

GloWear® 8005 High Visibility Neck Shades

- Elastic design fits most hard hats, including standard and full brim designs
- Plastic clips provide secure fit
- ANSI-compliant reflective material set on contrasting background



SGP156

Hardhat not included



SGP157

Model No.	MFG No.	Colour	Promo Price
SGP156	29053	Hi-Vis Lime	9.99
SGP157	29051	Hi-Vis Orange	9.99



Speedglas™ G5-03 Pro Black Fixed Front Welding Helmet

- Robust, compact design
- Ergonomic, adjustable head suspension
- GRIND and CUT mode functionality, when using G5 auto darkening filters
- Viewing Area: 2.8" L x 4.3" W
- Shade Level: 2.5/5, 8-13



3M

SAVE MORE! Scan here to take advantage of additional end user rebates!



Model No.	MFG No.	Promo Price
SHL717	7100311671	659.00

18-Oz. Silica Lavashield™ Welding Blankets

- 18-oz. Sahara brown silica fabric
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Weight Per Square Yard: 18 oz.
- Temperature Resistance: 1472°F(800°C)



NT824

Model No.	Dimensions			Promo Price
	W'	x	L'	
NT824	3	x	3	49.49
NT825	6	x	6	162.99

Superior Fit TIG Welding Gloves

- Standard quality split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Leather Palm Type: Split Deerskin
- Cuff Style: Gauntlet
- Thumb Style: Straight
- Cut Pattern: Clute

SM597



Model No.	Size	Inner Lining	Promo Price
SM597	Small	Unlined	12.99/Pair
SM598	Medium	Unlined	12.99/Pair
SM599	Large	Unlined	12.99/Pair
SM600	X-Large	Unlined	12.99/Pair
SAP293	2X-Large	Unlined	12.99/Pair

Outside Double Palm & Thumb Welder's Gloves

- Top split cowhide leather construction
- Excellent abrasion resistance
- Outside double palm and thumb extend wear life
- Thumb Style: Wing
- Thermal cotton palm lining provides added heat protection
- Welted seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance

SAO128



Model No.	Cut Pattern	Size	Promo Price
SAO128	Gunn	9/Large	7.79/Pair
SAP352	Gunn	10/X-Large	7.79/Pair

Golden Brown™ Welding Jackets

TTU384

- Made of heat and abrasion-resistant select split cowhide
- Sewn with Kevlar® thread for added seam strength
- Roll-up collar with hook and loop closure and welted shoulder seams
- Reinforced double leather snap panel



Model No.	Size	Chest Measurements"	Promo Price
TTU384	Medium	40-42	92.99
TTU385	Large	44-46	92.99
TTU386	X-Large	48-50	92.99
TTU387	2X-Large	52-54	100.99
TTU388	3X-Large	56-58	107.99

Welders' Doorags

- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Pre-shrunk and pre-softened lightweight fabric
- Flame retardant until washed
- Air cushioned front lining for comfort and sweat absorbency
- Qty/Pkg: 12



Model No.	Assorted Styles	Promo Price
NT835	Camo, Wild, Happy Hour	71.99/Pkg.
NT836	Happy Hour, Paradise, Wild	71.99/Pkg.
NT837	Camo, Wild	71.99/Pkg.

Spiral Tip Cleaner

- Cleaning data on back of case
- Hardening steel file included in each case
- Quality aluminum case
- Type: Standard Set



Model No.	Promo Price
NT641	2.57



Small Cleaning Industrial-Duty Scratch Brush

- Wood handle
- Smooth finish for extra comfort
- Brush Length: 1-1/2"
- Overall Length: 7-3/4"
- Wire Rows: 3 x 7
- Trim Length: 1/2"
- Fill Material: Stainless Steel



Model No.	Promo Price
NT615	1.44



Single Flint Lighter

- Additional flints sold separately
- Type: Single Flint Lighter



Model No.	Promo Price
NT642	2.79



ER70S6 Welding Wire

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO₂ gas shielding
- Can also be applied with ArCO₂
- Excellent wetting
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Certified by CWB to CSA class W48 for ER49S-6
- Certified by AWS to class A5.18 for ER70S6
- Wire Material: Carbon Steel
- Spool Wt.: 44 lbs./20 kg spool
- Spools per Master Box: 1



Model No.	Wire Dia."	Promo Price
NT560	0.035	84.92



Multi-Purpose MIG Pliers

- Eight-way pliers
- Nickel plated finish
- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Overall Length: 8"



Model No.	Promo Price
NP537	10.90



Chipping Hammer

- Cone and chisel head
- Spring steel handle
- Face Finish: Chisel
- Handle Type: Solid Steel
- Overall Length: 10-1/2"
- Head Length: 6 1/4"



Model No.	Promo Price
NP532	6.53



Hose Reels

- Heavy-duty, reinforced steel stampings for increased strength
- For use with air and water
- Compact design allows reels to fit in tight locations

- Multi-position guide arms for multiple mounting options
- Working Pressure: 300 psi

AURORA
TOOLS



Model No.	Inner Hose Diameter"	Hose Length'	Hose End	W"	Dimensions				Outlet	Inlet	Promo Price
UAV178	1/4	35	3/8" NPT	15	x	8-1/3	x	17-1/3	1/4" NPT	3/8" NPT	167.00
UAV179	3/8	25	3/8" NPT	15	x	8-1/3	x	17-1/3	1/4" NPT	3/8" NPT	171.00
UAV180	3/8	35	3/8" NPT	15	x	8-1/3	x	17-1/3	1/4" NPT	3/8" NPT	185.00
UAV181	3/8	50	3/8" NPT	17-1/2	x	8-1/2	x	18-7/10	1/4" NPT	3/8" NPT	248.00
UAV182	1/2	50	1/2" NPT	18-1/2	x	9-2/3	x	21-7/10	1/2" NPT	1/2" NPT	275.00

Combination Wrench Sets

- Chrome vanadium steel for strength and durability
- Heat treated for consistent hardness
- Precision broached jaws for sure gripping
- 12-point box end for snug fit
- Thin walled construction for access in cramped quarters
- Meets ANSI standards

TLV053



AURORA
TOOLS

Model No.	Description	Promo Price
TLV053	11 SAE Combination Wrenches: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	36.00
TLV054	11 Metric Combination Wrenches: 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm	36.00
TLV055	14 SAE Combination Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4"	80.00
TLV056	14 Metric Combination Wrenches: 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 22 mm, 24 mm, 27 mm, 30 mm, 32 mm	80.00

Hand Pads

- Non-woven, synthetic fibres, bonded together with specially formulated resins and impregnated throughout the web with mineral grain creating an open, three dimensional structure
- Designed for light duty cleaning, polishing, scuffing, finishing and for heavy duty paint, rust and corrosion removal
- Can be used for dry scuffing and finishing or may be used with water or chemical solvents
- Flexible and strong
- Pad Size: 6" x 9"

NU023



NU022

AURORA
TOOLS

Model No.	Grit	Colour	Qty /Box	Promo Price
NU022	Coarse	Tan	10	2.21/Pad
NU023	Scouring	Green	20	1.09/Pad
NU024	Medium	Maroon	20	1.09/Pad
NU025	Ultra-fine	Grey	20	1.27/Pad
NU026	Non-Abrasive	White	20	1.18/Pad

AURORA
TOOLS

Dead Blow Hammers

- 1-piece urethane construction
- Completely enclosed steel shank
 - Shot-filled head
- High-visibility orange colour

TJZ035




Model No.	Head Wt. oz.	Promo Price
TJZ035	8	13.90
TJZ036	16	16.10
TJZ037	24	17.10
TJZ038	32	20.70

Utility Knife ATK500

- Snap-off blades
- Attached blade snapper
- Built-in belt clip
- Depth of Cut: 9 mm
- Blade Material: Carbon Steel
- Handle Type: Stainless Steel
- Blade Length: 80 mm
- Blade Thickness: 0.4 mm
- Locking Mechanism: Auto-Lock

PE407

PE815



Model No.	Description	Promo Price
PE815	Knife	3.15
PE407	Blades, Snap-Off Style, Pack of 10	2.34/Pack

Industrial Series Torque Wrench

- All metal construction for the toughest, most demanding industrial applications
- Chrome Molybdenum ratchet pawls and teeth heat treated for maximum durability and high torque loads
- Quick-release ratchet head holds sockets and accessories safely and securely
- Accurate to +/-3% clockwise and +/-6% counter clockwise
- Overall Length: 17"
- Style: Click
- Drive Type: 3/8" Square
- Torque Range: 20 - 100 lbf. Ft
- Standard(s) Met: ANSI, ISO, BSEN 26789-1994, GGG-W-00686C
- Grip Style: Non-Slip
- Number of Geared Teeth: 32
- Style: Micrometer, Reversible, Left/right
- Swing Arc: 11.2°



Model No.	MFG No.	Promo Price
AUW089	718973	288.00

9-Piece Screwdriver Set

- Unique handle design conforms to the hand for exceptional comfort and grip
- Co-moulded Polypropylene (PP) and Thermoplastic Vulcanizates (TPV) ensure maximum strength balanced with superior non-slip grip
- Meets ANSI standards, DIN, and ISO standards
- Patented SVCMM tool steel is up to 30% stronger than CRV screwdrivers
- Non Magnetic
- Handle Type: Ergonomic
- Material: SVCMM Steel
- Shank Type: Round
- Includes:
 - Slot 3/16" x 3", 1/4" x 4", 5/16" x 6";
 - Phillips #1 x 3", #2 x 4", #3 x 6";
 - Square #1 x 4", #2 x 4", #3 x 4"
- Specifications: Canadian Government Specifications CDA39-GP-17C/US Governments Specifications GGG-S-121E/ANSI



Model No.	MFG No.	Promo Price
UAW669	720523	106.00

7-Piece Square Screw Extractor Set

- For Screw Size: 1/8" - 9/16"
- Includes: 1/8; 3/16; 15/64; 5/16; 3/8; 15/32; 9/16"



Model No.	MFG No.	Promo Price
TDW057	24207	89.00

Heavy-Duty Swivel Base Vise

- Offers high clamping force for a variety of applications
- Features a swivel base for maximum stability and industrial-grade cast iron construction for a lifetime of use
- Class 30 iron, 30000 lbs. tensile strength castings
- Precision-machined hardened steel jaws (replaceable)
- 360° swivel base with dual lock-down handles



Model No.	MFG No.	Throat Depth"	Clamping Pressure	Pipe Capacity"	Promo Price
JAW WIDTH: 5", JAW OPENING: 5"					
TDW317	320152	3-3/4	4500 PSI	2	221.00
JAW WIDTH: 4", JAW OPENING: 6"					
TDW318	320153	4	5600 PSI	2-1/2	315.00

Reciprocating Saw Blade for Nail Embedded Wood

- Perma-Shield® coating protects the blade from heat, gumming, and corrosion
- 1 in. demolition body for straighter cuts with less vibration
- Ultra hardened cutting edge for up to five times longer life than standard blades
- TPI: 6-12
- Material: Bi-Metal



Model No.	MFG No.	Length"	Width"	Promo Price
TCT753	DS0912BWC	9	1	4.99

Reciprocating Blade for Auto Dismantling

- Full Contact Arched Design provides more working teeth within the material for faster cuts in fewer passes resulting in less heat build-up to deliver 5x longer cutting performance
- Dual Tooth design features a double tooth configuration with small gullets for faster material removal and extra durability
- Perma-Shield® coating protects the blade from heat, gumming, and corrosion
- 1 in. demolition body for straighter cuts with less vibration
- TPI: 10-14
- Material: Bi-Metal



Model No.	MFG No.	Length"	Width"	Promo Price
TCT772	DS0914WBF	9	1	4.20

Steel Demon™ Cermet II Circular Saw Blades

- Cermet II (Ceramic and Metallic) teeth deliver a more efficient and productive metal cutting solution through high heat tolerance and increased hardness for superior wear, fewer blade changes and up to 25X longer life versus standard grinding discs
- Up to 50X cooler cuts with a circular saw blade when compared to a grinding disc that increases temperature of steel by up to 500 degrees; grinding discs increase the temperature enough to permanently discolor the steel
- Up to 10X faster cuts with a circular saw blade for maximum productivity and efficiency, resulting in up to 60 seconds faster cuts in both metals and stainless steels versus standard grinding discs
- Triple Chip Cutting action reduces sparks and the possibility of needing "hot" permits
- Arbor Size: 5/8"
- No. of Teeth: 48
- Application Type: Metal
- Tooth Pattern: TCG
- Max. RPM: 5800



Model No.	MFG No.	Dia."	Hook Angle	Thickness Kerf"	Plate"	Promo Price
TCT872	D0648CFA	6-1/2"	0°	0.061	0.051	55.50
TCT878	D0748CFA	7-1/4"	2°	0.075	0.063	50.60

Drill Bit Set

- Jobber length with round shank
- Drill bit sizes are clearly marked on inside panels for easy identification and selection
- Comes with round polyethylene carry case that is perfect for contractors or off-site operations
- Comes with belt clip for ease of use
- Sizes increase by 64ths from 1/16" to 1/2"
- No. of Pieces: 29
- Material: High Speed Steel



Model No.	MFG No.	Promo Price
UE133	01E618	241.00

Airpro Silent Maximum Blow Gun

- Features recyclable, biodegradable, and/or recycled content
- Meets the safety requirements of OSHA and other health and safety agencies' strictest norms
- Reduction valve in the handle of the blow gun limits the pressure to 30 PSI
- Pressure is controlled so that it does not exceed 30 PSI as recommended by OSHA and other safety agencies' requirements
- With 4" tube
- Air Inlet: 1/4 NPT
- Air Consumption: 4 SCFM
- Maximum Working Pressure: 232 PSI
- Tip: Safety

TOPRING

Model No.	MFG No.	Promo Price
UW576	60.389.20	50.90



Scotch-Brite™ 7447 Hand Pads

- Combines flexibility with effective cutting action and precise hand control
- Used to accomplish tough cleaning jobs or to produce fine finishing results
- Pad Size: 9" x 6"
- Grit: Very Fine
- Abrasive Material: Aluminum Oxide
- Box of 20



Model No.	MFG No.	Promo Price
NU902	SB64926	32.70/Box

Rolair Automatic Rewind Hose Reel With PVC Hose

- Durable construction, made from high impact resistant polypropylene
- Double adjustment action to lock hose at desired length
- Sealed connection points at swivel and hose inlet to prevent leaks
- 60" inlet hose included
- Hose Type: Air
- Hose Capacity: Single Hose
- Inner Hose Diameter: 3/8"
- Hose Length: 50'
- Hose End: 1/4" NPT
- Working Pressure: 300 psi
- Reel Outlet: 1/4" NPTM

TOPRING



Model No.	MFG No.	Promo Price
TLV343	79.38	199.00

Airpro Blow Gun – High Performance Blow Gun

- Curved tip 4" long
- A very compact gun with exclusive features
- The contoured body lies perfectly in the palm of the hand and with only one finger you can operate the progressive valve which adjusts the flow with a sensitive and gradual manner
- The body is made to protect the palm of the hand against the connection fittings
- Working Temperature: -4° F to 176° F (-20°C to 80°C)
- Air Inlet: 1/4" NPT
- Air Consumption: 9.2 SCFM
- Maximum Working Pressure: 150 PSI
- Tip: Standard

TOPRING

Model No.	MFG No.	Promo Price
TA831	60.320.20	18.80



Long Arm Ball Hex Key Set

- Made of premium steel for superior durability and corrosion resistance
- Deliver up to 33% more torque than ordinary hex keys
- Keys 1/8" & 3mm and larger have size permanently laser marked on the key
- Ball end design offers greater access to fasteners from different angles in hard to reach applications
- Includes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm
- No. of Keys: 22
- Drive Type: Metric & Imperial



Model No.	MFG No.	Promo Price
TYP991	68722	46.60

Inspection Mirror

- Features a swivel head and vinyl grip
- Mirror Shape: Circular
- Telescopic



Model No.	MFG No.	Mirror L" x W"	Overall Length"	Promo Price
QP113	CF146	2-1/4 x 2-1/4	10 - 14	17.60

Side Cutting Plier

- Hardened cutting edges for longer life
- Alignment of the cutting edges allows for quick and clean cut
- Drop forged steel resulting in superior strength flexibility and longer tool life
- PVC dipped handles
- Meets ANSI standards



Model No.	MFG No.	Overall Length"	Jaw Length"	Promo Price
TYR686	B206	6	3/4	28.00

Rectangular Magnetic Tray

- Length: 11"
- Width: 6"



Model No.	MFG No.	Promo Price
TYR975	89922	32.10

Tool Box

- Includes removable tote tray
- High-gloss, scratch and corrosion resistant powder coat paint finish
- Chrome-plated handles and latches for a premium look and superior protection against corrosion
- Colour: Red
- Storage Capacity: 1004 cubic in.
- Weight: 8 lbs.



Model No.	MFG No.	Overall Dimensions D" x W" x H"	Promo Price
QD368	9109	7-1/8 x 19 x 7-1/2	61.80

Master Plier Set

- Precisely machined serrated teeth provide a safe and secure hold
- Hardened cutting edges for longer life
- Alignment of the cutting edges allows for quick and clean cut
- Drop forged steel resulting in superior strength flexibility and longer tool life
- No. of Pieces: 5
- PVC dipped handles
- Meets ANSI standards
- Includes: 8" lineman's pliers, 8" needle nose pliers with cutter, 7-1/4" side cutting pliers, 10-1/8" adjustable joint pliers and 8" slip joint pliers



Model No.	MFG No.	Promo Price
TYR831	B5PLS	171.00

Natural Orange™ Hand Cleaners

- Quick-acting lotion formula with scrubbing particles for cleaning a broad range of industrial soils, medium dirt and grease
- Orange Citrus scent
- Cleans without harsh solvents
- Type: Pumice
- Fragrance: Orange, Citrus



Model No.	MFG No.	Container Size	Container Type	Promo Price
JA327	0957-12	414 ml	Bottle	6.00
JA328	0958-04	1.89 L	Pump Bottle	23.90
NI254	0955-04	3.78 L	Pump Bottle	43.40
JA374	7255-04	2 L	Refill	25.15
JA382	7556-02	5 L	Refill	47.25



Triple Action - Cleaner, Degreaser, and Disinfectant

- Cleans, degreases and disinfects in one easy step
- Reduce your inventory while simplifying your purchasing decision and maintenance program with this 3-in-1 cleaning solution



Model No.	MFG No.	Container Type	Container Size	Promo Price
JG665	51345	Trigger Bottle	750 ml	5.85
JG672	51347	Jug	5 L	26.00
JH373	51349	Pail	20 L	105.40



Push Brooms with Handle

- Soft to medium texture with good durability
- An all purpose broom that is ideal in any warehouse or indoor facility where fine particles need to be swept or picked up
- Bristle Material: Tampico
- Sweep Action: Medium
- Block Material: Wood
- Handle Diameter: 15/16"
- Handle Tip Type: Threaded



Model No.	MFG No.	Block Length"	Handle Length"	Promo Price
JN005	JN005-KIT	18	54	18.30
JN006	JN006-KIT	24	60	19.35



Pro Tuff-Job™ Wipers

- Medium interfold wipers contain the best combination of wiping qualities resulting in an excellent all-purpose wiper
- Packaged in a portable box
- DRC is the ideal choice when surface absorption and wipe dry are required
- Idea for use in automotive maintenance, janitorial and manufacturing environments
- Type: All-Purpose
- Made from 55% recycled fibre
- Sheets/Box: 100 Sheets



Model No.	MFG No.	Length"	Width"	Colour	Promo Price
WJ386	W430	9-3/4	16-1/2	White	13.20

Brute® Vented Wheeled Containers

- DuraTread never flat wheels allow you to move loads easier even over rough terrains
- Ergonomic handle is designed to require less force when moving heavy loads up to 175 lbs.
- Handle design enables users to maintain proper back posture by leveraging shoulder and torso muscles rather than relying on arm muscles alone
- Integrated tilt and kickplate provides maximum tilting when transporting materials
- Colour: Grey



Model No.	MFG No.	Capacity US gal.	Promo Price
JQ140	2179403	32	88.15
JP120	2131929	44	117.00



Raid® Wasp & Hornet Bug Killer

- Allows you to attack from a distance, killing the entire nest
- Kills wasps and hornets on contact and is electrically non-conducting up to 41,000 volts
- Spray Reach: 13'



Model No.	MFG No.	Net Volume g	Formula Base	Promo Price
JL959	10062300017765	400	Solvent Base	11.30

Heavy-Duty Vinyl Extension Cords

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- Gauge (AWG): 14/3
- Type: Outdoor
- Colour: Orange
- Voltage: 300 V
- No. of Outlets: 1
- Trade Designation: SJTW
- Min. Temperature: -40°C (-40°F)
- Max. Temperature: 60°C (140°F)

XC482

AURORA
TOOLS



Model No.	Length'	Amps (A)	Wattage W	Promo Price
XC482	25	15	1875	21.95
XC483	50	15	1875	41.50
XC484	100	13	1625	78.95

Extra Heavy-Duty Vinyl Extension Cords

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- Gauge (AWG): 14/3
- Amps: 15 A
- Colour: Yellow
- Voltage: 300 V
- Wattage: 1875 W
- No. of Outlets: 1
- Trade Designation: SJTW
- Min. Temperature: -40°C (-40°F)
- Max. Temperature: 60°C (140°F)

XC485

AURORA
TOOLS



Model No.	Type	Length'	Promo Price
XC485	Outdoor	25	34.95
XC486	Outdoor	50	61.95
XC487	Outdoor	100	118.95

Workshop Surge Protector Power Strip

- Features cord wrap and surge protector to protect your devices from an overload
- Lighted on/off switch
- Keyhole slots on the back of the unit allow the model to be mounted under a desk, on walls or other locations
- Indoor use only
- No. of Outlets: 8
- Cord Length: 6'
- Rates Joules: 1350 J
- 15 Amps
- Wattage: 1875 W
- Volatge: 125 V



Model No.	Promo Price
XH162	21.95

AURORA
TOOLS

Portable Work Light

- Adjustable tilting head
- LED bulb included
- Certified for sale in Canada by an accredited certification body
- IP65 rating for weather and dust resistance
- Lumens: 2500
- Wattage: 20 W
- Housing Material: Aluminum



AURORA
TOOLS

Model No.	Promo Price
XG816	66.85

Polyurethane Cable Protectors

- Protect your cables or hoses from vehicle and pedestrian traffic
- High-visibility yellow lid features added tabs for a more secure connection between base and lid
- Heavy-duty polyurethane base with LDPE lid for indoor or outdoor use
- Multiple units can be interconnected
- Colour: Yellow/Black
- Length: 35.43"
- Width: 16.69"



SHJ532 **ZENITH**
Safety Products

Model No.	No. of Channels	Channel Width" x Height"	Bearing Weight Tons	Promo Price
SHJ532	3	2.17 x 2.17	25	260.00
SHJ533	5	1.38 x 1.38	20	240.00

Industrial Cord Reels

- A release tab on the mounting bracket quickly and easily converts the reel from stationary to portable use
- Large, comfortable carrying handle
- The non-metallic composite housing ensures a prolonged, corrosion-free service life
- Certified for sale in Canada by an accredited certification body
- Termination: Triple Outlet



LIND  **EQUIPMENT**

DB978

Model No.	MFG No.	Cord Length'	Outlet Rating (A)*	Cable Type	Promo Price
DB978	8040-T	40	15	12/3 SJTW	275.00
DB979	8050-T	50	13	14/3 SJTW	275.00

* Breaker protected

Z2000 Series Safety Glasses

ZENITH
Safety Products

- Sporty design with extended wrap around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Non-slip, extremely flexible temples provide superior comfort and fit
- Meets/Exceeds CSA Z94.3
- Frame: Green • Distortion-free
- **Must be ordered in multiples of 12**



Model No.	Lens Tint	Lens Coating	Promo Price
SEK291	Clear	Anti-Scratch	3.79
SDN697	Grey/Smoke	Anti-Scratch	3.89
SDN698	Amber	Anti-Scratch	3.89
SDN699	I/O Mirror	Anti-Scratch	4.39
SDN700	Clear	Anti-Fog/Anti-Scratch	4.89

Nitri-Flex Lite® Gloves

- Seamless nylon knit gloves with a textured green nitrile palm coat
- Resist cuts, snags and abrasion with non slip grip
- Snug fitting knit wrist glove is extremely flexible
- Accepted for use in Canadian food processing facilities
- Gauge: 13
- **Must be ordered in multiples of 6**

SHOWA



Model No.	MFG No.	Size	Promo Price
SQ136	4500-07	Small, 7	4.39/Pair
SQ137	4500-08	Medium, 8	4.39/Pair
SQ138	4500-09	Large, 9	4.39/Pair
SQ139	4500-10	X-Large, 10	4.39/Pair

Stromboli™ Hardhats

- Safety helmet designed primarily for welders and high heat applications
- Shell is made of lightweight polycarbonate offering exceptional protection against heat, radiation and impacts
- The rain trough free shell is narrower than other models and allows the addition of all types of welding helmets available on the market without any restrictions
- Attachment points for chin straps
- Suspension Type: Ratchet
- Non-Vented
- Certification(s): ANSI Type II, Meets/Exceeds CSA Type 2
- Class: Meets/Exceeds CSA Class E, ANSI Class E



Model No.	MFG No.	Colour	Promo Price
SFY777	HP842R-71	Blue	40.99
SFY821	HP842R-01	White	40.99
SFY786	HP842R-11	Black	40.99

DYNAMIC
BY/PAIR PIP

F4XP Premium Headgear

- Exclusive quick-change install and removal system ensures fast and efficient window changes
- Extended crown is built with premium high-impact rated material for optimum coverage and safety
- Features exclusive 370 Speed Dial ratcheting headgear
- Comes complete with clear molded polycarbonate face shield (8" x 15.5" x 0.06")

SHA399



JACKSON
SAFETY GEAR

Model No.	MFG No.	Description	Promo Price
SHA399	14262	Headgear w/faceshield	39.99
FACESHIELD			
SEE768	30706	Clear Polycarbonate, 8" x 15-1/2" x 0.04"	5.79

Adjustable Safety Sash

- Premium 2" elastic
- Adjustable elastic waist band and chest straps
- StarTech® reflective tape
- 4 point tear-away
- Quick release waist buckle
- Reflective Colour: Silver
- Size: One Size



SGT565

NIT328

Model No.	MFG No.	Colour	Promo Price
SGT565	V1040850-O/S	High Vis. Orange	17.99
NIT328	V1040860-O/S	High Vis. Lime-Yellow	17.99

Compliance Fall Protection Roofer's Kit

- **Includes:** V8229100 Reusable Roof Anchor Bracket, FBH-10002A Compliance Harness, SA-3206-2 SP Lanyard with Integral ADP Rope Grab, VL-1825-50 Vertical Lifeline, 15 L (4 gal.) Waterproof Pail



Model No.	MFG No.	Promo Price
SHE932	V8257045	139.00

Pricing in effect until September 26, 2025 or while quantities last. Taxes and freight extra. Issue #SDW225072NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.