Industrial & Safety Supplies



(403) - 723 - 0241

Unit 45 4216-54 Avenue S.E. Calgary, Alberta T2C 2E3



www.hardwareunlimited.ca

SAFETY EQUIPMENT & SUPPLIES PROMOTION!

Salt & Sand Containers

 Waterproof and lockable which makes it ideal for many other outdoor storage uses aside from storing loose or bagged salt, sand, or ice melter

 It can also hold garden supplies, sporting goods, pool supplies, tools, garbage/recyclables, or anything else you want to safely store

 Constructed of rugged BPA-free UV-resistant polyethylene

 Built-in pockets for forklifts allow the bins to be moved without emptying them

- Capacity: 4.24 cu. ft.
- 21" L x 27" W x 26" H





| Model | 6.1 | 5 | Promo |
|-------|------------------------|-------------|--------|
| No. | Colour | Description | Price |
| NO614 | Container | Yellow | 130.00 |
| NO615 | Container | Grey | 130.00 |
| JK232 | Polyethylene Scoop, 2L | Yellow | 6.70 |

Shoe Covers

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Textured sole for improved traction
- Qty/Pkg.: 100



| Model | | | Promo |
|--------|---------|--------|------------|
| No. | Size | Colour | Price |
| SEC387 | Large | White | 14.95/Pkg. |
| SEC388 | X-Large | White | 15.49/Pkg. |
| SEC391 | X-Large | Blue | 15.49/Pkg. |

Printed in Canada

KneePro Ultra Flex III Knee Pad

- Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/outside of the knee for added knee and leg protection
- The articulating hinged design ensures proper placement all day long
- Soft elastic, extra-wide woven straps with reinforced sewn ends are placed well above and below the knee
- Metal rivet hinge ensures long lasting protection while kneeling or walking
- Comes in a convenient, reusable mesh bag with one extra Quick-Snap clip
- Closure Type: Hook and Loop
- Pad Type: Foam
- Cap Material: Plastic
- Colour: Grey with Orange Grip Strip
- Size: One-Size-Fits-All

| Model | MFG | Promo |
|--------|--------|-------|
| No. | No. | Price |
| SGH284 | S96110 | 54.95 |



sellstrom.

SGF948

HPPE Foam Nitrile Coated Acrylic Lined Gloves - Cut A4

- Foam nitrile palm coating provides excellent grip in light oil, greasy and wet conditions
- Acrylic lining provides superior warmth and comfort in cold weather applications
- Stretchable seamless HPPE liner
- HPPE (high-performance polyethylene) liner is an extremely strong fibre
- Suitable for indoor and/or outdoor cold weather applications
- Cut Resistance: ASTM ANSI Level A4
- Gauge: 13
- Must be ordered in multiples of 12





Pricing in effect until December 26, 2025 or while quantities last. Taxes and freight extra. Issue #SDS225101NA

Snow Flag

- 9" x 12" triangle-shaped flag with 6' fibreglass pole
- Mark fire hydrants, valves, trails, or other landmarks in snow-prone areas
- Flags are made of highvisibility, red vinyl fabric able to withstand low temperatures
- Flag Pole Diameter: 1/2"
- Colour: Red
- Height: 6'

| Model | Promo |
|--------|-------|
| No. | Price |
| SGG309 | 5.89 |



ZEN/TH[®]

ZENTH

| SG | G309 | | | 5 |
|----|------|--|--|---|
| | | | | |
| | | | | |



• Fast and easy to set up and stow away

• Weighted base provides additional stability

• Instructions for proper use are printed on the case and on each triangle

• Kit includes three triangles and a red carry case

• Meets DOT FMVSS 125 standards

| Model | Promo |
|--------|-------|
| No. | Price |
| SGD773 | 34.55 |



Anti-Skid Tape


- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant
- Thickness: 30 mil
- Temperature Range: 175°F to -20°F
- Application Range: 95°F to 50°F
- Grit: 60
- Colour: Black
- Qty/Pkg.: 50



| Model | | Dim | ۱. | | Qty | Promo |
|--------|------|-----|-----|------------------------|-------|-------------|
| No. | W" | X | Ľ" | Type | /Pkg. | Price |
| SDN107 | 0.75 | Х | 24 | Rounded Edge Strip | 50 | 29.95/Pkg. |
| SDN108 | 3 | Χ | 24 | Strip | 50 | 85.99/Pkg. |
| SDN109 | 6 | Χ | 24 | Strip | 50 | 159.99/Pkg. |
| SDN110 | 6 | Χ | 30 | Strip | 50 | 189.99/Pkg. |
| SDN111 | 5.5 | Χ | 5.5 | Square | 50 | 43.99/Pkg. |
| SDN112 | 6 | Χ | 24 | Strip w/Refletive Band | 10 | 147.99/Pkg. |
| SDS936 | 6 | Χ | 24 | Black/Yellow Strip | 1 | 4.45/Pkg. |

Snow Fence

- Provides an economical, easy and reliable protection barrier
- Lightweight, reusable and durable for easy handling
- Made of strong high density polyethylene with high tear resistance
- Colour: Orange
- Roll Width: 4'



SHB329

| Model No. | Roll Length' | Wt. Ibs. | Promo Price |
|--------------|-----------------|-------------|----------------|
| SHB329 | 50 | 4 | 15.35 |
| SHC245 | 100 | 19 | 63.95 |

Heavy-Duty Anti-Slip Ice Cleats

- Hexagonal, non-slip studs offer excellent traction on ice and snow
- Non-slip heavy duty flexible rubber boot
- Includes 12 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C
- Traction Material: Steel
- Traaction Type: Stud



| Model No. | Size | Fits Shoe Size | Promo Price |
|--------------|---------|-------------------|----------------|
| SDN085 | Medium | 5-8 | 14.95/Pair |
| SDN086 | Large | 8-11 | 14.95/Pair |
| SDN087 | X-Large | 11-13 | 14.95/Pair |

Anti-Skid Tape

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Length: 60'
- Temperature Range: 175°F to -20°F
- Application range: 95°F to 50°F
- Grit: 60
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant




SDN09

SDN088








ZX-30° Premium Foam PVC Palm **Coated Acrylic Lined Gloves**



- Foam PVC palm coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip
- 15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection
- Resists abrasions, cuts and punctures
- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Meets EN 511 standards for Extreme Cold Protection maintaining flexibility in temperatures up to -50°C




SG

| 6W880 | 57 | |
|----------|------------|--|
| <u> </u> | Promo | |
| | Price | |
| | O OE /Bair | |

| Model | | Coating | Promo |
|--------|------|----------|-----------|
| No. | Size | Style | Price |
| SGW880 | 8 | Full Dip | 9.95/Pair |
| SGW881 | 9 | Full Dip | 9.95/Pair |
| SGW882 | 10 | Full Dip | 9.95/Pair |
| SGW883 | 11 | Full Dip | 9.95/Pair |

Thinsulate[™]-Lined Split **Cowhide Fitters Gloves**

- Premium quality
- Good abrasion resistance
- Good dexterity
- Rubberized safety cuff
- Full leather tipped fingers **ZENOTH**® and knuckle strap





| Model No. | Size | Colour | Lining Weight | Promo Price |
|--------------|----------|--------------|------------------|----------------|
| SAS500 | Ladies | Red/Grey | 100 g | 6.10/Pair |
| SAN637 | Medium | Yellow/Grey | 100 g | 6.15/Pair |
| SAL544 | Large | Yellow/Black | 40 g | 6.20/Pair |
| SM609 | Large | Red/Black | 100 g | 6.25/Pair |
| SAP248 | X-Large | Blue/Black | 100 g | 6.45/Pair |
| SAP249 | 2X-Large | Green/Black | 100 g | 6.70/Pair |

Waterproof 7-in-1 Safety Parka

- Made from 300-denier PU-coated oxford polyester
 - Double-stitched StarTech® reflective tape
 - Taped and heat sealed seams
 - Standard(s) Met: ANSI/ISEA 107 Class 3, Meets/ Exceeds CSA Z96 Class 2 - Level 2
 - Lining: Polyester Mesh Closure Type: Zipper
- Reflective Tape: 5 cm Wide CSA/ANSI Class 2 Tape with 10 cm Wide Contrasting Trim, X on Back



| Model No. | Size | Colour | Reflective Colour | Promo Price |
|--------------|----------|-----------------|----------------------|----------------|
| SHK743 | Medium | High Vis Orange | Silver, Yellow | 124.00 |
| SHK744 | Large | High Vis Orange | Silver, Yellow | 124.00 |
| SHK745 | X-Large | High Vis Orange | Silver, Yellow | 124.00 |
| SHK746 | 2X-Large | High Vis Orange | Silver, Yellow | 124.00 |
| SHK747 | 3X-Large | High Vis Orange | Silver, Yellow | 124.00 |

Premium Quality Hi-Viz Grain Cowhide Fitters Thinsulate[™]-Lined Gloves

- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability **ZENOTH**
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Must be ordered in multiples of 12 **SED428**

| Model No. | Size | Colour | Promo Price |
|--------------|-------|--------|----------------|
| SED428 | Large | Yellow | 9.15/Pair |
| SEK237 | Large | Orange | 9.15/Pair |

Thinsulate[™]-Lined Grain **Pigskin Fitters Gloves**

- Premium quality
- Good abrasion resistance
- Provides superior warmth
- Superior comfort and breathability
- Performs well in wet applications
- Good dexterity
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- 100-g ThinsulateTM lining
- Must be ordered in multiples of 12

SM615



| Model No. | Size | Promo Price |
|--------------|----------|----------------|
| SM615 | Large | 7.80/Pair |
| SAP251 | X-Large | 7.90/Pair |
| SDL892 | 2X-Large | 8.55/Pair |

High Visibility Acrylic Lined Gloves

- Natural latex palm coating
- 100% acrylic thermal lining offers superior cold protection
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Uncoated back permits breathability and limits perspiration
- Crinkle finish coating provides superior wet and dry grip
- Accepted for use in Canadian food processing facilities
- Must be ordered in multiples of 12

| Model No. | Size | Promo Price |
|--------------|------|----------------|
| SEC797 | 7 | 2.95/Pair |
| SEC798 | 8 | 2.95/Pair |
| SEC799 | 9 | 2.95/Pair |
| SEC800 | 10 | 2.95/Pair |
| SEC801 | 11 | 2.95/Pair |





ZENTH

Mid-Sole Ice Cleats

• Constructed of industrial quality, high-wear rubber while he spark-resistant studs are made from longlasting tungsten carbide to resist wear and tear

• One-size-fits-all, convenient solution for adding traction in icy and snowy work conditions

- Designed to fit a variety of industrial footwear
- Adjustable strap to keep ice cleat in place
- Rotatable for versatile work environments
- Traction Type: Stud
- Colour: Black






included


SGU817


Boot not

| Model No. | MFG No. | Description | Promo Price |
|--------------|--------------|--------------|----------------|
| SGP207 | V9770470-O/S | Mid-Sole | 30.99/Pair |
| SGP208 | V9770570-O/S | Low Profile | 30.99/Pair |
| SGU817 | V9770770-O/S | High Profile | 30.99/Pair |

Intrinsic Heelstop Ice Cleats







• Hook & loop strap allows the user to easily put on and remove the device

• Traction Type: Stud



| Model | MFG | | Fits Shoe Sizes | | |
|--------|--------------|----------|-----------------|--------------|------------|
| No. | No. | Size | Women's US | Men's US | Price |
| NJM111 | V5770170-M | Medium | Up to 9 | Up to 6-1/2 | 42.99/Pair |
| NJM110 | V5770170-L | Large | 9-1/2 to 14 | 7 to 10 | 42.99/Pair |
| NJM112 | V5770170-XL | X-Large | 14+ | 10-1/2 to 13 | 42.99/Pair |
| NJM113 | V5770170-2XL | 2X-Large | - | 14+ | 42.99/Pair |

Intrinsic Mid-Sole Ice Cleats

- One-size-fits-all winter traction solution
- Intrinsic design is certified to prevent sparking when working in areas where combustible materials may be present
- Proud to be the only fully certified intrinsic ice-cleat brand in North America
- Strategically placed ice-penetrating spikes provide maximum traction on ice and snow
- Traction Type: Stud
- Traction Material: Polymer Blend
- Colour: Yellow/Orange/Black



Boot not

included

| Model No. | MFG No. | Profile | Promo Price |
|--------------|--------------|----------|----------------|
| SGN995 | V8770160-O/S | Original | 41.99/Pair |
| SGP210 | V8770260-O/S | Low | 41.99/Pair |
| SGU818 | V8770160-O/S | High | 41.99/Pair |

GripPro™ Spikeless Traction Aids

- 11 (22/pair) patented hi-viz chevrons are strategically placed to increase grip and reduce the risk of slips and falls
- Specially designed treads channel water away to deliver enhanced traction
- Natural rubber material with proprietary polymer blend maintains flexibility even in sub-zero temperatures
- Slip-on design fits snugly over boots and shoes
- Traction Type: Grooved

• Traction Material: Rubber





SHA880



| No. | No. | Description | Price |
|--------|---------------|---------------|------------|
| SHA880 | V3553570-S/M | Small/Medium | 43.99/Pair |
| SHA881 | V3553570-L/XL | Large/X-Large | 43.99/Pair |
| SHK023 | V3553570-2XL | 2X-Large | 43.99/Pair |

Light Industrial Traction Aids

- Ideal for the worker who occasionally needs additional traction on ice and snow while performing their outdoor duties
- Special rubber compound stays strong and retains elasticity in sub-zero temperatures for maximized durability
- New and improved toe-box design enhances fit and function, while the 360° spike pattern provides more push and lateral grip

• Unique support hole on heel strap provides easy adjustment and makes for an easy on/off

• Traction Type: Stud

Traction Material: Tungsten Carbide **SDL457**

Boots not included



| Model | MFG | Size | Promo |
|--------|---------------|----------------|------------|
| No. | No. | | Price |
| SDL457 | V3550170-S/M | Small, Medium | 24.99/Pair |
| SGQ700 | V3550170-L/XL | Large, X-Large | 24.99/Pair |

All-Purpose Industrial Traction Aids

- Offers unparalleled grip, maximum durability, and superior operator safety
- 8 (16/pair) industrial quality tungsten carbide spikes provide maximum traction and performance
- Specially formulated 100% rubber provides maximum flexibility and durability even in extreme cold
- "Pulse Grip" tread pattern provides added traction and grip
- Traction Type: Stud



Boots not

included

| Model | MFG | Fits Shoe Sizes Promo | | | |
|--------|--------------|-----------------------|--------------|--------------|------------|
| No. | No. | Size | Women's US | Men's US | Price |
| SHB755 | V3550370-S | Small | 4 to 8 | 3 to 7 | 36.99/Pair |
| SHB756 | V3550370-M | Medium | 8.5 to 11 | 7.5 to 10 | 36.99/Pair |
| SHB757 | V3550370-L | Large | 11.5 to 13 | 10.5 to 13 | 36.99/Pair |
| SHB758 | V3550370-XL | X-Large | 13.5 to 15+* | 13.5 to 15+* | 43.99/Pair |
| SHB759 | V3550370-2XL | 2X-Large | - | 15+** | 43.99/Pair |

^{*}Oversized XL fits boots and Pac boots 10+

^{**}Oversized Bulky Footwear 14 to 16+ or Standard Footwear 15+

Navigator 5[™] Overshoes

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Polyester upper fabric, Vibram Ninja outsole
- Closure Type: Hook and Loop
- Temperature Rating: Up to -20° F (-28.9° C)

• Colour: Green



| Model | MFG | | Fits Shoe | Sizes* | Promo |
|--------|----------|----------|------------|------------|-------------|
| No. | No. | Size | Women's US | Men's US | Price |
| SED288 | N5P3-S | Small | 6 to 8 | 5 to 6.5 | 169.99/Pair |
| SED289 | N5P3-M | Medium | 8.5 to 10 | 7 to 8.5 | 169.99/Pair |
| SED290 | N5P3-L | Large | 10.5 to 12 | 9 to 10.5 | 169.99/Pair |
| SED291 | N5P3-XL | X-Large | - | 11 to 12.5 | 169.99/Pair |
| SED292 | N5P3-2XL | 2X-Large | - | 13 to 14.5 | 169.99/Pair |
| SDP293 | N5P3-3XL | 3X-Large | - | 15 to 16.5 | 169.99/Pair |

NEOS

Lined Toques

- Outer Material: Acrylic
- Lining Material: Acrylic
- Size: One Size



SHE585



| Model | MFG | Colour | Promo |
|-------|--------------|------------------------|-------|
| No. | No. | | Price |
| | V4020351-O/S | High Visibility Orange | 5.99 |
| | V4020371-O/S | Black | 5.99 |

Waterproof 7-in-1 Parkas

- 300 denier PU coated oxford polyester
- Inner and outer jackets CSA Z96-22 Class 2 Level 2


 (as long as sleeves are not zipped off, becomes
 Class 3 when worn with hi-viz pant featuring reflective
 leg bands) and ANSI/ISEA 107-2020 Class 3 Type P and R
- Double-stitched StarTech® reflective tape
- 100% waterproof and windproof
- Colour: High Visibility Orange
- Reflective Colour: Silver, Yellow
- Material: Polyester
- Standard(s) Met: ANSI/ISEA 107 Class 3, CSA Z96 Class 2 - Level 2

| Model No. | Size | Promo Price |
|--------------|----------|----------------|
| SHD329 | Small | 159.99 |
| SHD330 | Medium | 159.99 |
| NIT354 | Large | 159.99 |
| NIT355 | X-Large | 159.99 |
| NIT353 | 2X-Large | 159.99 |
| SHD334 | 3X-Large | 159.99 |





Explorer[™] Glacier Trek Cleats Insulated Overshoes



 The rugged but lightweight outsoles provide excellent slip resistance on ice and snow while the insulation and internal bootie keep your feet warm

- Specially formulated rubber remains flexible, even at sub-zero temperatures
- Equipped with an adjustable instep strap for a secure, quick fit
- Material: Nylon, Polyurethane, Rubber
- Closure Type: Hook and Loop
- Height: 11" Comfort Rating: -29°C
- Colour: Black

| Model | MFG | | Fits Sho | e Size* | Promo |
|---------------|----------|----------|-----------|-----------|-------------|
| No. | No. | Size | W | М | Price |
| SHE845 | EXGG-M | Small | 6 - 8 | 5 - 6.5 | 160.99/Pair |
| SHE846 | EXGG-M | Medium | 8.5 - 10 | 7 - 8.5 | 160.99/Pair |
| SHE847 | EXGG-L | Large | 10.5 - 12 | 9 - 10.5 | 160.99/Pair |
| SHE848 | EXGG-XL | X-Large | - | 11 - 12.5 | 160.99/Pair |
| SHE849 | EXGG-2XL | 2X-Large | - | 13 - 14.5 | 160.99/Pair |
| SHE850 | EXGG-3XL | 3X-Large | - | 15 - 16.5 | 160.99/Pair |

^{*} If wearing over a work or combat boot, select one size up

Long-Necked Hardhat Liner

- 5 oz. (170 GSM) poly/cotton twill shell
- 300 g fleece lined
- Helmet straps with button closure
- Elastic chin strap Elastic back
- Outer Material: Poly-Cotton
- Lining Material: Fleece
- Colour: Navy Blue
- Size: One Size

| Model | MFG | Promo |
|--------|--------------|-------|
| No. | No. | Price |
| SHE591 | V4040280-O/S | |



NEOS

Quilted Freezer Jackets

- Strongly woven diamond quilted polyester material with 3.5 oz. (120 GSM) insulation
- The durable fabric and the double stitched StarTech® reflective tape enhance visibility in low-light conditions
- The rib knit gusseted action back allows for breathability while the black micro fleece comfort collar keeps users comfortable and insulated in cold/harsh weather conditions
- Reflective Colour: Silver, Yellow
- Standard(s) Met: Meets/Exceeds CSA Z96 Class 1 Level 2
- Additional Certification(s): ANSI/ISEA 107-2020 Class 1 Type O

| Model No. | MFG No. | Size | Promo Price |
|--------------|--------------|----------|----------------|
| SHD507 | V1170170-S | Small | 46.99 |
| SHD508 | V1170170-M | Medium | 46.99 |
| SHD509 | V1170170-L | Large | 46.99 |
| SHD510 | V1170170-XL | X-Large | 46.99 |
| SHD511 | V1170170-2XL | 2X-Large | 46.99 |
| SHD512 | V1170170-3XL | 3X-Large | 46.99 |



^{*}If wearing over a work or combat boot, select one size up

AlphaTec® 23-202 PVC Gloves

- Comfortable PVC gloves with an acrylic liner, protecting hands at very low temperatures
- Rough sandblast finish: Excellent grip, even in wet environments
- Acrylic fleece and 13-gauge knitted cotton liner provides genuine comfort
- EU and FDA food handling compliance: Ideal for use as food handling gloves
- Length: 11.8"
- Cuff Style: Straight

SHG519

- Shell Material: Cotton
- Inner Lining: Fleece
- Certification(s): EN 374:2016-1 Type B, EN 374:2016-5, EN 374:2016-2
- EN 374-1 Test Chemicals: KLT
- Qty/Pack: 6 Pairs

| Model No. | MFG No. | Size | Promo Price |
|--------------|------------|------|----------------|
| SHG519 | 23202080 | 8 | 63.99/Pack |
| SHG520 | 23202090 | 9 | 63.99/Pack |
| SHG521 | 23202100 | 10 | 63.99/Pack |





Speedknit[™] Thermal Gloves

- Comfortable 15-gauge knit nylon outer and 10-gauge brushed acrylic liner provide insulation in cold climates
- Insulating compression cuffs provide a secure fit
- Fully nitrile coated fingers and back of hand prevent the elements from sneaking in
- Rugged nitrile palm coating with textured grip offers high abrasion resistance and dry grip performance
- Gauge: 15
- Shell Material: Nylon
- Touchscreen capable to keep users safe and connected
- Coating: Nitrile Coating Style: Dipped Palm
- Cut Resistance: ASTM ANSI Level A2
- Abrasion Resistance: ANSI/ISEA 105 Level 6, EN 388 Level 3
- Tearing Strength: EN 388 Level 3
- Puncture Resistance: EN 388 Level 3

| Model | MFG | | Promo |
|--------|-------------|------|-----------|
| No. | No. | Size | Price |
| SHB732 | S4DP-05-007 | 7 | 8.39/Pair |
| SHB733 | S4DP-05-008 | 8 | 8.39/Pair |
| SHB734 | S4DP-05-009 | 9 | 8.39/Pair |
| SHB735 | S4DP-05-010 | 10 | 8.39/Pair |
| SHB736 | S4DP-05-011 | 11 | 8.39/Pair |





Classic Fitter's Gloves

- C-100 Thinsulate[™] insulation
- Split leather knuckle strap, index finger & fingertips
- Gunn cut palm
- Inside elastic wrist
- Cuff Style: Safety
- Cuff Material: Rubberized



| Model | MFG | | Leather | Promo |
|--------|----------------|----------|---------------|------------|
| No. | No. | Size | Palm Type | Price |
| SGV904 | 1 30-9-473TFLW | One Size | Split Leather | 10.39/Pair |

Atlas® TemRes Gloves

- Breathable polyurethane coating
- Insulated acrylic liner for cold applications
- Excellent wet/dry grip
- Provides protection from liquids in cold conditions
- Nitrile-coated fingertips for added protection
- Shell Material: Acrylic
- Coating Style: Full Dip

MFG

Inner Lining: Fleece

Model



| | بال | | |
|----|-----|---|-----|
| SH | | 1 | JM. |

SEG975 282M-08 8, Medium 24.99/Pair SEG976 282L-09 9, Large 24.99/Pair SEG977 282XL-10 10, X-Large 24.99/Pair SEH643 282XXL-11 11, 2X-Large 24.99/Pair

ProFlex 7501 Coated Waterproof Winter Work Gloves

Size

- 15g polyester with a soft 10g brushed acrylic fleece liner for comfort and warmth
- Waterproof fully coated latex protects hands from water and cold air

Promo

Price

- Sandy, nitrile-dipped palm for secure gripping
- Dual layer of latex and nitrile remains flexible in cold weather for easy handling of equipment and materials
- Gauge: 10/15
- Shell Material: Polyester
- · Coating: Latex, Nitrile
- Coating Style: Dipped Palm, Full Dip
- Cuff Type: Knit
- Abrasion Resistance Rating: EN 388 Level 2
- Tearing Strength Rating: EN 388 Level 3
- Puncture Resistance Rating: EN 388 Level 1
- Cut Resistance Rating: EN 388 Level 1

| Model No. | MFG No. | Size | Promo Price |
|--------------|------------|----------|----------------|
| SHB428 | 17632 | Small | 10.99/Pair |
| SHB429 | 17633 | Medium | 10.99/Pair |
| SHB430 | 17634 | Large | 10.99/Pair |
| SHB431 | 17635 | X-Large | 10.99/Pair |
| SHB432 | 17636 | 2X-Large | 10.99/Pair |





Therm™ Heated Glove Liner

- Soft 4-way stretch material conforms to hand without sacrificing dexterity
- Enhance the warmth of any glove
- Heating elements warms the blood as it circulates over the back of the hand
- Extended cuff eliminates draft or snow from entering the glove

| Model | MFG | Size | Promo |
|--------|-----------|----------|------------|
| No. | No. | | Price |
| SHB802 | PC399HG20 | One Size | 79.99/Pair |



Z3200 Series Safety Glasses

- Scratch-resistant polycarbonate lens with UV protection
- Sporty design with extended wrap-around coverage
- Non-slip rubber head grips for increased user comfort
- Distortion-free lenses
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Tint: Clear
- Lens Coating: Anti-Scratch



| Model | Promo |
|--------|-------|
| No. | Price |
| SGU582 | 2.15 |



ZEN/TH[®]

Z2300 Series Safety Shield Goggles

- Features the Z1100 goggle with indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Ventilation Type: Indirect
- Lens Tint: Clear
- Standard(s) Met: Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Fog
- Band Type: Elastic

| Model | Promo |
|--------|-------|
| No. | Price |
| SEL095 | 11.99 |



BC86 Series Bump Caps

- For low hazard area protection against minor bumps and lacerations
- Cool, well-ventilated and lightweight polyethylene construction resists cracking and chipping (not for use in areas requiring hard hat protection)
- One size fits all
- Suspension Type: Pinlock



Honeywell NORTH

| Model | MFG | | Promo |
|--------|------------|-----------|-------|
| No. | No. | Colour | Price |
| SAI586 | BC86010000 | White | 12.69 |
| SAI587 | BC86020000 | Yellow | 11.99 |
| SEK326 | BC86030000 | Orange | 11.99 |
| SAQ555 | BC86040000 | Green | 11.99 |
| SAI589 | BC86080000 | Navy Blue | 11.99 |

Z2500 Series Safety Glasses with Foam Gasket

With removable foam gasket



- Scratch resistant polycarbonate lens with UV protection
- High quality foam lining cushions face and keeps dirt out of the eyes
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3







| Model No. | Lens Tint | Lens Coating | Promo Price |
|--------------|-----------------------|--------------|----------------|
| SDN707 | Clear | Anti-Scratch | 3.59 |
| SDN708 | Grey/Smoke | Anti-Scratch | 3.75 |
| SDN709 | Indoor/Outdoor Mirror | Anti-Scratch | 4.09 |
| SDN710 | Clear | Anti-Fog | 4.49 |

High Performance® Headgear

- Made from Noryl®, the same material used in Fibre-Metal®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 8" x 16.5" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection
- Suspension Type: Ratchet

| Honeywell |
|-----------|
|-----------|



Faceshield sold separately

Model
No.MFG
No.DescriptionPriceSAM376F400Headgear34.95SAM3774178CLFaceshield, Clear Propionate11.55

Matterhorn Hardhats

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Suspension Type: Ratchet
- Certified to standard Z94.1-05 type 2 Class E
- Weight: 15.6 oz.



SH347

| Model No. | MFG No. | Colour | Promo Price |
|--------------|------------|-----------|----------------|
| SH347 | A89R010000 | White | 43.99 |
| SH348 | A89R020000 | Yellow | 43.99 |
| SH349 | A89R030000 | Orange | 43.99 |
| SH350 | A89R080000 | Navy Blue | 43.99 |

E-A-Rsoft Metal Detectable Earplugs

- Advanced foam formulation that provides low-pressure comfort
- Yellow E-A-RTM trademark colour assures proven protection and high quality
- Laboratory tested NRR 32 dB
- Both the cord and the plugs are metal detectable
- Style: Corded
- Size: Regular
- Certification(s): Meets/Exceeds CSA Class AL
- Packaging: Bulk Polybag
- Qty/Box(pairs): 200



| Model | MFG | Promo |
|--------|----------|------------|
| No. | No. | Price |
| SAF802 | 311-4106 | 121.99/Box |



Optime[™] 105 Series Earmuffs

- Dual cup ultra high attenuating hearing protector for extremely high noise environments
- Wide ear cushions are filled with a foam which provides excellent sealing properties, good fit, and low surface pressure
- The outer layer consists of a specially developed hygienically textured plastic, allowing for ventilation and durability
- Meets/Exceeds CSA Class: AL

| Model No. | MFG No. | Style | NRR dB | Promo Price |
|--------------|------------|-----------|-----------|----------------|
| SC161 | H10A | Headband | 30 | 45.95 |
| SC162 | H10B | Neckband | 29 | 45.95 |
| SC163 | H10P3E | Cap Mount | 27 | 45.95 |





SC163

6000 Series Full Facepiece Reusable Respirators

- Lightweight, well balanced, low maintenance facepiece provides user comfort, convenience, and ease of breathing
- Unique centre adapter directs exhaled breath and moisture downward
- Smooth surfaces allow for quick and easy cleaning
- 3MTM Cool FlowTM Exhalation Valve reduces heat and moisture build-up inside the facepiece, making breathing easier and providing cool, dry comfort
- NIOSH approved
- Facepiece Material: Silicone/Thermoplastic/Elastomer



SE890

| Model | MFG | | Promo |
|-------|------|--------|--------|
| No. | No. | Size | Price |
| SE889 | 6700 | Small | 232.99 |
| SE890 | 6800 | Medium | 232.99 |
| SE891 | 6900 | Large | 232.99 |



One Touch™ Pro Earplug Dispensers

- "No-Waste Funnel" accurately delivers earplugs with a slight turn
- Easy for workers to access earplugs
- A simple turn of the hand drops earplug into a worker's hand one at a time
- Drained catch tray, wind side shields and durable plastic construction safeguards earplugs in outdoor locations





| | E:A | ·P |
|-------|-----|-------|
| -DIVI | -74 | Tu Tu |

| Model | MFG | Description | Promo |
|--------|----------|--------------------------|--------|
| No. | No. | | Price |
| SDP096 | 391-0000 | One Touch™ Pro Dispenser | 121.55 |

| BULK REFILLS | | | | | 500 pairs/Refill |
|---------------|----------|---------------|-----|----------|------------------|
| Model | MFG | | NRR | | Promo |
| No. | No. | Description | db | Size | Price |
| SAP387 | 391-1001 | Classic™ | 29 | One Size | 109.99 |
| SAH873* | 391-1004 | Yellow Neons™ | 33 | Regular | 82.19 |
| SAI104* | 391-1010 | Blasts™ | 33 | Regular | 123.99 |
| | | | | | |

| | | | | 400 pa | irs/Refill |
|---------|----------|---------------|-----|----------|------------|
| Model | MFG | | NRR | | Promo |
| No. | No. | Description | db | Size | Price |
| SAH874* | 391-1005 | Yellow Neons™ | 33 | One Size | 83.69 |

^{*}E-A-Rsoft™

Disposable Procedure Face Masks

- Made in Canada
- Plastic with metal insert fitted nose piece and ear loops provide a custom fit
- 3 layers of breathable non-woven fabric
- Latex-free
- Medical Device Class: Class 1
- Nose Clip Material:
 Plastic with Metal Insert
- Qty/Box: 50



| Model No. | Standard(s) Met | Promo Price |
|--------------|--------------------|----------------|
| SGW395 | ASTM F2100 Level 2 | 7.15/Box |
| SGW904 | ASTM F2100 Level 3 | 9.39/Box |

Particulate Respirator

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air buildup to facilitate breathing in humid environments
- Certification(s): NIOSH
- Size: Medium/Large
- Style: Cup
- Type: N100
- Qty/Box: 5







Hybrid Full Body Harnesses

- Basic, economical and fully adjustable harness with 5 points of adjustment
- 1-3/4" wide polyester webbing
- High strength steel hardware
- Type: Fall Arrest
- Meets/Exceeds CSA Class: A
- Weight Capacity: 400 lbs.
- Size: Universal
- D-Rings: Back
- Chest Strap Connections: Pass-Through/Mating
- Standard(s) Met: CSA Z259.10-18, ANSI Z359.1, OSHA 1926.502



YNAMIC

| Model No. | MFG No. | Leg Strap Connections | Promo Price |
|--------------|------------|--------------------------|----------------|
| SGW574 | FP2601DU | Pass-Through/Mating | 46.99 |
| SGW575 | FP2601DGU | Tongue Buckle | 57.99 |

Dyna-One Energy Absorber Lanyards

- This product intended for use in fall arrest systems
- Designed to reduce the impact load and keep the user safe
- 1-3/4" wide polyester webbing
- High strength steel stamped snaps
- CSA certified 121-310 lbs. (55-141 kg), DSI certified 100-310 lbs. (45-141 kg)
- Length: 6'
- Meets/Exceeds CSA Class: B
- Harness Connection: Snap Hook
- Anchorage Connection: Snap Hook
- Material: Polyester
- Standard(s) Met: CSA Z259.11-17, ANSI Z359.1-07





| Model No. | MFG No. | No. of Legs | Promo Price |
|--------------|------------|----------------|----------------|
| SGW576 | FP74322/6 | 1 | 86.99 |
| SGW577 | FP746266/6 | 2 | 145.99 |

Tool Lifting Safe Bucket

- Designed to be used at height, with a built-in closure system that helps to prevent dropped objects
- Includes multiple D-Ring connection points that can be used to tether tools
- Hard composite plating sewn into the bottom and covered with a protective leather sleeve protects the bucket from accidental punctures and is resilient to the elements and harsh work environments
- Equipped with a heavy-duty hoisting/shoulder strap that features a high-quality, lightweight aluminum twist-lock carabiner for lifting and hoisting
- Diameter: 12.5"
- Height: 15"
- Capacity: 1840 in³
- D-Ring Load Rating: 10 lbs.







| Model | MFG | Load | Material | Closure | Promo |
|--------|---------|----------|----------|-------------|--------|
| No. | No. | Rating | | System | Price |
| SFV223 | 1500134 | 100 lbs. | Canvas | Hook & Loop | 205.00 |

Coil Tool Tethers

- Built from non-conductive, lightweight vinyl that is easy to clean and withstands harsh work environments
- Ultra-compact coil design naturally stays out of the way
- Perfect for use with wrist band and small hand tools
- Style: Coil
- Load Rating: 2 lbs.







On-Site® Gravity-Fed

 Ideal for locations where a plumbed water source is not available • Transparent tank allows solution

Eyewash Station • Hinged eyewash tray activates in one quick motion

level to be checked easily

pedestal and tank Standard(s) Met: ANSI Z358.1

• Capacity: 7 gallons

High-visibility yellow, moulded

| Model No. | MFG No. | Connector Type | Length" | Relaxed Length" | Promo Price |
|--------------|------------|-------------------|---------|--------------------|----------------|
| SDP333 | 1500059 | Dual Clip | 24 | 1.75 | 20.55 |
| SDP334 | 1500060 | Clip/Loop | 34 | 7 | 20.55 |
| | | | | | |

Sterile Isotonic Solution

- Sterile irrigating solution washes the eye to help relieve irritation, discomfort, burning, stinging, and itching
- Includes eye cup attach (one time use)





| Model | MFG | | Promo |
|--------|-----------|--------|-------|
| No. | No. | Size | Price |
| SGB154 | FAEW016SU | 16 oz. | 14.69 |
| SGB149 | FAEW032SU | 32 oz. | 25.39 |



SAK613



| Model No. | MFG No. | Description | Promo Price |
|--------------|------------|----------------------------------|----------------|
| SAK609 | S19-921 | Eyewash | 533.00 |
| SAK611 | S19-399 | Waste Cart | 666.00 |
| SAK613 | S19-865 | Water Preservative, 8 oz. Bottle | 7.19 |

Flammable Aerosol Storage Cabinet

• 24-gauge galvanized steel roll-out shelves



- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Two fixed position shelves with 30 2-3/4" diameter openings
- Door Type: Manual
- 23" W x 18" D x 35" H
- No. of Doors: 1
- Standard(s) Met: NFPA, OSHA



ZEN/TH°

11 YEAR

| Model | Capacity | Promo |
|--------|----------|---------|
| No. | gal. | Price |
| SGX675 | 12 | 1479.00 |

Corrosive Liquids Cabinets

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access

• Recessed handle

Door Type: Self-Closing

- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- Includes two polyethylene trays







Master Lock

| Model | Capacity | Overa | ill I | Dimen | sions | No. of | Promo |
|--------|----------|-------|-------|-------|-------|---------|---------|
| No. | gal. | W" | x | D" x | Н" | Shelves | Price |
| SHI433 | 22 | 35 | X | 22 x | 35 | 1 | 1399.00 |
| SHI434 | 30 | 43 | Х | 18 x | 44 | 1 | 1499.00 |
| SHI435 | 45 | 43 | Χ | 18 x | 65 | 2 | 1949.00 |

411 Series ZenexTM Padlocks

- Key retaining ensures that padlocks are not left unlocked, cannot remove key until shackle is closed
- Designed exclusively for lockout/tagout
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Body Dim.: 1-1/2" W x 3" H
- Shackle Diameter: 1/4'
- Shackle Clearance Height: 1-1/2"
- Shackle Clearance Width: 25/32"
- Body Material: Thermoplastic
- Key Type: Keyed Different



| Model | MFG | Shackle | | Promo |
|---------------|--------|----------|--------|-------|
| No. | No. | Material | Colour | Price |
| SAL140 | 411BLK | Metal | Black | 21.49 |
| SAL141 | 411BLU | Metal | Blue | 21.49 |
| SAL142 | 411GRN | Metal | Green | 21.49 |
| SAL143 | 411ORJ | Metal | Orange | 21.49 |
| SAL144 | 411RED | Metal | Red | 21.49 |
| SAL145 | 411YLW | Metal | Yellow | 21.49 |

Flammable Storage Cabinets

- Safety cabinet door self-closes and is equipped with a fusible link that melts when the ambient temperature reaches 165°F (74°C)
- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Door Type: Self-Closing
- No. of Doors: 2
- Standard(s) Met: FM, NFPA, OSHA



SGU465



| Model | Capacity | Overall Dimensions | No. of | Promo |
|--------|----------|--------------------|---------|---------|
| No. | gal. | W" x D" x H" | Shelves | Price |
| SGU465 | 30 | 43 × 18 × 44 | 1 | 1345.00 |
| SGU466 | 45 | 43 x 18 x 65 | 2 | 1569.00 |
| SGU467 | 60 | 34 × 34 × 65 | 2 | 1799.00 |

10 YEAR

Convex Mirrors with Bracket

- Removes blind spots which reduces the chance of accidents caused by blind corners
- Includes Installation Bracket
- Durable acrylic convex mirror provides 100° viewing angle
- Plastic back and frame
- Colour: Beige
- Indoor/Outdoor





| Model No. | Diameter" | Promo Price |
|--------------|-----------|----------------|
| SDP500 | 12 | 49.49 |
| SDP501* | 18 | 74.99 |
| SDP502* | 26 | 120.99 |
| SDP503* | 30 | 157.99 |
| SDP504* | 36 | 196.99 |

SDP500

*Includes extendable arm

LOCKOUT STATION

STATION DE VERROUILLAGE

Master Lock

SAO605

Lockout Stations

- Station message printed in English, Spanish and French labels included for optional application
- Resilient polycarbonate material provides ultimate heat resistance and impact strength superior to typical stations
 - Translucent lockable cover protects contents from dust and prevents missing equipment
 - Reinforced snap-on clips provide easy padlock and hasp storage and removal
 - Padlock Capacity: 10
 - Dimensions:
 - 22" W x 1-3/4" D x 15-1/2" H

| Model No. | MFG No. | Padlocks Included | Promo Price |
|--------------|---------------|----------------------|----------------|
| SGW124 | 1483B | None | 169.00 |
| SAO605 | 1483BP410FRC | 10, Zenex™ | 445.00 |
| SAO606 | 1483BP1106FRC | 10, American Lock® | 435.00 |

30-Gallon Spill Kits

• Contains:

1 Blue Polyethylene Drum 75 Sorbent Pads (15" x 17")

4 Sorbent Socks (3" x 120")

1 Drain Cover (36" x 36")

1 Caution Tape (3" x 300')

2 Pairs Nitrile Gloves, XL (10)

2 Pairs Safety Goggles (One Size)

2 Microporous Coveralls, XL

5 Disposal Bags (26" x 36")



SEI165



| Model | Spill | Promo |
|--------|-----------|--------|
| No. | Type | Price |
| SEI165 | Universal | 289.00 |
| SEJ275 | Oil Only | 279.00 |

Meltblown Sorbent Pads

• 100% meltblown polypropylene fibre

• Quick and effective solution for oil spills or leaks

• All sorbent pads have absorption capacities of more than 25x their weight

Spill Type: Oil Only

• Qty/Pkg.: 100

ZENTH





| Model | | | Dim. | | Absorbency | Promo |
|--------|-------------|----|------|----|------------|------------|
| No. | Weight | Ľ" | X | W" | /Pkg. | Price |
| SEH942 | Heavy | 15 | × | 17 | 30 gal. | 64.95/Pkg. |
| SEH944 | Medium | 15 | X | 17 | 25 gal. | 59.95/Pkg. |
| SEH945 | Lightweight | 15 | X | 18 | 15 gal. | 46.95/Pkg. |

Plug N'Dike® Sealants

• Easy to use and convenient emergency sealant

• Seals immediately and sticks to unprepared, dirty and crumpled surfaces


• Non-toxic and non flammable blend of high absorption plymers

• Can be used with hydrocarbons and water-based chemicals

• Type: Paste







Optisorb® Absorbent

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly
- Format: 25-lb. Bag



| Model | Promo |
|--------|-------|
| No. | Price |
| SEI076 | 19.95 |



ZENTH

Bonded Sorbent Rolls

• 100% bonded polypropylene fibre

• More durable than traditional meltblown sorbents

• These sorbents have absorption capacities of more than 25x their weight

- Antistatic and made of up to 90% recycled materials
- Perforated down the centre to help reduce waste
- Spill Type: Universal
- Length: 150'
- Qty/Pkg.: 1

SEH942

SEI071



| Model No. | Weight | Width" | Absorbency /Pkg. | Promo Price |
|--------------|--------------|--------|---------------------|----------------|
| SEH965 | Heavyweight | 15 | 25 gal. | 115.00/Pkg. |
| SEH963 | Mediumweight | 15 | 20 gal. | 97.95/Pkg. |

Standard DripPillow Berms™ With Pad

- Ideal for outdoor leaks and spills under vehicles. hydraulic lines or equipment
- Designed as durable, portable drip-pan
- Stable weighted base will not flip, tip or splash in windy conditions
- Compatible with all fuels and hydrocarbons
- Standard includes grounding strap, weighted base and UV resistant removable pad
- Spill Capacity: 1 US gal.
- Dimensions: 1.8' W x 1.8' L x 1" H
- Size: Small



| Model | MFG | Promo |
|--------|---------|--------|
| No. | No. | Price |
| SAH552 | 5650-YE | 169.00 |



All Weather TPE-Rubber Extension Cords

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding



| Model No. | Length' | Gauge (AWG) | No. of Outlets | Amps | Wattage | Promo Price |
|--------------|---------|----------------|---------------------------------------|---------|---------|----------------|
| | y-DUTY | () (0) | • • • • • • • • • • • • • • • • • • • | 7411195 | "attage | 11100 |
| XC500 | 25 | 14/3 | 1 | 15 | 1875 | 29.65 |
| XC501 | 50 | 14/3 | 1 | 15 | 1875 | 48.10 |
| XC502 | 100 | 14/3 | 1 | 13 | 1625 | 104.00 |
| EXTRA | HEAVY | -DUTY | | | | |
| XH238 | 25 | 12/3 | 3 | 15 | 1875 | 44.05 |
| XH239 | 50 | 12/3 | 3 | 15 | 1875 | 84.75 |
| XH240 | 100 | 12/3 | 3 | 15 | 1875 | 157.00 |

Polyurethane Cable Protectors

- Protect your cables or hoses from vehicle and pedestrian traffic
- High-visibility yellow lid features added tabs for a more secure connection between base and lid

 Heavy-duty polyurethane base with LDPE lid for indoor or outdoor use

- Multiple units can be interconnected
- Length: 35.43"
- Width: 19.69"
- Colour: Yellow/Black
- SHJ532 Bearing Weight: 25 Tons
- SHJ533 Bearing Weight: 20 Tons





SHJ533

| Model No. | No. of Channels | H" | Channel W" x H" | Promo Price |
|--------------|--------------------|----|--------------------|----------------|
| SHJ532 | 3 | 3 | 2.17 x 2.17 | 260.00 |
| SHJ533 | 5 | 2 | 1.38 x 1.38 | 240.00 |

Workshop Surge Protector Power Strip

- Features cord wrap and surge protector to protect your devices from an overload
- Lighted on/off switch
- Keyhole slots on the back of the unit allow the model to be mounted under a desk, on walls or other locations
- Indoor use only
- No. of Outlets: 8
- Cord Length: 6'
- Rated Joules: 1350 J
- Amps: 15 Amps
- Wattage: 1875 W
- Voltage: 125 V
- Housing Material: Metal
- Colour: Black/Yellow



| Model | Promo |
|-------|-------|
| No. | Price |
| XH162 | 21.95 |



Twin-Head Work Light

- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- LED bulbs included
- Fixtures can adjust 120°
- Certified for sale in Canada by an accredited certification body
- Lumens: 4800
- Wattage: 40 W
- Housing Material: Aluminum
- Voltage: 120 V



AUR RA

__ TOOLS __

| Model | Promo |
|-------|--------|
| No. | Price |
| XG817 | 163.00 |

Shocksafe® GFCI Triple Tap Adapter

- Extra heavy duty
- Water Resistant
- Flame Retardant
- Ultra Flexible
- Voltage: 125 V
- Amps: 15 A
- Cord Length: 3'
- Gauge (AWG): 45994







LavaGrip Traction-Aid


- 100% lava rocks and shaped perfectly for instant traction on icy surfaces
- Organic and non-corrosive
- Doesn't track
- Works in any temperature
- Container Size: 9.9 lbs. (4.5 kg)
- Container Type: Jug
- Re-usable, doesn't dissolve
- Made in Canada
- Safe to use on most wooden decks, new concrete, and delicate surfaces



| Model No. | MFG No. | Container Size | Container Type | Promo Price |
|--------------|------------|-------------------|-------------------|----------------|
| JP848 | 5402 | 17.6 lbs. (8 kg) | Bag | 36.99 |
| JP847 | 5401 | 35.3 lbs. (16 kg) | Bag | 42.99 |

Ultra Hygiene Broom, Squeegee and Handle

- Accepted for use in Canadian food processing facilities
- Material: Polypropylene



| Model | MFG | 1 | December 1 | Promo |
|-------|-------|---------|------------------------------|-------|
| No. | No. | Length" | Description | Price |
| JL198 | 31943 | 24 | Polyester Bristle Push Broom | 65.90 |
| JL160 | 71603 | 24 | Single Rubber Blade Squeegee | 44.99 |
| JL168 | 29623 | 59 | Ergonomic Handle | 38.99 |

Collapsible Emergency Shovel

- Non-sparking polypropylene safety shovels
- Versatile, lightweight and will not rust or corrode, chemical resistant
- Anti-static agent in blade
- Emergency blade shovels are injection moulded, structural poly compact shovel which collapses for easy storage

Blade Length"

12

• Handle Type: T-Grip

Model

- Handle extends for easy usage
- Working Temperature:
 -22°F/-30°C to 176°F/80°C

MFG

SAL473 6880EBO



| Blade | | Promo |
|--------|--------|-------|
| Width" | Colour | Price |
| 10 | Orange | 44.99 |

Scott® Skin Care Dispenser and Cartridge Refill

 Reliable, touchless operation to reduce cross-contamination and the spread of germs

- Features a long battery life at 60,000 hand washes
- Low battery and low product lights signal when replacements are needed
- Keyed system and collapsible refills





Kimberly-Clark™ PROFESSIONAL

| Model No. | MFG No. | Capacity/ Net Vol. (ml) | Format | Promo Price |
|--------------|-------------|----------------------------|-----------|----------------|
| DISPEN | ISER | | | |
| JI416 | 32499 | 1200 | | 86.99 |
| CARTR | IDGE REFILL | | | |
| JI617 | 91590 | 1200 | Case of 2 | 67.99/Case |

Everest™ Indoor/Outdoor Matting

- Durable and cleans footwear thoroughly
- Has the appearance of high-end carpet
- Easy to clean
- Perfect for high-traffic entryways, lobbies, and hallways
- Type: Wiper/Scraper
- Material: Polypropylene/Rubber
- Traffic: Heavy-Duty

edgewood

• Surface Pattern: Loop-Pile, Needle Punched

- Recycled Content: 0.05
- Flammability: Efl, EN 13501-1
- Face Weight: 1,700 g/m² (50 oz/yd²)
- Certifications: CRI Green Label Plus
- Face Style: Omni Pattern
- Total Weight: 2.82 kg/m² (0.58 lb/ft²)



| Model | MFG | | | | | Promo |
|-------|------------|--------|---------|------------|----------|--------|
| No. | No. | Width' | Length' | Thickness" | Colour | Price |
| ID616 | EV/PONONNA | 6 5/6 | 6 | 1/0 | Charcoal | 550 00 |

Pine Oil Neutral Cleaner

- Biodegradable, non-toxic, non-corrosive
- Concentrated
- Accepted for use in Canadian food processing facilities
- Safely cleans all washable surfaces using a neutral pH concentrated formulation
- No rinse formulation
- Certified UL ECOLOGO® 2777



| Model | Container | Container | Promo |
|-------|-----------|-----------|-------|
| No. | Size | Type | Price |
| JC007 | 4 L | Jug | 14.89 |



Scoop Shovels

- Perfect for moving and scooping lightweight granulated materials
- Lightweight construction for comfort and productivity
- Harwood handle with aluminum blade resistant to rust
- Blade Size: 14" x 18"



AUR

| Model No. | Handle Type | Handle Length" | O.A Length" | Promo Price |
|--------------|----------------|-------------------|----------------|----------------|
| ТУХ063 | Straight | 45-3/4 | 63-1/2 | 44.75 |
| NM985 | D-Grip | 24-1/2 | 46-5/8 | 45.30 |



Broadcast Spreaders with Stainless Steel Hardware

- Metal gear inside of the gear box
 - Stainless steel hardware in the hopper and pivot shaft
 - Metal control handle
 - Rate setting control on handle for precise adjustments
 - Easy three-step assembly
 - Spread Width: 10'-12'
 - Includes: Raincover, screen

AUR RA TOOLS

| Model | Load | Coverage | Pneumatic | Promo |
|-------|----------|----------|------------|--------|
| No. | Capacity | sq.ft. | Tire Size" | Price |
| NN138 | 70 lbs. | 15 000 | 10 | 259.00 |
| NN139 | 125 lbs. | 27 000 | 14 | 371.00 |

Snow Roof Rake

- Ideal for removing any kind of debris from roofs
- Prevents roof damage by removing ice dams & heavy snow
- Shipped knocked down
- Lightweight handle extends to 16'

24-3/4

- Blade Material: Polypropylene

NN009

• Handle Material: Aluminum • Handle Type: Straight **AUR** RA Handle Model **Promo** Length" No. Blade" **Price**

Yukon™ Snow Shovel


- Top-of-the-line industrial grade tools designed for intense and continuous use
- Blade Material: Steel
- Handle Material: Varnished ash wood

• Handle Type: D-Grip

Model

NE312

No.



Pro™ Snow Shovel

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Stained ash wood
- Blade Material: Polypropylene
- Handle Material: Wood
- Handle Type: D-Grip



Garant

Scrapers

Model

NE314

No.

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Handle Material: Ashwood
- Handle Type: Straight
- Handle Length: 48"
- Blade Material: Tempered steel



| Model No. | MFG No. | Series | | Blade | | Promo Price |
|--------------|------------|---------|-------|-------|-------|----------------|
| ND067 | NHSW7 | Nordic™ | 7 | × | 5-1/2 | 28.95 |
| ND040 | AFSW7 | Alpine™ | 7 | X | 6 | 52.95 |
| ND115 | YFSW9 | Yukon™ | 8-1/2 | X | 6-1/4 | 64.95 |

64.45

Portable Open Coil Heater

- Two heat settings (1500 W and 1000 W)
- Provides full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top mounted handle and controls
- Grounded plug and controls
- Type: Radiant Heat
- Min. BTU Rating: 3410 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 8.3 A/12.5 A

| Model | Promo |
|-------|-------|
| No. | Price |
| EA469 | 68.70 |



Heavy-Duty Tilted Heater

- Industrial finger proof steel intake/discharge grills
- Durable metal construction with enclosed motor
- One-speed fan only function
- Built-in over heating protection
- Air flow direction adjustable from 10°-50°
- Adjustable thermostat
- Energy-saving
- Convenient carrying handle
- Forced-air heater function
- Safety shutoff function
- Max. BTU Rating: 19107 BTU/H
- Max. Temperature: 100°F
- Type: Ceramic
- Voltage: 240 V Amperage: 23.3 A
- Wattage: 5600 W Cord Length: 6'

| Model | Promo |
|-------|--------|
| No. | Price |
| EB021 | 234.00 |





Portable Heaters

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Tip over safety switch and thermal safety fuse
- Min. BTU Rating: 2557 BTU/H
- Max. BTU Rating: 5115 BUT/H





| Model No. | Type | Promo Price |
|--------------|------------|----------------|
| EB182 | Ceramic | 46.95 |
| EB183 | Fan-Forced | 88.15 |

Patio Heater

- High efficiency heating
- IP65 rated for outdoor use
- Remote and pull-string control
- Two LED lights
- 3 heat settings (500 W/1000 W/1500 W)
- Type: Wall
- Min. BTU Rating: 1705 BTU/H
- Max. BTU Rating: 5115 BTU/H



360 Degree Surround Portable Heater

- Features 360 degree outlet air, PTC heating elements, adjustable thermostat, tip-over switch, overheat protection, and carry handle
- Features 2 heat settings (750 W & 1500 W) and a fan-only setting
- Type: Ceramic
- Max BTU Rating: 5200 BTU/H
- Voltage: 120 V
- Amperage: 12.5 A
- Power Cord Length: 6'
- Plug Type: Standard





MATRIX

Portable Heater

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 6.25 A/12.5 A





| Model | Promo |
|-------|-------|
| No. | Price |
| EA599 | 55.35 |

Firestorm™ Intense Ice Melter

- Distinctive orange colour assists in proper application and reduces waste
- Starts melting instantly faster than most other ice melting products
- Prevents refreezing even under the most challenging conditions
- Safe for children and pets, will not burn skin, and gentle on vegetation



| Model | MFG | Container | Container | Melting | Promo |
|-------|---------|-----------------|-----------|---------------|-------|
| No. | No. | Size | Type | Point | Price |
| JB597 | 8407044 | 44 lbs. (20 kg) | Bag | -35°C (-31°F) | 31.99 |

Premium Eco-Friendly De-Icer

- Enhanced with MCi3 for safe and optimum performance
- Ideal for spreading
- Gentle on vegetation
- Safer for concrete, asphalt, sidewalks and pavers
- Biodegradable green colour indicator
- 100% natural



meltco

| Model | MFG | Container | Container | Melting | Promo |
|-------|-------|------------------|-----------|---------------|-------|
| No. | No. | Size | Type | Point | Price |
| NO413 | 40010 | 50 lbs.(22.7 kg) | Bag | -25°C (-15°F) | 25.99 |



Heavy-Duty Outdoor Storage Containers

- Thick-walled, durable polyethylene construction
- Double-walled reinforced lid
 - Molded forklift channels and recessed hand holes



NM948

| Model No. | Colour | Capacity cu. ft. | Promo Price | | |
|-----------------------|--------|---------------------|----------------|--|--|
| 30" L X 24" W | | | | | |
| ND337 | Yellow | 5.5 | 210.00 | | |
| ND202 | Grey | 5.5 | 210.00 | | |
| 48" L X 24" W X 24" H | | | | | |
| NM947 | Yellow | 10 | 315.00 | | |
| NM948 | Grey | 10 | 315.00 | | |

Poly Snow Pushers

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip
- Blade Material: Polypropylene



AUR RA

| Model | | Blad | e Dim. | Overall | Promo |
|-------|--------------|--------|----------|---------|-------|
| No. | Wearstrip | W" | х Н" | Length" | Price |
| NM812 | Included | 21-1/4 | x 9-1/4 | 50-1/2 | 26.80 |
| NM811 | Not Included | 24-1/2 | x 10-3/4 | 54-1/2 | 33.20 |

Poly Snow Shovels

- Blade Material: Polypropylene
- Handle Material: Steel
- Handle Type: D-Grip



AUR

| Model | Weavetria | Blade | | Dim. H" | Overall | Promo |
|-------|--------------|--------|---|------------|---------|-------|
| No. | Wearstrip | W | Х | П" | Length" | Price |
| NM809 | Included | 19-3/4 | Х | 13-1/8 | 50-3/4 | 32.45 |
| NM810 | Not Included | 19-3/4 | X | 13 | 51-3/8 | 31.60 |



 Polyethylene scoop ideal for salt and sand, compost and animal feed

| Model No. | Colour | Capacity | Promo Price |
|--------------|--------|----------|----------------|
| PE095 | Yellow | 1 gal. | 23.95 |
| PE096 | White | 1 gal. | 23.95 |