



Proudly  
Canadian Owned and Operated



# HARDWARE UNLIMITED

Industrial & Safety Supplies



(403) - 723 - 0241



Unit 45 4216-54 Avenue S.E.  
Calgary, Alberta T2C 2E3



www.hardwareunlimited.ca

## SHOP ESSENTIALS PROMOTION!

### Arx™ 3-Piece Modular Starter Kit

- The rugged Arx™ Stackable Tool Storage System delivers versatile storage solutions, ensuring your tools are always at hand when you need them
- The large rolling toolbox provides a solid base for the Arx™ Storage System, conveniently connecting to other modules with strong polyamide latches
- Rolling toolbox base features an increased capacity of up to 220 lbs. and 52 litres of space, it can comfortably transport large and heavy tools
- Industrial-grade telescopic handle easily extends and collapses for convenient transport and storage
- Includes:**
  - Arx™ Rolling Toolbox Base (19" W x 25.2" D x 26" H);
  - Arx™ Medium Toolbox (15.2" W x 23" D x 12.6" H);
  - Arx™ 2X-Large Organizer with Bins (15.2" W x 23" D x 6.8" H)



AURORA  
TOOLS

ARX™  
System

| Model No. | Promo Price |
|-----------|-------------|
| UAY747    | 270.00      |

### Essential® Tool Box with Tray

- Top organizers enable small parts organization
- Latch with geometric lock for smooth and easy use
- Pad eye lock enables user to lock the toolbox
- Top recesses for screws and washers
- Overall Dim.: 16" W x 8" D x 7-3/10" H



STANLEY

| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| TER084    | STST16331 | 14.00       |

### KneePro Ultra Flex III Knee Pad

- Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/outside of the knee for added knee and leg protection
- The articulating hinged design ensures proper placement all day long
- Soft elastic, extra-wide woven straps with reinforced sewn ends are placed well above and below the knee
- Metal rivet hinge ensures long lasting protection while kneeling or walking
- Comes in a convenient, reusable mesh bag with one extra Quick-Snap clip
- Closure Type: Hook and Loop
- Pad Type: Foam • Cap Material: Plastic
- Size: One-Size-Fits-All

sellstrom.



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| SGH284    | S96110  | 57.95       |

### Lever Hoists

- Lightweight steel construction
- Short steel handle rotates 360° to allow operation in any position
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Meets ASME B30.16
- Lift: 5'
- Chain Material: Alloy Steel

KLETON



| Model No. | Capacity              | Promo Price |
|-----------|-----------------------|-------------|
| LW562     | 1500 lbs. (0.75 tons) | 209.00      |
| LW563     | 2000 lbs. (1 tons)    | 254.00      |
| LW564     | 3000 lbs. (1.5 tons)  | 281.00      |
| LW565     | 6000 lbs. (3 tons)    | 446.00      |
| LW566     | 12000 lbs. (12 tons)  | 626.00      |

Pricing in effect until April 10, 2026 or while quantities last. Taxes and freight extra. Issue #SDW226012NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.

## Deep Professional Organizer

- High-impact, break-resistant, crystal-clear lid
- Unique lid design keeps storage cups locked in place
- Removable cup compartments in different sizes
- Large, deep cups for easy access to small items
- Overall Dim.: 17-1/2" W x 4-1/2"D x 14" H



**STANLEY**

| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| UAK128    | STST14710 | 40.30       |

## Deep Pro Organizer

- Organizer with integrated carry handle for small parts organization
- Removable cups for inner customization of small tools and parts
- Anti-rust metal latches for long life
- Overall Dim.: 14" W x 17-1/2" D x 4-1/2" H



**DEWALT**

| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| TYP064    | DWST14825 | 44.90       |

## Tough Chest™ Mobile Storage

- Telescopic, metal pull handle for easy maneuvering
- Heavy-duty wheels for easy steering on job-site
- Overall Dim.: 23-3/32" W x 38-29/32" D x 24-5/16" H
- Capacity: 63 Gal



**DEWALT**

| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| TYP060    | DWST38000 | 229.00      |

## Heavy-Duty Tool Box

- ABS plastic latches
- Heavy-duty polypropylene fabrication
- Deep storage compartments
- Padlock eye for safe storage
- 1 Removable Inner Tray



**AURORA  
TOOLS**

| Model No. | O.A. Dimensions    | Features                   | Promo Price |
|-----------|--------------------|----------------------------|-------------|
| TLV084    | 17-1/2 x 9-1/2 x 8 | 2 Parts Boxes, 1 Organizer | 34.00       |



## Molded Base Contractor's Closed-Top Tool Bag

- Constructed with 1680D ballistic polyester
- Molded base for longer wear keeps your tools dry and safe
- Pop-open design, large interior main compartment to carry, power tools, circular saws, hard hats, etc.
- Large zippered pocket for parts or valuables
- Material: Ballistic Polyester
- No. of Pockets: 29

Tools sold  
separately



**Kuny's**

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TER205    | PB1553  | 140.00      |

## All-Purpose Gear Bags

## All-Purpose Gear Bags

- All-purpose gear bag perfect for carrying air hoses, kneepads, power tools, extension cords, etc.
- Outside pockets to organize small tools or accessories
- Abrasion resistant rubber feet
- Reinforced padded carrying handles
- Material: Polyester
- No. of Pockets: 4
- Overall Depth: 24
- Dimensions: 24" L x 12" W x 12" H



**Kuny's**

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TEP215    | SW-1111 | 43.10       |

Tools sold  
separately

## TSTAK® Mobile Storage Clipboard

- One-hand operation using auto-latch
- Can be stacked with any TSTAK® module
- Internal nylon-zippered pouch lets you store even more
- **Includes:** (1) AA 1.5 Amp Battery
- Depth: 11.31"



**DEWALT**

| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| UAY430    | DWST17818 | 27.98       |

## Utility Cart

- Heavy-duty steel construction
- Full extension ball bearings slides on all drawers
- High quality 4" swivel casters
- High-gloss powder coat scratch-resistant black paint
- No. of Drawers: 4
- Overall Dimensions: 33" W x 18" D x 39" H
- Drawer Capacity: 100 lbs.
- Unit Capacity: 550 lbs.



**AURORA**  
TOOLS

| Model No. | Promo Price |
|-----------|-------------|
| TEP483    | 499.00      |

## Jobsite Shelf Cabinet

- Site-Vault™ security system
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot operated latch released system
- 3/8 continuous hinges with hardened 1/4" steel pin and extra-large 1" knuckles
- Material: Steel



**CRESCENT**  
**JOBOX**

| Model No. | MFG No.  | Overall Dim. W" x D" x H" | Capacity cu.ft. | Promo Price |
|-----------|----------|---------------------------|-----------------|-------------|
| TEP170    | 1-697990 | 60-1/8 x 24-1/4 x 60-3/4  | 47.5            | 3416.00     |

## Trademaster™ Mobile Cabinet & Work Centre

- Raised ergonomic handle reduces wrist and back strain
- Open front top for easy access to work surface
- 3-outlet, surge protected power strip, 15' cord and wrap (UL/CSA listed)
- Two swivel with brake and two fixed 5" casters
- 4" deep drawers support 40 lbs. and feature locking system
- Metal reinforced structural foam shelves



**Rubbermaid**  
Commercial Products



| Model No. | MFG No.     | No. of Drawers | Overall Dim. L" x W" x H" | Promo Price |
|-----------|-------------|----------------|---------------------------|-------------|
| MH681     | FG451388BLA | 4              | 40-5/8 x 18-7/8 x 38-3/8  | 893.00      |

## Industrial Tool Chest

- Double wall steel construction for added strength
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Powder coat scratch resistant black paint
- Drawer Capacity: 75 lbs.



**AURORA**  
TOOLS

| Model No. | No. of Drawers | Overall Dim. W" x D" x H" | Unit Cap. lbs. | Promo Price |
|-----------|----------------|---------------------------|----------------|-------------|
| TER066    | 4              | 26 x 12 x 14-1/4          | 375            | 299.00      |

## Jobsite Tool Boxes

### Jobsite Tool Boxes

- 2-gas struts to assist with lid opening
- Piano hinge closes lid securely to keep the elements out
- Rubber grommet to allow electrical cord pass through
- Heavy-duty flip-up side handles
- Colour: Blue
- Material: Steel



**AURORA**  
TOOLS

| Model No. | Overall Dim. W" x D" x H" | Capacity cu.ft. | Capacity lbs. | Promo Price |
|-----------|---------------------------|-----------------|---------------|-------------|
| UAW869    | 48 x 24 x 27-3/5          | 16              | 500           | 608.00      |

## 3MHSS Mini Wire Scratch Brush

- Made from kiln-dried hardwood for maximum wire tuft retention
- Ideal for removal of rust, paint, scale, weld slag and most other cleaning jobs
- Brush Dim.: 1-1/2" L x 7/16" W
- Overall Length: 7-3/4"
- Wire Rows: 3 x 7
- Trim Length: 7/16"
- Fill Material: Stainless Steel



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| UAV999    | 551117  | 1.98        |

## AW-3S Adjustable Wrench Set

- Professional quality
- Drop forged Chrome Vanadium steel
- Fully heat treated for strength and durability
- Accurately machined sliding jaw for smooth adjustment
- No. of Pieces: 3
- Size Standard: Imperial and Metric
- Includes:** 8" (160 mm), 10" (210 mm), 12" (300 mm)
- Openings: 1", 1-1/4", 1-1/2"



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| AUW071    | 711102  | 64.70       |

## ISD-14 ABS Handle Screwdriver Set

- Fully hardened Chrome Vanadium shafts
- Magnetic tips conveniently hold screws on tip in any position
- Double injected handles provide superior grip and end user comfort
- Ergonomic handle shape allows application of extra torque
- No. of Pieces: 14
- Magnetic



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| MLA302    | 20911   | 49.90       |

## JBHK-22SM Ball Nose Hex Key Set

- Long arm series allows access into tough spots and more torque on the fastener
- Ball nose design allows engagement of fastener at up to 25° angle
- Precision chamfering for ease of insertion
- Industrial heat treated Chrome Vanadium steel
- No. of Keys: 22
- Drive Type: Metric & Imperial
- Includes:** 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TGW335    | 775164  | 49.50       |

## JPS-5M Mechanic's Pliers Set

- Made of high quality Chrome Vanadium steel (except slip joint)
- Cutting edges induction hardened to HRC58-63
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- No. of Pieces: 5
- Standard(s) Met: ANSI
- Includes:**
  - 8" Angle Head Cutter,
  - 8" Long Nose,
  - 8" Linemans,
  - 8" Slip Joint,
  - 8" Groove Joint



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| AUW104    | 730341  | 117.00      |

## BNH-912M 1/2" Drive Metric Ball Nose Hex Impact Socket Set

## BNH-912M 1/2" Drive Metric Ball Nose Hex Impact Socket Set

- Modern design brings ball nose flexibility to impact hex socket use
- Allows angled entry to fasteners in restricted areas, increasing productivity
- Features S.A.E. 4140 Chrome Molybdenum bits for demanding professional applications
- Large laser markings for easy socket identification
- No. of Pieces: 9
- Includes:** 6 mm, 7 mm, 8 mm, 10 mm, 12 mm, 14 mm, 15 mm, 17 mm, 19 mm (Bits)



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| AUW038    | 610336  | 121.00      |

## SA1213 Flex Handle Bar

- All components are forged from high quality Chrome Vanadium steel
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and ANSI specifications
- **WARNING:** Do not use chrome sockets on electric or air impact wrenches
- Overall Length: 24"
- Drive Size: 1/2"
- Handle: Plain



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TFW675    | 672918  | 84.40       |

## AR316HDA Heavy-Duty Air Riveter

- 90 PSI air pressure recommended for maximum performance
- Powerful pulling load of 1,940 lbs.
- Can be used on all rivet material types, including steel and aluminum, up to 3/16"
- 9/16" stroke sets rivets in one hit, increasing efficiency
- Rivet Size: 3/32" - 3/16"
- Air Inlet: 1/4"
- Average Air Consumption: 4 CFM
- Min. Hose Size: 3/8"
- **Includes:** Air Riveter, 3/32" (2.4 mm) Nosepiece, 1/8" (3.2 mm) Nosepiece, 5/32" (4.0 mm) Nosepiece, 3/16" (4.8 mm) Nosepiece



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| UAV953    | 409005  | 265.00      |

## SPT270 10-Piece Heat Gun Kit

- Window nozzle - deflects to prevent panes of glass, etc. from overheating
- Reflector nozzle - for soldering pipes or shrink-fitting shrink sleeves
- Focus nozzle
- Reduction nozzle - for focused jet of heat
- Paint scraper for stripping paint
- Shavehook scraper handle with 3 attachable blades
- Blow-mould case
- Temperature: 700°F - 925°F (375°C - 495°C)



| Model No. | MFG No. | Temperature Setting | Voltage | Amps   | Promo Price |
|-----------|---------|---------------------|---------|--------|-------------|
| NIS534    | 11981   | 2 Speed             | 120 V   | 12.5 A | 62.60       |

## JITW-12250 Industrial Series Torque Wrench



- All metal construction for the toughest, most demanding industrial applications
- Chrome Molybdenum ratchet pawls and teeth heat treated for maximum durability and high torque loads
- Quick-release ratchet head holds sockets and accessories safely and securely
- Accurate to +/-3% clockwise and +/-6% counter clockwise
- Torque Range: 50 - 250 lbf. Ft
- Standard(s) Met: ANSI, ISO, BSEN 26789-1994, GGG-W-00686C
- Grip Style: Non-Slip
- Number of Geared Teeth: 32
- Style: Micrometer, Reversible, Left/right
- Swing Arc: 11.2"



| Model No. | MFG No. | Overall Length" | Style | Drive Type  | Promo Price |
|-----------|---------|-----------------|-------|-------------|-------------|
| AUW090    | 718976  | 24              | Click | 1/2" Square | 363.00      |

## ISE-7 7-Piece Square Screw Extractor Set

- For Screw Size: 1/8" - 9/16"
- **Includes:** 1/8; 3/16; 15/64; 5/16; 3/8; 15/32; 9/16"



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TDW057    | 24207   | 94.50       |

## AH200SHD 6-Piece Super Heavy-Duty Air Hammer Kit

- The tool-free, rotating exhaust-direction dial allows users to direct the exhaust to either the front or handle of the tool
- The super heavy-duty kit features a swivel air inlet to prevent the air hose from twisting during operation
- The anti-vibration mechanism reduces user fatigue, and the one-piece rubber over-moulded grip reduces shock and slippage
- Constructed with a feature trigger for precise speed control, this air hammer kit comes with an ergonomic handle grip for optimal balance and control
- Min. Hose Size: 3/8"
- Piston Dia. 3/4" • Piston Stroke: 3.54"
- **Includes:** (5) Chisel bits; (1) Quick-change retainer; (1) Blow-mold case



| Model No. | MFG No. | Air Consumption | Air Inlet | Sound Level (dBA) | BPM  | Promo Price |
|-----------|---------|-----------------|-----------|-------------------|------|-------------|
| UAV943    | 404136  | 3.7 CFM         | 1/4" NPT  | 95                | 2000 | 338.00      |

## Mini-Grinder™

- Safety clutch eliminates backlash
- Exclusive Quick feature for tool-free wheel change
- **Includes:** Side handle
- Fully serviceable power tools for extended life & consistent performance — spare parts available for up to 7 years after model discontinuation
- Wheel Diameter: 4 1/2"
- Voltage: 120 V
- Amps: 8 A
- No Load RPM: 10 000
- Spindle Size: 5/8"

 **WALTER**  
Surface Technologies



| Model No. | MFG No. | Promo Price   |
|-----------|---------|---------------|
| TD920     | 30A161  | <b>334.00</b> |

## Electric Angle Grinder with Paddle Switch

- High torque and high rotational speed in a lightweight, powerful and versatile tool
- Ergonomic design features a low-vibration handle and speed control in select models for different jobs
- Designed for use with 3M abrasives and accessories
- Robust components that are durable in harsh industrial conditions
- Wheel Diameter: 4-1/2"/5"
- Voltage: 120 V
- No Load RPM: 11500

**3M**



| Model No. | MFG No.    | Promo Price   |
|-----------|------------|---------------|
| UAY643    | 7100336685 | <b>449.00</b> |

## Pry Bar Set

- I-Beam design: up to 40% stronger
- All-metal core
- Hammer-ready strike cap
- Comfortable tri-lobe handles
- Chrome finish for corrosion resistance
- No. of Pieces: 4
- **Includes:** 8" Pry Bar, 12" Pry Bar, 18" Pry Bar, 24" Pry Bar

**Milwaukee**



| Model No. | MFG No.    | Promo Price  |
|-----------|------------|--------------|
| TYY011    | 48-22-9214 | <b>71.00</b> |

## Stainless Steel All Purpose Tradesman Shears

- Features premium-grade stainless steel blades, precision engineered to stay sharp far longer than typical scissors made for around the home and craft use
- An adjustable pivot allows cutting blade tension to be fine-tuned for optimal performance, while a symmetrical handle ring design makes these scissors extremely comfortable for either left or right-handed users
- Cut Length: 3-1/4"
- Overall Length: 8-1/2"
- Handle Style: Rings
- Handle Angle: Offset
- Handle Orientation: Ambidextrous



| Model No. | MFG No. | Promo Price  |
|-----------|---------|--------------|
| TCT581    | CW812S  | <b>13.10</b> |

## 165' Laser Line Detector

- Extends laser functionality up-to 165 feet indoors and outdoors for the fastest point-to-point alignment
- LEDs on front and back provide high visibility feedback, improving the set-up process
- Rare earth magnets located on two sides of the detector allow it to easily attach to metal surfaces, ideal for ceiling grid installation
- The included material clamp is perfect for setting elevation
- For Use With: Milwaukee® Line & Plane Lasers
- Impact Resistance Rating: 1 m
- Weatherproof Rating: IP54

**Milwaukee**



| Model No. | MFG No.    | Promo Price   |
|-----------|------------|---------------|
| UAU071    | 48-35-1211 | <b>142.00</b> |

## Standard-Duty Knife ATK700

- Durable ABS plastic body
- Snap-off blades
- Attached blade snapper
- Lightweight design
- Durability: Utility
- Depth of Cut: 18 mm
- Blade Material: Carbon Steel
- Handle Type: Plastic
- Blade Length: 100 mm
- Blade Thickness: 0.5 mm
- Locking Mechanism: Auto-Lock

**AURORA**  
TOOLS



| Model No. | Promo Price |
|-----------|-------------|
| PE549     | <b>1.94</b> |

## 101G-2M Medium Wire Wheel

- JET's high performance crimped wire wheels brushes have set the standard in Canada as the best performing bench wire wheels for metal applications
- Heavy wire fill and the highest grade piano wire (tempered high carbon steel, wire) have earned JET brushes an enviable reputation for consistent quality and life
- Wire wheels come with a 2 in arbor hole bushed from 1/2 in to 5/8 in sizes to fit all brands of bench grinders
- Brush Diameter: 8"
- Face Width: 7/8"
- Fill Diameter: 0.014"
- Arbor Size: 1/2" - 2"
- Filament/Wire Type: Crimped
- Fill Material: Tempered High Carbon Steel
- Max. Speed: 4500 RPM




| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| MLA233    | 550142  | 55.40       |



## FastBack™ Hawk Bill Folding Knife

- Press-and-flip operation permits one-handed opening
- Liner lock secures the blade in the open position
- Piercing tip allows controlled piercing and smooth cutting
- Reversible wire-form belt clip help secures knife to pants for quick access without damaging the fabric
- Blade Length: 2-1/4"
- Open Length: 7-1/4"
- Closed Length: 5"
- Handle Type: Plastic
- Blade Material: Stainless Steel

| Model No. | MFG No.    | Promo Price |
|-----------|------------|-------------|
| NKB804    | 48-22-1985 | 19.40       |



## Turbo Diamond Blade

- Taller 13mm segments are designed for longer life and faster cutting
- Up to 4x longer life than competitive blades
- Hard material blade for cutting concrete, granite, stone and fire brick
- Optimum bond matrix provides a faster, longer lasting, and smoother cutting diamond blade
- Diameter: 4-1/2"
- Arbor Hole Size: 7/8", 5/8"



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TCT030    | E-02618 | 20.99       |



## SST+™ Jobbers Drill Bit



- Round shank drill bit for high tensile steel
- Proven SST heat and surface treatment
- Heavy-duty HSS+Co body construction
- High-flow flute design
- Material: High Speed Steel
- Drill Size: 1/8"
- Decimal Drill Size: 0.125"
- Overall Length: 2-9/16"
- Flute Length: 1-7/16"
- Point Angle: 135°

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| UE008     | 01A508  | 3.35        |



## Silver Cut-Off Wheels

- Ceramic cut-off wheel that is designed to cut quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M™ Precision-Shaped Ceramic Grain cuts fast and cool
- No plowing
- Thickness: 0.045" • Arbor Size: 7/8"
- Type: 1 • Abrasive Material: Ceramic



NV204

| Model No. | MFG No. | Diameter" | Max. RPM | Promo Price |
|-----------|---------|-----------|----------|-------------|
| NV204     | AB87467 | 5         | 12250    | 3.89        |
| NV205     | AB87469 | 6         | 10200    | 5.90        |

## Cubitron™ 3 Depressed Centre Grinding Wheels



- Designed for heavy weld removal and other heavy-duty grinding applications on almost all materials — while being specially formulated for use on stainless steel, mild steel, and aerospace alloys
- Delivers up to 15% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done
- Removes up to 1.5x more material compared to 3M™ Cubitron™ II Performance Abrasives
- Designed to last longer than leading competitors
- Thickness: 1/4" • Arbor Size: 7/8"
- Type: T27
- Abrasive Material: Ceramic
- Attachment Type: Centre Hole
- Bond Type: Resin • Grit: 36+
- Shelf Life: 1095 Days



NY530

| Model No. | MFG No.    | Diameter" | Max. RPM | Promo Price |
|-----------|------------|-----------|----------|-------------|
| NY530     | 7100303966 | 4-1/2     | 13300    | 11.80       |
| NY561     | 7100303967 | 5         | 12250    | 13.60       |
| NY562     | 7100313193 | 6         | 10200    | 16.60       |
| NY563     | 7100313198 | 7         | 8500     | 17.40       |
| NY564     | 7100313202 | 9         | 6650     | 23.50       |

## JBT-1322 Mini Butane Torch

- Industrial quality hand held torches for a variety of applications
- Meets Consumer Products Safety Commission child safety standards
- Every torch factory tested for performance and safety
- Specially designed to prevent liquid gas from entering nozzle, preventing flame outs and allowing use in any orientation
- Includes stand for hands-free use
- Flame Temperature: 2372° F (1300° C)
- Burn Time: 60 mins High, 90 mins Low
- Fuel Capacity: 22 ml
- Type: Micro Flame



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| UAV923    | 380021  | 77.00       |

## Weld-Kleen® 350® Anti-Spatter

- Base metal and fixture applications become easier to clean and remove unwanted weld spatter
- Regular use of these products reduces the need for grinding and other clean-up tasks
- Cuts costs by reducing downtime
- Effective water-based product designed for use on most base metal applications
- Biodegradable, non-toxic and paintable
- Container Type: Jug
- Size: 1 gal.



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| 388-1175  | 1008193 | 23.00       |



## Multi-Purpose MIG Pliers

- Eight-way pliers
- Nickel plated finish
- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Overall Length: 8"



| Model No. | Promo Price |
|-----------|-------------|
| NP537     | 11.60       |



## Pipe Clamps, H Style

- H shape foot assembly stabilizes clamp in two dimensions giving dual-axis stability
- Extra high base provides industry leading clearance from the work surface
- Cast jaws for durability
- Smooth action spindle
- Pipe Diameter: 3/4" (19.05 mm)
- Throat Depth: 1.75"



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TLV267    | BPC-H34 | 23.90       |



## Weld-Kleen® Heavy-Duty Anti-Spatter

- Base metal and fixture applications become easier to clean and remove unwanted weld spatter
- Regular use of these products reduces the need for grinding and other clean-up tasks
- Cuts costs by reducing downtime
- A convenient solvent based, quick-drying aerosol that allows for pre-heat, higher duty cycles and higher temperature applications
- Excellent for fixture and tooling protection
- Paintable, non-flammable, no fluorocarbons
- Container Type: Aerosol
- Size: 20-oz. Aerosol



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| 388-1165  | 1008410 | 16.70       |



## Ground Clamp

- Amperage Rating: 500
- Manufactured from nickel-plated steel with forged brass conductors
- Heavy-duty springs provide positive strength at jaws
- Ideal for portable gas drive welders; braided zinc coated copper strap carries current to both upper and lower jaws, fully insulated hinge and spring prevents arcing



| Model No. | Promo Price |
|-----------|-------------|
| AUW394    | 10.40       |



## Fire Brand Welding Gloves

- Gunn cut design with wing thumb
- Reinforced welted seams
- Stitched with Kevlar® thread
- Gauntlet style cuff
- Size: One Size
- Inner Lining: Cotton, Fleece
- Leather Palm Type: Split Cowhide

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| NJZ075    | 9238    | 10.35/Pair  |



## Speedglas™ G5-03 Pro Black Fixed Front Welding Helmet



- Robust, compact design
- Ergonomic, adjustable head suspension
- GRIND and CUT mode functionality, when using G5 auto darkening filters
- Suitable for most types of arc welding
- Colour: Black • Viewing Area: 2.8" L x 4.3" W
- Shade Level: 2.5/5, 8-13

| Model No. | MFG No.      | Promo Price |
|-----------|--------------|-------------|
| SHL717    | 10-0100-30TW | 659.00      |



## Adflo™ Powered Air Purifying Respirator HE System with Speedglas™ 9100 MP Welding Helmet

- The front-flap welding helmet is equipped with a clear and wide protective visor, ideal for grinding and preparation
- Battery Type: Lithium-Ion
- Standard(s) Met: ANSI Z89.1-2009 -Type 1, Class G, ANSI Z87.1-2010, NIOSH, CSA Z94.3
- Battery Type: Lithium-Ion
- Battery Life: ADF 2000 hours, PAPR up to 12 hours
- Breathing Tube Grade: Heavy-Duty
- Charging Time: Turbo approx. 4.5 hours
- Lens Shade: 5, 8 13 • Lens Type: Auto-Darkening
- Light State: Shade 3 • Mounting Type: Belt-Mounted
- Operating Temperature: -5°C to +55°C



| Model No. | MFG No.          | Promo Price |
|-----------|------------------|-------------|
| SHM698    | 37-1101-30ISW-CA | 3255.00     |



**SAVE MORE!** Scan here to take advantage of additional end user rebates!



## 30-Oz. Fibreglass Lavashield™ Welding Blankets



- 30-oz. gold fibreglass with neoprene coated on both sides
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Weight Per Square Yard: 30 oz.
- Temperature Resistance: 1000° F



NT822

| Model No. | Dimensions W' x L' | Promo Price |
|-----------|--------------------|-------------|
| NT822     | 6 x 6              | 82.99       |
| NT823     | 6 x 8              | 107.99      |

## Speedglas™ G5-03 E Welding Helmet 09-0100-20 with G5NC ADF

- Robust, compact design
- Ergonomic, adjustable head suspension
- Compatible with four different welding filters (VC/TW/NC/Passive)
- Offers grinding and cutting modes and extended coverage, all in a slim form factor with low weight
- Colour: Black • Viewing Area: 4.2" L x 2.1" W
- Shade Level: 3, 5, 8 - 12 • ADF Technology: Natural Colour
- Auto Darkening Filter (ADF) Model : G5NC
- Battery Life: 2500 Hours • Battery Type: ADF: CR2032
- Lens Type: Natural Colour (NC) • Shelf Life: 60 Months
- Switching Time (Light-Dark): 0.1 ms @ 73°F (23°C)
- UV/IR Protection: Shade 12 (permanent)
- Welding Process: TIG, MIG/MAG, & most MMA



| Model No. | MFG No.    | Promo Price |
|-----------|------------|-------------|
| SHN713    | 7100347631 | 289.00      |

## Speedglas™ G5-01 Heavy-Duty Welding Helmet with Adflo™ PAPR Assembly

- The big (104 mm x 170 mm), clear protective visor is curved, providing excellent viewing angles up, down, and peripherally
- A slim profile makes the Heavy-Duty Welding Helmet lightweight and easy to utilize in tight welding spaces
- NIOSH approved and provides an Assigned Protection Factor (APF) of 25 in our standard helmet assembly, and up to 1000 APF with our optional kit
- Includes:** 3M™ Speedglas™ G5-01 Helmet Assembly; lithium-ion battery; charger; high-efficiency particulate filter; prefilter; spark arrestor; wide leather belt; and self-adjusting breathing tube
- Auto-Darkening Filter: G5VC



| Model No. | MFG No.      | Promo Price |
|-----------|--------------|-------------|
| SHN742    | 46-1101-30VC | 2889.00     |

## Scotch-Weld™ Adhesive

- Very flexible adhesive provides strong, permanent bond even under vibration and impact
- Fast 4-minute work life with handing strength in 20 minutes at room temperature
- Good high shear and peel-strength
- Flexible when cured, making it a good choice for bonding dissimilar surfaces
- Format: 1.25 fl. oz. • Container Type: Cartridge
- Colour: Off-White • Application Time: 4 min.
- Full Cure Time: 48 hrs. • Type: Two-Part

| Model No. | MFG No.         | Promo Price |
|-----------|-----------------|-------------|
| AMB059    | DP420-1.7OZ-WHT | 54.10       |



## Paint-Riter® Valve Action® Paint Markers



- Ideal for marking on steel and iron, plastic, glass, pipes and tubes, rubber and tires, and textiles
- Fast drying and lead-free paint marker
- Weather and fade resistant
- Replaceable fibre tip ensures full use of the marker
- Marker Type: Liquid
- Marking range: -50° to 150°F

| Model No. | MFG No. | Colour | Promo Price |
|-----------|---------|--------|-------------|
| PA418     | 96820   | White  | 5.59        |
| PA419     | 96821   | Yellow | 5.59        |
| PA420     | 96822   | Red    | 5.59        |
| PA431     | 96823   | Black  | 5.59        |
| PA421     | 96825   | Blue   | 5.59        |
| PA422     | 96826   | Green  | 5.59        |



## Brakleen® BPC Non-Chlorinated Low-VOC Brake Cleaner



- Safe for use on all brake systems including: springs & wedge brakes
- Powerful non-chlorinated formula meets new low-VOC regulations
- CRC PowerJet® Nozzle provides a powerful spray that blasts away contaminants like grease, oil, and dirt from brake part components
- Fast-drying formula leaves no residue
- Format: 20 oz. • Container Type: Aerosol Can
- For Use With: ABS, Discs, Drum Brake Cylinders, Brake Drums, Brake Linings, Brake Shoes, Calipers, Clutch Discs, Disc Brake Pads

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| AH371     | 1754921 | 5.94        |



## Rubber & Gasket Adhesive

- Format: 1 qt.
- Colour: Yellow
- Container Type: Can



| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| AMB660    | 1300L-1QT | 89.90       |



## 495™ Super Bonder® Instant Adhesives

- A medium viscosity, high temperature product for all metals and most plastics and rubbers
- Resists temperatures to 223°F continuous or up to 250°F intermittent
- Ideal for gap distances up to 0.004"
- Fixtures in 20 seconds, full in 24 hrs.
- Colour: Clear



| Model No. | MFG No. | Format | Promo Price   |
|-----------|---------|--------|---------------|
| AA487     | 135467  | 28.3 g | 34.80/Bottle  |
| AB366     | 209591  | 454 g  | 383.00/Bottle |
| AA456     | 234072  | 3 g    | 7.20/Tube     |

## Cross Check™ Torque Seal® Tamper-Proof Indicator Paste

- Convenient method for visually identifying loosening and tampering in assemblies, bolts, fasteners, and nuts
- Safe for use on most surfaces
- Available in highly visible fluorescent colours
- Excellent adhesion
- Withstands temperatures of -20°F to 400°F once cured
- Container Type: Tube
- Net Volume: 1 fl. oz., 1 oz.
- Dry Time: <1 hr
- Shelf Life: 2 years

AF052



| Model No. | MFG No. | Colour | Promo Price |
|-----------|---------|--------|-------------|
| AF052     | C83314  | Orange | 11.30       |
| AF054     | C83316  | Red    | 11.30       |
| AF055     | C83317  | Yellow | 11.30       |
| AF056     | C83318  | Blue   | 11.30       |

## Meltblown Sorbent Pads

- 100% meltblown polypropylene fibre
- Permits an easy and quick clean up
- Quick and effective solution to absorb non-hazardous types of liquids
- These sorbents have absorption capacities of more than 10x their weight
- Spill Type: Universal
- Length: 15"
- Width: 18"
- Qty/Pkg.: 100

SHN391



| Model No. | Weight       | Absorbency /Pkg. | Promo Price |
|-----------|--------------|------------------|-------------|
| SHN391    | Lightweight  | 8 gal.           | 35.95/Pkg.  |
| SHN392    | Mediumweight | 10 gal.          | 47.25/Pkg.  |
| SHN393    | Heavyweight  | 12 gal.          | 54.75/Pkg.  |

## Premium Universal Spill Kit

- Container Type: Bin
- Absorption Capacity: 63 US gal.
- Mobile

### Includes:

- 100 Sorbent Pads (15" x 17")
- 4 Sorbent Socks (3" x 120")
- 4 Sorbent Pillows (18" x 18")
- 1 Drain Cover (36" x 36")
- 1 All-Purpose Granular Sorbent (25-lb. Bag)
- 2 Pairs Nitrile Gloves, XL (10)
- 2 Pairs of Safety Goggles (One Size)
- 3 Disposal Bags (26" x 36")

| Model No. | Promo Price |
|-----------|-------------|
| SHB360    | 499.00      |



## Paint/Ink Cabinets

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- Door Type: Manual
- Standard(s) Met: NFPA, OSHA, FM

SDN649



| Model No. | Capacity gal. | Dimensions W" x D" x H" | No. of Shelves | No. of Doors | Promo Price |
|-----------|---------------|-------------------------|----------------|--------------|-------------|
| SDN649    | 20            | 23 x 18 x 44            | 1              | 1            | 999.00      |
| SDN650    | 45            | 43 x 18 x 44            | 3              | 2            | 1239.00     |
| SDN651    | 60            | 43 x 18 x 65            | 5              | 2            | 1679.00     |
| SDN652*   | 96            | 34 x 34 x 65            | 5              | 2            | 2065.00     |

\*Codes state that not more than 60 gallons of Category I, II or III flammable liquids, nor more than 120 gallons of Category IV flammable liquids may be stored in a safety cabinet

## Bonded Sorbent Pads & Rolls

- 100% bonded polypropylene fibre
- More durable than traditional meltblown sorbents
- These sorbents have absorption capacities of more than 10x their weight
- Spill Type: Universal

SHN407



SHN397

| Model No.             | Weight | Dim. L x W | Absorbency /Pkg. | Promo Price |
|-----------------------|--------|------------|------------------|-------------|
| <b>PADS, 100/PKG*</b> |        |            |                  |             |

|        |              |           |         |            |
|--------|--------------|-----------|---------|------------|
| SHN397 | Lightweight  | 15" x 17" | 8 gal.  | 41.25/Pkg. |
| SHN398 | Mediumweight | 15" x 18" | 10 gal. | 49.95/Pkg. |
| SHN399 | Heavyweight  | 15" x 17" | 12 gal. | 56.25/Pkg. |

### ROLLS, 1/PKG

|        |              |            |         |             |
|--------|--------------|------------|---------|-------------|
| SHN407 | Mediumweight | 150' x 15" | 8 gal.  | 64.45/Pkg.  |
| SHN408 | Mediumweight | 150' x 30" | 16 gal. | 119.00/Pkg. |
| SHN409 | Heavyweight  | 150' x 15" | 10 gal. | 74.95/Pkg.  |
| SHN410 | Heavyweight  | 150' x 30" | 20 gal. | 139.00/Pkg. |

\*Perforated down the centre to help reduce waste

## Flammable Storage Cabinets

- Safety cabinet door self-closes and is equipped with a fusible link that melts when the ambient temperature reaches 165°F (74°C)
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Door Type: Self-Closing
- Standard(s) Met: FM, NFPA, OSHA
- No. of Shelves: 1



| Model No. | Capacity gal. | Overall Dimensions W" x D" x H" | No. of Doors | Promo Price |
|-----------|---------------|---------------------------------|--------------|-------------|
| SGU463    | 12            | 23 x 18 x 35                    | 1            | 999.00      |
| SGU464    | 22            | 35 x 22 x 35                    | 2            | 1339.00     |

## Vertical Drum Storage Cabinet

- Safely stores up to two drums, easy glide rollers for convenient drum access
- Half-depth shelf allows additional storage
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Includes two polyethylene trays
- Dimensions: 59" W x 34" D x 65" H
- Drum Capacity (US): 2-55 gallons
- Door Type: 2 doors, manual with drum rollers
- Standard(s) Met: NFPA/OSHA/FM



| Model No. | Promo Price |
|-----------|-------------|
| SGC540    | 3929.00     |

## Locks for Lockouts

- Designed exclusively for lockout/tagout
- Durable, lightweight, Thermoplastic lock body
- Special thermoplastic body offers superior performance against chemicals, moisture, temperature and UV
- Key retaining - ensures that padlocks are not left unlocked, cannot remove key until shackle is closed
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Type: Safety Padlock
- Body Width: 1-1/2"
- Shackle Diameter: 1/4"
- Shackle Clearance Height: 1-1/2"
- Shackle Clearance Width: 25-32"
- Shackle Material: Metal
- Key Type: Keyed Different
- Includes:** (1) Lock, (2) Keys



| Model No. | Colour | Promo Price |
|-----------|--------|-------------|
| SHC361    | Black  | 7.95        |
| SHC362    | Blue   | 7.95        |
| SHC363    | Green  | 7.95        |
| SHC364    | Orange | 7.95        |
| SHC365    | Red    | 7.95        |
| SHC366    | Yellow | 7.95        |

## Electrical Lockouts

- Keeps employees safe from unexpected equipment activation
- Hexagon lockout design, suitable for a variety industrial plugs
- Constructed from durable polypropylene
- Legend: Locked Out Do Not Remove
- Colour: Red



| Model No. | Dimensions"     | Promo Price |
|-----------|-----------------|-------------|
| SGY228    | 2 x 2 x 5       | 12.59       |
| SGY229    | 3.25 x 3.25 x 7 | 20.99       |

## Coloured Cones

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Choice of six colour coding options
- Base Dimensions: 10-1/4" L x 10-1/4" W



**ZENITH®**  
Safety Products

| Model No. | Colour | Height" | Promo Price |
|-----------|--------|---------|-------------|
| SEH135    | White  | 18      | 12.35       |
| SEH136    | Blue   | 18      | 12.35       |
| SEH137    | Yellow | 18      | 12.35       |
| SEH138    | Orange | 18      | 12.35       |
| SEH139    | Green  | 18      | 12.35       |
| SEK283    | Red    | 18      | 12.35       |

## Triangular Reflector Kit

- Ideal for increasing visibility around disabled vehicles
- Fast and easy to set up and stow away
- Weighted base provides additional stability
- Instructions for proper use are printed on the case and on each triangle
- Kit includes 3 Triangles and a red carry case
- Meets DOT FMVSS 125 standards

**ZENITH®**  
Safety Products

| Model No. | Promo Price |
|-----------|-------------|
| SGD773    | 34.60       |



## Valve Lockouts

- Cover the valve handle with the gate valve lockout device and apply a personal padlock and lockout tag to ensure employee safety
- Supplied with English and French danger labels
- Extremely rugged construction for superior security
- Valve Type: Gate
- Material: Plastic, Nylon, ABS
- Risk Type: Mechanical Risk
- Legend: Danger Locked Out Do Not Remove

SHA670



| Model No. | Valve Wheel Diameter" | Promo Price |
|-----------|-----------------------|-------------|
| SHA670    | 1 to 2.5              | 13.39       |
| SHA671    | 2.5 to 5              | 16.75       |
| SHA672    | 5 to 6.5              | 21.79       |
| SHA673    | 6.5 to 10             | 33.55       |

## Convex Mirrors

- Removes blind spots which reduces the chance of accidents caused by blind corners
- Durable acrylic convex mirror provides 100° viewing angle
- Plastic back and frame
- Indoor/Outdoor
- Colour: Black

SDP507



**ZENITH®**  
Safety Products

| Model No.                                      | Diameter" | Promo Price |
|--|-----------|-------------|
| INCLUDES INSTALLATION BRACKET                  |           |             |
| SDP505   | 12        | 49.55       |
| SDP506   | 18        | 74.99       |
| INCLUDES INSTALLATION BRACKET & EXTENDABLE ARM |           |             |
| SDP507   | 26        | 120.99      |
| SDP508   | 30        | 157.99      |
| SDP509   | 36        | 196.99      |

## Z2500 Series Safety Glasses

- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible temples provide superior comfort and fit
- Distortion-free
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3

**ZENITH®**  
Safety Products



| Model No. | Lens Tint  | Lens Coating | Promo Price |
|-----------|------------|--------------|-------------|
| SDN701    | Clear      | Anti-Scratch | 2.15        |
| SDN702    | Grey/Smoke | Anti-Scratch | 2.25        |
| SDN703    | Amber      | Anti-Scratch | 2.45        |
| SDN704    | Blue       | Anti-Scratch | 2.45        |
| SDN705    | I/O Mirror | Anti-Scratch | 2.45        |
| SDN706    | Clear      | Anti-Fog     | 2.69        |

## Bionic™ Shield

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Height: 8-1/2"
- Width: 16-1/2"
- Thickness: 0.06"
- Material: Polycarbonate
- Shield Tint: Clear
- Suspension Type: Ratchet
- Standard(s) Met: Meets/Exceeds CSA Z94.3

**UVEX**  
BY PIP



SAK422

## Stromboli™ Hardhats

- Safety helmet designed primarily for welders and high heat applications
- Shell is made of lightweight polycarbonate offering exceptional protection against heat, radiation and impacts
- The rain trough free shell is narrower than other models and allows the addition of all types of welding helmets available on the market without any restrictions
- Attachment points for chin straps
- Suspension Type: Ratchet
- Non-Vented
- Certification(s): ANSI Type II, Meets/Exceeds CSA Type 2
- Class: Meets/Exceeds CSA Class E, ANSI Class E



SFY777

| Model No. | MFG No.   | Colour | Promo Price |
|-----------|-----------|--------|-------------|
| SFY777    | HP842R-71 | Blue   | 40.99       |
| SFY821    | HP842R-01 | White  | 40.99       |
| SFY786    | HP842R-11 | Black  | 40.99       |

**DYNAMIC**  
BY PIP

## Optime™ 98 Series Earmuffs

- Slim tapered upper dome, excellent for use with hard hat and face protection equipment
- Broad foam cushions give low, comfortable surface pressure
- Pressure equalization air openings, quickly ensure the correct pressure to the eardrum
- Suitable for factories, sheet metal works, schools, printing offices, textile industries and power equipment
- Meets/Exceeds CSA Class: A
- Colour: Yellow



**3M**  
PELTOR™

| Model No. | MFG No. | Style     | NRR dB | Promo Price |
|-----------|---------|-----------|--------|-------------|
| SC172     | H9A     | Headband  | 25     | 27.79       |
| SC173     | H9P3E   | Cap Mount | 23     | 27.79       |

## SparkPlugs® Multi-Coloured Foam Earplugs

**MOLDEX**

- Different colours in every package
- Fun-coloured to spark up hearing protection program
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- NRR dB: 33
- One-Size
- Certification(s): CSA Class AL
- Packaging: Bulk - Box



SAG838



SAG839



| Model No. | Style    | Qty/Box (Pairs) | Promo Price |
|-----------|----------|-----------------|-------------|
| SAG838    | Uncorded | 200             | 37.49/Box   |
| SAG839    | Corded   | 100             | 41.49/Box   |

## 6000 Series Half Facepiece Reusable Respirators

**3M**

- Respirator combines comfort and convenience with easy-to-adjust, soft head straps
- Low profile respirator design does not interfere with wearing safety glasses
- Can be disassembled, cleaned and reused
- Replaceable cartridges and filters available
- Includes: reclosable storage bag
- Facepiece Material: Thermoplastic
- Standards: NIOSH approved



SE886

| Model No. | MFG No. | Size   | Promo Price |
|-----------|---------|--------|-------------|
| SE886     | 6100    | Small  | 19.29       |
| SE887     | 6200    | Medium | 19.29       |
| SE888     | 6300    | Large  | 19.29       |

## Red Baron Fitter's Gloves

- Heavy sherpa lining
- Full-grain cowhide leather
- Cotton drill back
- Shirred elastic wrist
- Slip-on style safety cuff
- Leather Palm Type: Grain Cowhide
- Cuff Material: Cotton



NJZ081



| Model No.     | MFG No.    | Size     | Promo Price       |
|---------------|------------|----------|-------------------|
| <b>NJZ082</b> | 94002-M    | Medium   | <b>14.49/Pair</b> |
| <b>NJZ081</b> | 94002-L    | Large    | <b>14.49/Pair</b> |
| <b>NJZ083</b> | 94002-X    | X-Large  | <b>14.49/Pair</b> |
| <b>NJZ084</b> | 94002-XXL  | 2X-Large | <b>14.49/Pair</b> |
| <b>SGW996</b> | 94002-XXXL | 3X-Large | <b>14.49/Pair</b> |

## Premium Grain Cowhide Ropers Fleece-Lined Gloves

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
- Comes with adjustable strap with snap
- **Must be ordered in multiples of 12**

| Model No.     | Size    | Promo Price      |
|---------------|---------|------------------|
| <b>SFV187</b> | Small   | <b>8.95/Pair</b> |
| <b>SFV188</b> | Medium  | <b>9.10/Pair</b> |
| <b>SFV189</b> | Large   | <b>9.25/Pair</b> |
| <b>SFV190</b> | X-Large | <b>9.50/Pair</b> |



## All Purpose Traction Aid

- Pulse Grip tread design over a large surface area provides more traction on all surfaces
- Well positioned Ice Diamond™ spikes provide more comfort under the foot and improved traction
- Improved heel fit for better performance
- Geometrically designed webbing and improved shape comfortably fit a greater variety of footwear
- Traction Type: Stud
- Traction Material: Tungsten Carbide



Boots not included



SEB972

| Model No.     | Size    | Fits Shoe Size Men | Fits Shoe Size Women | Promo Price       |
|---------------|---------|--------------------|----------------------|-------------------|
| <b>SEB972</b> | Small   | 4-7                | 5-8                  | <b>33.49/Pair</b> |
| <b>SEB971</b> | Medium  | 7.5-10             | 8.5-11               | <b>33.49/Pair</b> |
| <b>SEB970</b> | Large   | 10.5-13            | 11.5-13              | <b>33.49/Pair</b> |
| <b>SEB973</b> | X-Large | 13.5-15            | 13.5-15              | <b>39.99/Pair</b> |

## ProFlex 7501 Coated Waterproof Winter Work Gloves

- 15g polyester with a soft 10g brushed acrylic fleece liner for comfort and warmth
- Waterproof - fully coated latex protects hands from water and cold air
- Sandy, nitrile-dipped palm for secure gripping
- Dual layer of latex and nitrile remains flexible in cold weather for easy handling of equipment and materials
- Shell Material: Polyester
- Coating Style: Dipped Palm, Full Dip
- Cuff Type: Knit
- Abrasion Resistance Rating: EN 388 Level 2
- Tearing Strength Rating: EN 388 Level 3
- Puncture Resistance Rating: EN 388 Level 1
- Cut Resistance Rating: EN 388 Level 1

SHB428



| Model No.     | MFG No. | Size     | Promo Price       |
|---------------|---------|----------|-------------------|
| <b>SHB428</b> | 17632   | Small    | <b>10.99/Pair</b> |
| <b>SHB429</b> | 17633   | Medium   | <b>10.99/Pair</b> |
| <b>SHB430</b> | 17634   | Large    | <b>10.99/Pair</b> |
| <b>SHB431</b> | 17635   | X-Large  | <b>10.99/Pair</b> |
| <b>SHB432</b> | 17636   | 2X-Large | <b>10.99/Pair</b> |

## GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES



- Premium Quality
- Boa lining provides superior warmth
- Performs better in wet applications than cowhide grain or split leather
- Rubberized safety cuff
- **Must be ordered in multiples of 12**

SAP300

| Model No.     | Size     | Promo Price      |
|---------------|----------|------------------|
| <b>SAP300</b> | Large    | <b>6.95/Pair</b> |
| <b>SDL888</b> | X-Large  | <b>7.25/Pair</b> |
| <b>SDL889</b> | 2X-Large | <b>7.55/Pair</b> |



## Adventurer All Season Overshoes

- Lightweight to prevent foot and leg fatigue
- Nylon upper with Perma outsole offers good traction in tough weather conditions
- Calf-high coverage protects footwear and pant legs in snow or mud
- 100% waterproof
- Closure Type: Hook and Loop
- Height: 15"
- Temperature Rating: Up to 0°F (-17.7°C)

SEE832



| Model No.     | MFG No.  | Size     | Fits Shoe Sizes* W US | Fits Shoe Sizes* M US | Promo Price   |
|---------------|----------|----------|-----------------------|-----------------------|---------------|
| <b>SEE832</b> | ANN1-S   | Small    | 6 to 8                | 5 to 6.5              | <b>125.99</b> |
| <b>SEE833</b> | ANN1-M   | Medium   | 8.5 to 10             | 7 to 8.5              | <b>125.99</b> |
| <b>SEE834</b> | ANN1-L   | Large    | 10.5 to 12            | 9 to 10.5             | <b>125.99</b> |
| <b>SEE835</b> | ANN1-XL  | X-Large  | -                     | 11 to 12.5            | <b>125.99</b> |
| <b>SEE887</b> | ANN1-2XL | 2X-Large | -                     | 13 to 14.5            | <b>125.99</b> |

\*If wearing over a work or combat boot, select one size up

## Portable Heater

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 6.25 A/12.5 A



| Model No. | Promo Price |
|-----------|-------------|
| EA599     | 55.35       |

## Portable Heater

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min. BTU Rating: 2557 BTU/H
- Max. BTU Rating: 5115 BTU/H



| Model No. | Promo Price |
|-----------|-------------|
| EB182     | 46.95       |

## 360 Degree Surround Portable Heater

- Features 360 degree outlet air, PTC heating elements, adjustable thermostat, tip-over switch, overheat protection, and carry handle
- Features 2 heat settings (750 W & 1500 W) and a fan-only setting
- Type: Ceramic
- Max. BTU Rating: 5200 BTU/H
- Voltage: 120 V
- Amperage: 12.5 A
- Power Cord Length: 6'
- Plug Type: Standard



| Model No. | Promo Price |
|-----------|-------------|
| EB480     | 51.95       |

## Portable Ceramic Heater

- Two heat settings (1500 W and 900 W) provide full comfort and efficient operation
- Adjustable thermostat
- Big carry handle
- Adjustable vertical tilt angle
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Voltage: 120 V



| Model No. | Promo Price |
|-----------|-------------|
| EA650     | 82.65       |

## Portable Fan-Forced Utility Heater

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards
- Overheating protection
- Min. BTU Rating: 4435 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 10.8 A/12.5 A



| Model No. | Promo Price |
|-----------|-------------|
| EA598     | 46.30       |

## Portable Salamander Heater

- Manufactured for long lasting, this portable heater for warehouses, factories, garages, construction sites, pavilions and other open areas, raise temperature to the desired level gradually for worksite comfort
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Over heat protection
- Easy to move to different areas of the site
- Variable speed setting, fan forced
- Max. BTU Rating: 34121 BTU/H
- Fan Motor Type: Enclosed air over, Ball bearing
- Type: Contractor
- Voltage: 240 V
- Wattage: 10080 W



| Model No. | Promo Price |
|-----------|-------------|
| EA786     | 1223.00     |



## Salt & Sand Containers

- Waterproof and lockable which makes it ideal for many other outdoor storage uses aside from storing loose or bagged salt, sand, or ice melter
- Constructed of rugged BPA-free UV-resistant polyethylene
- Built-in pockets for forklifts allow the bins to be moved without emptying them
- Capacity: 4.24 cu. ft.
- 21" L x 27" W x 26" H



NO614



JK232

NO615

| Model No. | Description            | Colour | Promo Price |
|-----------|------------------------|--------|-------------|
| NO614     | Container              | Yellow | 130.00      |
| NO615     | Container              | Grey   | 130.00      |
| JK232     | Polyethylene Scoop, 2L | Yellow | 6.70        |

## All Weather TPE-Rubber Extension Cords

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding



XC500




XH238



| Model No.               | Length' | Gauge (AWG) | No. of Outlets | Amps | Wattage | Promo Price |
|-------------------------|---------|-------------|----------------|------|---------|-------------|
| <b>HEAVY-DUTY</b>       |         |             |                |      |         |             |
| XC500                   | 25      | 14/3        | 1              | 15   | 1875    | 29.65       |
| XC501                   | 50      | 14/3        | 1              | 15   | 1875    | 48.10       |
| XC502                   | 100     | 14/3        | 1              | 13   | 1625    | 104.00      |
| <b>EXTRA HEAVY-DUTY</b> |         |             |                |      |         |             |
| XH238                   | 25      | 12/3        | 3              | 15   | 1875    | 44.05       |
| XH239                   | 50      | 12/3        | 3              | 15   | 1875    | 84.75       |
| XH240                   | 100     | 12/3        | 3              | 15   | 1875    | 157.00      |

## Poly Snow Shovels

- Blade Material: Polypropylene
- Handle Material: Steel
- Handle Type: D-Grip



NM809



| Model No. | Wearstrip    | Blade Dim. W" x H" | Overall Length" | Promo Price |
|-----------|--------------|--------------------|-----------------|-------------|
| NM809     | Included     | 19-3/4 x 13-1/8    | 50-3/4          | 32.45       |
| NM810     | Not Included | 19-3/4 x 13        | 51-3/8          | 31.60       |

## Alkaline Batteries

- Mercury-free
- Cadmium-free
- Aluminium jacket
- 7 Year shelf life

XI880



XJ220



XJ222



| Model No. | Battery Type | Voltage V | Sold /Priced Per | Promo Price |
|-----------|--------------|-----------|------------------|-------------|
| XI880     | AAA          | 1.5       | Box of 24        | 7.20/Box    |
| XI879     | AA           | 1.5       | Box of 24        | 8.95/Box    |
| XJ220     | C            | 1.5       | Pack of 4        | 3.89/Pack   |
| XJ221     | D            | 1.5       | Pack of 4        | 5.95/Pack   |
| XJ222     | 9V           | 9         | Pack of 12       | 18.95/Pack  |

## Portable Work Light

- Adjustable tilting head
- LED bulb included
- Certified for sale in Canada by an accredited certification body
- IP65 rating for weather and dust resistance
- Lumens: 2500
- Wattage: 20 W
- Housing Material: Aluminum



| Model No. | Promo Price |
|-----------|-------------|
| XG816     | 66.85       |

Pricing in effect until April 10, 2026 or while quantities last. Taxes and freight extra. Issue #SDW226012NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.